

AirCom End User Training

Compliance Assurance and Inspection Tool Module

PHASE 1



Presented by: DARM
Presented: August 2014



PRESENTATION OVERVIEW

- WHAT IS AIRCOM ?
- WHY AIRCOM ?
- KEY FEATURES OF AIRCOM
- PROCESS FLOW (OLD VS NEW)
- TRAINING AGENDA




WHAT IS AIRCOM ?

- Division of Air Compliance Assurance & Inspection tool
- Compliance Activities are documented in AirCom
 - GPCI, ARMS-CA and EASIR will be retired
 - ARMS Inventory will remain active
- DEP Access to Inspection Reports for Division of Air
- Public Access to Division of Air Inspection Reports



WHY AIRCOM?


- Current situation difficult (Before AirCom)
 - Old technology – Forms, not web based
 - Workstation or mobile device requires software download
 - Multiple applications for storing and viewing data
 - Databases not synced – duplicate data
 - Convoluted technical maintenance process
 - Difficulty determining what and when to report to EPA
 - No Standardization for data input
 - Inability to track or plan data entry



WHY AIRCOM?

- AirCom resolutions to Issues
 - Web-based platform
 - No software download is required for client machine
 - Single application used to perform Compliance and Inspection Activities
 - Single database for compliance and inspection data
 - Real time data entry
 - Built in data quality check
 - EPA Collection, Notification, and System Upload simplified
 - Built In Workflow for consistency in data entry and timely data entry





AIRCOM KEY FEATURES

Support Hybrid option (Both Online and Offline)

➤ Online Experience

- Bring your own devices (BYOD)
- Ease of use
- Browser Based
- Works on any device
- Real time data
- Easy integration with DEP enterprise Systems
- Minimal Training Required
- Easy Maintenance

➤ Offline Experience

- Bring your own devices (BYOD)
- Pre-populate PDF form with inspection data available for edit.
- Utilizes Adobe PDF Reader
- For Non-General Permit Facilities -will parse uploaded form to AirCom and attach it to the selected Activity
- For General Permit Facilities – will attach the Inspection form to the selected Activity in AirCom
- Uploaded Inspection forms are saved to OCULUS

AIRCOM KEY FEATURES

- An Email notification to Managers will be generated on click of Save and Mark Ready for Review button
- System Automated Email Notifications to Inspectors and Managers

Addressee	Condition	Email Trigger by # of Days	Date from which # of Days is counted
General User	Activity Status = In Progress	5, 10, 15, 20, 25 thru 30	Date Activity marked In Progress.
Office Manager	Activity Status = In Progress	15, 20, 25 thru 30	Date Activity marked In Progress.
System Manager	Activity Status = In Progress	25 thru 30	Date Activity marked In Progress.
General User	Activity Status = Ready for Review	15 thru 30	Date Activity Performed
Office Manager	Activity Status = Ready for Review	5, 10, 15 thru 30	Date Activity Performed
System Manager	Activity Status = Ready for Review	25 thru 30	Date Activity Performed
General User	Stack Test Report Activity Status = In Progress or Ready for Review	60, 65, 70 thru 75	Test Date
Office Manager	Stack Test Report Activity Status = In Progress or Ready for Review	65, 70 thru 75	Test Date
System Manager	Stack Test Report Activity Status = In Progress or Ready for Review	80, 100, 110 thru 120	Test Date



AIRCOM KEY FEATURES

AirCom contains six Activity Status

➤ Activity Statuses

- **Planned** – Used when preparing Compliance Activities for Non-general permits. The Activity has not started, no email notifications during this status.
- **In Progress** – Begins when “Verify Compliance” has been selected on an activity. This will begin the timed period for which the activity must be completed. Email reminders will be sent during this status.
- **Ready for Review**- Status is set when an inspector completes an activity and submit for manager review. Email reminders will be sent during this status.
- **In Violation** – Status is set when a manager confirms an Activity is found out of Compliance
- **Violation Resolved** – Status is set when the status of Violation(s) is resolved using resolution activities
- **Complete** – Is set when an Activity has been completed and all sources are in compliance and violation(s) is closed.

AIRCOM KEY FEATURES

➤ CREATE/ ADD REPORT DETAILS IN AIRCOM

- Stack Test Details Report
- Visible Emissions Report
- Fuel Analysis Report
- Visible Emissions Method 22
- Miscellaneous Report Review Details
- Continuous Monitor Report





AIRCOM KEY FEATURES

PDF Upload to AirCom

- Inspection Form downloaded when User selects Download Compliance Form button
 - The form to be downloaded is determined by the Permit Type of the Facility
 - General Permit Form
 - Not Parsed
 - Form Saved in OCULUS
 - Non General Permit Form
 - Form is parsed and data saved into AirCom
 - Form is also saved in OCULUS
 - It is recommended that you select “Air Restricted” OCULUS profile when uploading “draft” inspection form

OLD PROCESS VS. NEW PROCESS



AIRCOM APPLICATION DEMONSTRATION

■ Day 1 - Morning Session

- Brief introduction to AirCom
- Compare AirCom with existing system
- General Permit Facility Activity (INS2)
- Quick Resolve
- Non-General Permit Facility Activity (INS2)
- Questions



AIRCOM APPLICATION DEMONSTRATION

► Day 1 - Afternoon session:

- Violations
- Resolution Activities
- Reports (FAR, STR, MRR, VE22, and CEM)
- Summarize the day and introduce what will be covered in day 2



AIRCOM APPLICATION DEMONSTRATION

- Day 2 - Morning session:
 - Manage Complaints
 - Manage FCE Checklist
 - Identify AirCom Production Timeline
 - Wrap up (5 minutes)



AIRCOM

End User Training

Session I

Compliance Assurance and Inspection Tool Module



Presented by: DARM



SESSION TOPICS

- Search for Facility
- Activities for facility type = General Permit
- Quick Resolve functionality
- Activities for facility type = Non – General Permit
- Questions

AIRCOM MAIN MENU

The screenshot shows the DEP Business Portal interface. At the top, the header includes the Florida Department of Environmental Protection logo, the text "DEP BUSINESS PORTAL", and the "AirCom" logo with the tagline "Florida Department of Environmental Protection". Below the header, a session timeout notice states "YOUR SESSION WILL TIME OUT IN 060 MINUTES." and a red message indicates "This is a test website. The production website is not yet available." A welcome message for "Sonia E. Nelson" with a "Sign Out" link is also present.

The main navigation menu is divided into "Admin Tools" and "Air Compliance". The "Air Compliance" menu is expanded, showing options: "Manage Complaints", "Manage Facility", and "Search Facility". A red box highlights the "Air Compliance" menu and its sub-items. A red arrow points from a text box to the "Air Compliance" menu, and another red arrow points from a text box to the "Manage Facility" option.

Below the navigation menu, a welcome message reads: "Welcome to AirCom, the Division of Air Resource Management's (DARM) Compliance and Enforcement database. If you have technical questions regarding AirCom (sign in, database outage, etc.) please contact the DARM Help Desk at (850) 717-9012 or DARM.Helpdesk@dep.state.fl.us. For data input or correction issues please see the contacts on DARM's Compliance and Enforcement Intranet/Extranet site, or contact DARM's Front Desk, at (850) 717-9000. Thank you."

The footer contains the text "Darm Aircom — 1.0.13.16100", a "Site Map" link, and contact information: "Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — Contact Us". There are also logos for Adobe Reader and the Florida Department of Environmental Protection.

Annotations:

- Click on Air Compliance to reveal the AirCom Main Menu.
- Select Manage Facility, Search Facility

AIRCOM SEARCH CRITERIA PAGE

[Home](#)

Search Criteria

Search by Facility

AIRS ID:

Compliance Office:

Please Select Office
CD-Cen: ORLANDO
CDOR-Cen: ORANGE
NED-NE: JACKSONVILLE

Status:

Please Select Facility Status

Facility Reg Class:

Please Select Classification

Address:

Owner Name:

Site Name:

County:

Please Select County

Zip Code:

City:

SEARCH BY FACILITY

Find the Facility as defined in ARM Inventory

Activity Criteria

SEARCH BY ACTIVITY

Compliance Status:

Please Select Compliance Status

Date Performed From: To:

Compliance Category:

Please Select Category Code

Date Due From: To:

Activity Type:

Please Select Activity Type

Activity Status:

Please Select Activity Status

Assigned Staff:

Please Select Assigned Staff

Search by Inspection or Compliance Activities associated with a Facility

Violation Criteria

SEARCH BY VIOLATION

Violation Status:

Please Select Violation Status

Date Discovered From: To:

AIRCOM SEARCH CRITERIA PAGE - CRITERIA SEARCH BY FACILITY

Admin Tools **Air Compliance**

[Home](#)

Search Criteria

Search by Facility

AIRS ID:

Compliance Office:

CD-CEN: ORLANDO
CDOR-Cen: ORANGE
NED-NE: JACKSONVILLE
NEDB-NE Br: GAINESVILLE

Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

Status:

Facility Reg Class:

Address:

Owner/Company Name:

Facility/Site Name:

County:

Zip Code:

Activity Criteria

Compliance Status:

Date Performed From: To:

Compliance Category:

Date Due From: To:

Activity Type:

Activity Status:

Assigned Staff:

Violation Criteria

Violation Status:

Date Discovered From: To:

Darm Aircom — 1.0.13.16100

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

Get ACORD® READER®

A portion of the Owner Name has been entered for the search.

AIRCOM SEARCH RESULTS PAGE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > Facility Search Results

[Back to Search Criteria](#)

Search Criteria
The following search criteria was used: Owner Name: Florida

Search Result
Your query returned 638 record(s)

[First/Prev] [1](#), [2](#), [3](#), [4](#), [5](#), [6](#), [7](#), [8](#), [9](#), [10](#) [\[Next/Last\]](#)

Page: 1/13

Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title V	Current Permit Indicator	Facility Compliance Status	Action
NED	0010001	FLORIDA POWER CORPORATION D/B/A: PROG	FL POWER TEST SITE NAME	ACTIVE	200 S Magnolia Dr	TALLAHASSEE	30043	No	AG	SIGNIFICANT NON COMPLIANCE	Facility Details Compliance Details
NEDB	0010014	UNIV. OF FLORIDA - CENTRAL HEAT PLANT	UNIV. OF FLORIDA - CENTRAL HEAT PLANT	INACTIVE	W OF CENTER DR/N OF MOWERY RD	GAINESVILLE	32611	Yes		IN COMPLIANCE	Facility Details Compliance Details
NED	0010040	ELECTRO ENERGY FLORIDA LLC	ELECTRO ENERGY FLORIDA LLC	ACTIVE	US 441 N	ALACHUA	32614	No		SIGNIFICANT NON COMPLIANCE	Facility Details Compliance Details
NED	0010049	CLARIANT LIFE SCIENCE MOLECULES (FLORIDA	CLARIANT LIFE SCIENCE MOLECULES (FLORID	ACTIVE	5002 NE 54th Place	GAINESVILLE	32609	Yes		SIGNIFICANT NON COMPLIANCE	Facility Details Compliance Details
NED	0010060	FLORIDA ROCK INDUSTRIES, INC. ALACHUA	FLORIDA ROCK INDUSTRIES, INC. ALACHUA	ACTIVE	924 S. MAIN ST.	GAINESVILLE	32601	No	AG	SIGNIFICANT NON COMPLIANCE	Facility Details Compliance Details
NED	0010061	FLORIDA ROCK INDUSTRIES INC-HIGH SPRINGS	REO SPEEDWAGON	ACTIVE	1815 NE Santa Fe Blvd	HIGH SPRINGS	32643	No	AG	IN COMPLIANCE	Facility Details Compliance Details

SEARCH RESULTS PAGE – COMPLIANCE DETAILS LINK

Air Compliance											
Home											
Home > Search Facility > Facility Search Results											
Back to Search Criteria											
Search Criteria											
The following search criteria was used: Compliance Office: NED,											
Search Result											
Your query returned 433 record(s).											
[First/Prev] 1, 2, 3, 4, 5, 6, 7, 8, 9 [Next/Last]											
Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title Y	Current Permit Indicator	Facility Compliance Status	Action
NED	0010001	FLORIDA POWER CORPORATION D/B/A PROGRESS	U OF FL COGEN,11G ORADEVV	ACTIVE	1000 Mowery Rd	GAINESVILLE	32611	Yes		SIGNIFICANT NON COMPLIANCE	Facility Details Compliance Details
NED	0010002	ESCALADE SPORTSTTT	FRED BEAR ARCHERY EQUIPMENT	ACTIVE	4600 S.W. 41ST BLVD.ttt	GAINESVILLETTT	32998	No		MINOR NON COMPLIANCE	Facility Details Compliance Details
NED	0010003	KOPPERS INDUSTRIES, INC.	KOPPERS INDUSTRIES, INC.	ACTIVE	200 NW 23RD AVE	GAINESVILLE	32609	No		IN COMPLIANCE	Facility Details Compliance Details
NED	0010005	GAINESVILLE REGIONAL UTILITIES	JOHN R KELLY POWER PLANT	ACTIVE	605 SE 3RD ST	GAINESVILLE	32601	Yes		MINOR NON COMPLIANCE	Facility Details Compliance Details

AIRCOM ACTIVITIES

Creating an Activity in AirCom for facility type=General Permit

- Facility Type = General Permit
- Activity Type = INS2
- One EU with Compliance Status = Minor Non-Compliance
- Quick Resolve functionality

FACILITY ACTIVITIES PAGE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 659 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) ([Sign Out](#))

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#)

[Facility Activities](#) | [Facility Violations](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Facility Compliance Status: SIGNIFICANT NON-COMPLIANCE

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NED

Activity Criteria

Compliance Status: [Please Select Compliance Status](#)

Date Performed From: To:

Compliance Category: [Please Select Category Code](#)

Due Date From: To:

Activity Type: [Please Select Activity Type](#)

Activity Status: [Please Select Activity Status](#)

Assigned Staff: [Please Select Assigned Staff](#)

[Search](#) | [Reset](#) | [Back to Search Result](#) | [Add Facility Activity](#)

Facility Activities

[\[First/Prev\]](#) | [1](#) | [2](#) | [3](#) | [4](#) | [5](#) | [6](#) | [\[Next/Last\]](#)

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Number of Violations/Resolution	Operation(s)
		INSPECTION	INS2 / Compliance Inspection, Walk Through	general permit - activity	07/31/2014	In Progress				View/Edit Activity Delete Activity
		RESOLUTION	COI / Consent Order Issued	NO HISTORICAL DATA FOUND		In Progress			Violations (1)	View/Edit Activity Delete Activity
		RESOLUTION	CMTG / Compliance Meeting	NO HISTORICAL DATA FOUND		In Progress			Violations (1)	View/Edit Activity Delete Activity
		RESOLUTION	ACOE / Amended Consent Order Executed	NO HISTORICAL DATA FOUND		In Progress			Violations (1)	View/Edit Activity Delete Activity
		RESOLUTION	COI / Consent Order Issued	NO HISTORICAL DATA FOUND		In Progress			Violations (1)	View/Edit Activity Delete Activity
	998	INSPECTION	CI / Complaint Inspection	NO HISTORICAL DATA FOUND		In Progress				View/Edit Activity Delete Activity
		INSPECTION	INS2 / Compliance Inspection, Walk Through	????????? yes haw- woo hoo testing!	07/17/2014	In Progress				View/Edit Activity Delete Activity
		TEST AND REPORTS	IR / File Review	ikitest record locking 1		Complete	IN COMPLIANCE	IN COMPLIANCE		View/Edit Activity

Page: 1/6

To Add an Activity, click the Add Facility Activity button

ADD FACILITY ACTIVITY PAGE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [\[Sign Out\]](#)

Admin Tools**Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Add Activity](#)

Add Activity

General

AIRS ID: 0010001

Facility/Site Name: FL POWER TEST SITE NAME

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

Facility Status: ACTIVE

County: Alachua

Compliance Office: NED

Facility Compliance Status: SIGNIFICANT NON COMPLIANCE

Activity

Either Due Date or Perform Date is required while creating the activity

Office*: Please Select Office

Compliance Category*: Please Select Category Code

Activity Type*: Please Select Activity Type

Due Date:

Perform Date:

Notes:

Save

Reset

Back To Facility Activity List

To Create new activity, fields with (*) are required. In addition, a Date Due OR Date Performed must be entered

SUCCESSFUL COMPLETION – NEW ACTIVITY



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [Sign Out]

Admin Tools | **Air Compliance**

Home

Activity has been added successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Activity

Activity | Assign Staff | Sources | Comments | Document Management

General

AIRS ID:	0010001	Facility/Site Name:	FL POWER TEST SITE NAME
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A: PROG	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	INSP-INSPECTION	Activity Status:	Planned
Activity Type:	INS2-Compliance Inspection, Walk Through	Compliance Status:	

Activity

Date Activity Created:	07/25/2014
Office*:	NWD-NW Br: TALLAHASSEE
Compliance Category*:	INSP-INSPECTION
Activity Type*:	INS2-Compliance Inspection, Walk Through
Due Date:	
Performed Date:	07/25/2014
Notes:	New Inspection

Save | **Reset** | **Back To Facility Activity List**

SOURCES TAB — ADD SOURCES



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [Sign Out]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#)

[Activity](#) [Assign Staff](#) [Sources](#) [Comments](#) [Document Management](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: Planned

Compliance Status:

[Back To Facility Activity List](#)

Sources

No Results found.

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU [Add Source](#)

Facility Contact(s)

No Results found.

[Add Contact](#)

ADD SOURCE – REGULATED EU

DEP BUSINESS PORTAL AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [Sign Out]

Admin Tools **Air Compliance**

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity **Assign Staff** **Sources** **Comments** **Document Management**

General

AIRS ID: 0010013
Owner/Company Name: CEMEX
County: Alachua
Compliance Category: INSP-INSPECTION
Activity Type: INS2-Compliance Inspection, Walk Through
Facility/Site Name: GAINESVILLE CONCRETE READYMIX PLANT
Facility Status: ACTIVE
Compliance Office: NE JACKSONVILLE
Activity Status: Planned
Compliance Status:

[Back To Facility Activity List](#)

Sources

Add Sources

Source Type *: ☐ Facility Wide ☒ Regulated EU [Add Source](#)

List of Facility Sources

Filter: ACTIVE

Select All	EU Status	EU Number	Description
☐	ACTIVE	1	CONCRETE BATCH PLANT, 4 SILOS EACH W/OWN BAGHOUSE & TRUCKLOA

[Link](#)

Facility Contact(s)

[Add Contact](#)

Select the Regulated EU as Source Type, click the Add Source button. Select specific EU and click Link button

VERIFY COMPLIANCE HYPERLINK

 **DEP BUSINESS PORTAL** **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [[Sign Out](#)]

Admin Tools | **Air Compliance**

Home

The EU has been linked to this Activity successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity | **Assign Staff** | **Sources** | **Comments** | **Document Management**

General

AIRS ID: 0010013
Owner/Company Name: CEMEX
County: Alachua
Compliance Category: INSP-INSPECTION
Activity Type: INS2-Compliance Inspection

Sources must be entered before a compliance Activity can be linked for online Activities.

Verify Compliance | **Back To Facility Activity List**

Sources

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
EU	1	CONCRETE BATCH PLANT, 4 SILOS EACH W/OWN BAGHOUSE & TRUCKLOA	ACTIVE				Verify Compliance Unlink

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU **Add Source**

Facility Contact(s)

No Results found. **Add Contact**

To begin the Compliance process, click on the Verify Compliance Hyperlink

SOURCES — EU SOURCE - SET COMPLIANCE STATUS

Admin Tools | **Air Compliance**

[Home](#)

Compliance Status has been updated successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#) > [EU Compliance Status](#)

EU Compliance Status

General

AIRS ID:	0010013	Facility/Site Name:	GAINESVILLE CONCRETE READYMIX PLANT
Owner/Company Name:	CEMEX	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NED
EU Number:	1	EU Description:	CONCRETE BATCH PLANT, 4 SILOS EACH W/OWN BAG
Compliance Category:	INSP-INSPECTION	Activity Status:	In Progress
Activity Type:	INS2-Compliance Inspection, Walk Through		

[View Permit Document\(s\)](#)

Emissions Unit Compliance

Status: * ☐ EU Not Operating ☐ IN COMPLIANCE ☒ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

EU Comments:

[Save](#) [Reset](#) [Back To Activity Source List](#)

To Continue Compliance Activities click the Back to Activity Sources List button

SOURCES TAB – VIEW COMPLIANCE STATUS

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument ManagementViolation

General

AIRS ID:0010013

Owner/Company Name:CEMEX

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:GAINESVILLE CONCRETE READYMIX PLANT

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of Adobe Reader.

Download Compliance FormBack To Facility Activity List

Sources

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
EU	1	CONCRETE BATCH PLANT, 4 SILOS EACH W/OWN BAGHOUSE & TRUCKLOA	ACTIVE	MINOR NON COMPLIANCE		Documentation Missing	Verify Compliance Unlink

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU

Add Source

Facility Contact(s)

No Results found.

Add Contact

VIOLATION TAB IS DISPLAYED

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation

Activity

Assign Staff

Sources

Comments

Document Management

Violation

General

AIRS ID:0090024

Owner/Company Name:CEMEX, INC. FKA SOUTHDOWN

County:Brevard

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:PINEDA READYMIX PLANT

Facility Status:ACTIVE

Compliance Office:Cen: ORLANDO

Activity Status:In Progress

Compliance Status:

Violations Linked to this activity

No Results found.

Violation

What do you want to do? ☐ Create New Violation ☐ Link to existing Violations ☒ Quick Resolve

Submit

Quick Resolve

Quick Resolve is not allowed for HPVs or FRVs

Discovered Date*:

CWOE/CCDL Date*:

Violation Office*:

Please Select Office

Violation Type*:

Please Select Type

Compliance Assistance Provided: ☐ Yes ☐ No

Type of Compliance Assistance:

CAIH

CAL

CAOV

CAOW

Description*:

Resolution Comments*:

Violation Date*:

Violation Coordinator*:

Please Select Staff

Save

Reset

Back To Facility Activity List

QUICK RESOLVE ACTIVITY

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation

ActivityAssign StaffSourcesCommentsDocument ManagementViolation

General

AIRS ID:0010013

Owner/Company Name:CEMEX

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:GAINESVILLE CONCRETE READYMIX PLANT

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Violations Linked to this activity

No Results found.

Violation

What do you want to do? ☐ Create New Violation ☐ Link to existing Violations ☒ Quick Resolve

Quick Resolve

Quick Resolve is not allowed for HPVs or FRVs

Discovered Date*:

CWOE/CCDL Date*:

Violation Office*:

Violation Type*:

Compliance Assistance Provided: ☐ Yes ☐ No

Type of Compliance Assistance:

Description*:

Resolution Comments*:

Violation Date*:

Violation Coordinator*:

Save


Reset

Back To Facility Activity List



KYRA
INFOTECH

SUCCESSFUL COMPLETION – QUICK RESOLVE ACTIVITY



The screenshot displays the DEP Business Portal interface. At the top, the header includes the Florida Department of Environmental Protection logo, the text "DEP BUSINESS PORTAL", and the "AirCom" logo. Below the header, a session timeout notice and a welcome message for "Sonia E. Nelson" are visible. The main navigation bar contains "Admin Tools" and "Air Compliance". The "Home" section features a yellow notification bar stating: "The Quick Resolve operation has been completed successfully." Below this, a breadcrumb trail shows the path: Home > Search Facility > Facility Search Results > Facility Activity > Violation. A tabbed interface shows "Violation" as the active tab. The "General" section contains fields for AIRS ID (0010013), Owner/Company Name (CEMEX), County (Alachua), Compliance Category (INSP-INSPECTION), Activity Type (INS2-Compliance Inspection, Walk Through), Facility/Site Name (GAINESVILLE CONCRETE READYMIX PLANT), Facility Status (ACTIVE), Compliance Office (NE: JACKSONVILLE), Activity Status (Complete), and Compliance Status (MINOR NON COMPLIANCE). Below this, a table titled "Violations Linked to this activity" lists a single violation with the following details:

Discovered Date	Status	HPV	FRV	Violation Office	Description	Coordinator	Operation(s)
07/25/2014	Closed	N	N	NWDT	documentation missing	SHINDE_M	View Violation

The bottom of the page includes a footer with the text "Darm Aircom — 1.0.14-SNAPSHOT.16116", a "Site Map" link, contact information for business issues and technical assistance, and logos for Adobe Reader and the Florida Department of Environmental Protection.

To view the Violation Details, click the View Violations hyperlink

VIOLATION DETAILS

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation > Violation Details

Violation Details Sources in Violation Document Management

General

AIRS ID: 0010013

Owner/Company Name: CEMEX

County: Alachua

Violation Number: 6337

Discovered Date: 07/25/2014

Facility/Site Name: GAINESVILLE CONCRETE READYMIX PLANT

Facility Status: ACTIVE

Violation Office: NWDT

Violation Status: Closed

Activities

Page: 1/1

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation (s)
RESV	07/25/2014	RESV	CCDL/Case Closed by District or Local	Documents located		Complete			View
RESV	07/25/2014	RESV	CWOE/Compliance W/O Formal Enforcement Action	Documents located		Complete		IN COMPLIANCE	View
INIT	07/25/2014	INSP	INS2/Compliance Inspection, Walk Through	New Inspection		Complete	MINOR NON COMPLIANCE	IN COMPLIANCE	View

Page: 1/1

Violation Details

Discovered Date*: 07/25/2014

Violation Office*: NWDT-NW Br: TALLAHASSEE

Federally Reportable*: ☐ Yes ☒ No

Day 0:

Day 0 Comments:

Description: documentation missing

Violation Date*: 07/24/2014

Violation Coordinator*: Shinde, Manas

EPA High Priority Violation*: ☐ Yes ☒ No

Day 270:

Creating an Activity in AirCom for facility type = Non-General Permit

- Facility Type = Non-General Permit
- Activity Type = INS2
- One Source Type = FAC with Compliance Status = In Compliance
- One EU with Compliance Status = Minor Non-Compliance
- One EU with Compliance Status = Significant Non-Compliance
- Two EU's with Compliance Status = In Compliance

WHERE DO I START?

Follow these steps:

- From the Main Menu
 - Select Manage Facility
 - Search Facility
- ❑ From the Search Results Details Grid:
 - Select Compliance Details hyperlink

Search Results Page

DEP BUSINESS PORTAL AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available. Welcome, [Sonia E. Nelson](#) ([Sign Out](#))

[Admin Tools](#) [Air Compliance](#)

[Home](#)
Home > Search Facility > Facility Search Results
[Back to Search Criteria](#)

Search Criteria
The following search criteria was used: **AIRS ID: 0730096**

Search Result
Your query returned 1 record(s).

Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title Y	Current Permit Indicator	Facility Compliance Status	Action
NWDT	0730096	PRESTIGE CLEANERS INC	PRESTIGE CLEANERS	ACTIVE	3044 W Tharpe St	TALLAHASSEE	32303	No	AG	MINOR NON COMPLIANCE	Facility Details Compliance Details

Darm Aircom — 1.0.11.16015
[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

FACILITY ACTIVITIES TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools **Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#)

Facility Activities **Facility Violations**

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NED
Facility Compliance Status:	SIGNIFICANT NON COMPLIANCE		

Activity Criteria

Compliance Status:	Please Select Compliance Status		
Date Performed From:		To:	
Compliance Category:	Please Select Category Code		
Due Date From:		To:	
Activity Type:	Please Select Activity Type		
Activity Status:	Please Select Activity Status		
Assigned Staff:	Please Select Assigned Staff		

[Search](#) [Reset](#) [Back to Search Result](#) [Add Facility Activity](#)

ADD ACTIVITY TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > Add Activity

Add Activity

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Facility Compliance Status: SIGNIFICANT NON COMPLIANCE

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

Activity

Office*:

Please Select Office

Compliance Category*:

Please Select Category Code

Activity Type*:

Please Select Activity Type

Due Date:

Perform Date:

Notes*:

Save

Reset

Back To Facility Activity List



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL COMPLETION – ADD ACTIVITY

Admin Tools

Air Compliance

Home

Activity has been edited successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Activity

Activity

Assign Staff

Sources

Comments

Document Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:Planned

Compliance Status:

Activity

Date Activity Created:07/25/2014

Office*:NWDT-NW Br: TALLAHASSEE

Compliance Category*:INSP-INSPECTION

Activity Type*:INS2-Compliance Inspection, Walk Through

Due Date:

Performed Date:07/25/2014

Notes:

New Activity

Save

Reset

Back To Facility Activity List

ASSIGN STAFF TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [[Sign Out](#)]

Admin Tools

Air Compliance

[Home](#)
[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Assign Staff](#)

Activity

Assign Staff

Sources

Comments

Document Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:Planned

Compliance Status:

Staff Assigned

Name	Office	Email	Phone	Operation(s)
Sonia E. Nelson	NED-NE: JACKSONVILLE	Sonia.E.Nelson@dep.state.fl.us	850-717-9056	Remove

Assign Staff

Staff *:

Nelson, Sonia E.

Save

Reset

Back To Facility Activity List



Darm Aircom — 1.0.15-SNAPSHOT.16160

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL COMPLETION – ASSIGN STAFF



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools**Air Compliance**

Home

Activity Staff has been added successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Assign Staff

Activity**Assign Staff**SourcesCommentsDocument ManagementViolation

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	INSP-INSPECTION	Activity Status:	In Progress
Activity Type:	INS2-Compliance Inspection, Walk Through	Compliance Status:	

Staff Assigned

Name	Office	Email	Phone	Operation(s)
David Miller	NED-NE: JACKSONVILLE	David.Miller@dep.state.fl.us	850-717-9057	Remove

Assign Staff

Staff *:

[Save](#) [Reset](#) [Back To Facility Activity List](#)



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



COMMENTS TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [David Miller](#) [[Sign Out](#)]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Comments](#)

Activity

Assign Staff

Sources

Comments

Document Management

Violation

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Comments List

No Results found.

Comments

Comments *:Bob Buhlahblah was a real treat to work with.]

Save

Reset

Back To Facility Activity List



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL COMPLETION – ADD COMMENTS



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

[Admin Tools](#)[Air Compliance](#)

[Home](#)

Activity Comment has been added successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Comments](#)

[Activity](#)[Assign Staff](#)[Sources](#)[Comments](#)[Document Management](#)[Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Comments List

Comment	Last Modified By	Comment Date	Operation(s)
Bob Buhlahblah was a real treat to work with.		07/01/2014	Edit Remove

Comments

Comments *:

[Save](#)[Reset](#)[Back To Facility Activity List](#)



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





DOCUMENT MANAGEMENT TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [Sign Out]

Admin Tools**Air Compliance**

Home

Home > Search Facility > Facility Search Results > Facility Activities > Document Management

Activity**Assign Staff****Sources****Comments****Document Management**

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	INSP-INSPECTION	Activity Status:	Planned
Activity Type:	INS2-Compliance Inspection, Walk Through	Compliance Status:	

Documents Linked to this Activity

No Results found

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to activity **Submit**

Attach New Document

Path of the Document *: **Browse...**
The combined length of the file name and extension of the file being uploaded must be no longer than 30 characters and size must be less than 200 MB.

OCULUS Catalog*:

OCULUS Profile*:

OCULUS Document Type*:

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

Upload Compliance Form : ☒ No ☐ Yes

Attach**Reset****Back To Facility Activity List**

DOCUMENT MANAGEMENT TAB – ATTACH NEW DOCUMENT

Upload Compliance
Form is for AirCom
Inspection Forms only

Admin Tools **Air Compliance**

Home

Home > Search Facility > Facility Search Results > Facility Activities > Document Management

Activity **Assign Staff** **Sources** **Comments** **Document Management**

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	INSP-INSP-INSPECTION	Activity Status:	Planned
Activity Type:	INS2-Compliance Inspection, Walk Through	Compliance Status:	

Documents Linked to this Activity

No Results found.

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to activity **Submit**

Attach New Document

Path of the Document *: C:\Users\Nelson_SEID\ Browse...
The combined length of the file name and extension of the file being uploaded must be no longer than 30 characters and size must be less than 200 MB.

OCULUS Catalog *: Air_Restricted

OCULUS Profile *: Discovery_Compliance

OCULUS Document Type *: HISTORICAL INSPECTION RECORDS

Document Date *: 07/25/2014

Received Date *: 07/25/2014

Permit Number:

Document Subject *: Uploading to OCULUS

Upload Compliance Form : ☒ No ☐ Yes

Attach **Reset** **Back To Facility Activity List**

OCULUS Catalog = Air
Restricted on draft Inspection
forms

SUCCESSFUL COMPLETION – ATTACHED NEW DOCUMENT

Admin Tools

Air Compliance

Home

Attach operation completed successfully.

Home > Search Facility > Facility Search Results > Facility Activities > Document Management

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:Planned

Compliance Status:

Documents Linked to this Activity

Document Name	OCULUS Profile	OCULUS Document Type	Document Date	Received Date	Permit Number	Attached By	Attached Date	Document Subject	Operation (s)
dep62_210_900 (1).docx	Discovery_Compliance	HISTORICAL INSPECTION RECORDS	07/25/2014	07/25/2014		NELSON_SE	07/25/2014	Uploading to OCULUS	Unlink

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to activity [Submit](#)

Attach New Document

Path of the Document *: [Browse...](#)
The combined length of the file name and extension of the file being uploaded must be no longer than 30 characters and size must be less than 200 MB.

OCULUS Catalog*:

OCULUS Profile*:

OCULUS Document Type*:

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

Upload Compliance Form : ☒ No ☐ Yes

[Attach](#) [Reset](#) [Back To Facility Activity List](#)

SOURCES TAB

Admin Tools
Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity
Assign Staff
Sources
Comments
Document Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:Planned

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Verify Compliance button or Verify Compliance link for online Activities.

Verify Compliance
Back To Facility Activity List

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide					Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE				Prepare Inspection Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU
Add Source

Facility Contact(s)

No Results found.

Add Contact

For Non-General Permit Type, INS 2 Activity Type, Sources (All active EU and FAC) are added to the Activity by default

BEGIN COMPLIANCE ACTIVITIES

Support Hybrid option (Both Online and Offline)

➤ Online Experience

- Bring your own devices (BYOD)
- Ease of use
- Browser Based
- Works on any device
- Real time data
- Easy integration with DEP enterprise Systems
- Minimal Training Required
- Easy Maintenance

➤ Offline Experience

- Bring your own devices (BYOD)
- Pre-populate PDF form with inspection data available for edit.
- Utilizes Adobe PDF Reader
- For Non-General Permit Facilities -will parse uploaded form to AirCom and attach it to the selected Activity
- For General Permit Facilities – will attach the Inspection form to the selected Activity in AirCom
- Uploaded Inspection forms are saved to OCULUS

VERIFY COMPLIANCE – ONLINE EXPERIENCE

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:Planned

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Verify Compliance button or Verify Compliance link for online Activities.

Verify ComplianceBack To Facility Activity List

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide					Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE				Prepare Inspection Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU

Add Source

Facility Contact(s)

No Results found.

Add Contact

Select the Verify Compliance Link for the Source

VERIFY COMPLIANCE- NGP - FAC

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:Planned

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Verify Compliance button or Verify Compliance link for online Activities.

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Operation(s)
FAC		Facility Wide		Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE	Prepare Inspection Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE	Prepare Inspection Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE	Prepare Inspection Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE	Prepare Inspection Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE	Prepare Inspection Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU [Add Source](#)

Facility Contact(s)

No Results found. [Add Contact](#)

Message from webpage

?

This will start the inspection process and cause the Activity Status to be changed to "In Progress". Do you wish to continue?

OKCancel



COMPLIANCE QUESTIONS – NGP - FAC

General	
AIRS ID: 0010001	Facility/Site Name: U OF FL COGEN,11G ORADEVV
Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status: ACTIVE
County: Alachua	Compliance Office: NED
Compliance Category: INSP-INSPECTION	Activity Status: In Progress
Activity Type: INS2-Compliance Inspection, Walk Through	
View Permit Document(s)	
Is the Permittee in Compliance with the following Facility-Wide Conditions of the Permit?	
1. Pollutant emissions limiting standards for Objectionable odors?	
Status: ☒ Not Applicable ☐ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE	
Comments:	
2. Reasonable precautions to prevent unconfined PM properly maintained and VE standards?	
Status: ☒ Not Applicable ☐ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE	
Comments:	
3. Conditions for unregulated emissions units and/or activities?	
Status: ☒ Not Applicable ☐ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE	
Comments:	
4. Conditions for insignificant emissions units and/or activities listed?	
Status: ☒ Not Applicable ☐ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE	
Comments:	
5. General pollutant emission limiting standards for VOC/Organic Solvents?	
Status: ☒ Not Applicable ☐ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE	
Comments:	
6. Other non-EU requirements?	
Status: ☒ Not Applicable ☐ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE	
Comments:	
Compliance Status for Facility-Wide Conditions. :	
Save Reset Back To Activity Source List	

SUCCESSFUL COMPLETION – ASSIGNED COMPLIANCE STATUS FOR FAC

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN.11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NED
Compliance Category:	INSP-INSPECTION	Activity Status:	In Progress
Activity Type:	INS2-Compliance Inspection, Walk Through		

[View Permit Document\(s\)](#)

Is the Permittee in Compliance with the following Facility-Wide Conditions of the Permit?

1. Pollutant emissions limiting standards for Objectionable odors?

Status: ☐ Not Applicable ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

Comments:

2. Reasonable precautions to prevent unconfined PM properly maintained and VE standards?

Status: ☐ Not Applicable ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

Comments:

3. Conditions for unregulated emissions units and/or activities?

Status: ☐ Not Applicable ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

Comments:

4. Conditions for insignificant emissions units and/or activities listed?

Status: ☐ Not Applicable ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

Comments:

5. General pollutant emission limiting standards for VOC/Organic Solvents?

Status: ☐ Not Applicable ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

Comments:

6. Other non-EU requirements?

Status: ☐ Not Applicable ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

Comments:

Compliance Status for Facility-Wide Conditions. :

[Save](#) [Reset](#) [Back To Activity Source List](#)

The overall Compliance Status for the FAC is the highest of the Compliance Status assigned above.

VERIFY COMPLIANCE – REGULATED EU - NGP

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > EU Compliance Status

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

EU Number: 1

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

View Permit Document(s)

Emissions Unit Compliance

Status: * ☐ EU Not Operating ☒ IN COMPLIANCE ☐ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

EU Comments:

Save Reset Back To Activity Source List

SUCCESSFUL COMPLETION – VERIFY COMPLIANCE –EU - NGP

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

Compliance Status has been updated successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#) > [EU Compliance Status](#)

[EU Compliance Status](#) | [Capacity / PTE](#) | [Pollutant / Emissions](#) | [Visible Emissions](#) | [Monitoring](#) | [Permit Conditions / Other](#)

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NED
EU Number:	1	EU Description:	GE LM6000-PA Combustion Turbine
Compliance Category:	INSP-INSPECTION	Activity Status:	In Progress
Activity Type:	INS2-Compliance Inspection, Walk Through		

View Permit Document(s)

Emissions Unit Compliance

Status: * ☐ EU Not Operating ☐ IN COMPLIANCE ☒ MINOR NON COMPLIANCE ☐ SIGNIFICANT NON COMPLIANCE

EU Comments:

Not in compliance

[Save](#) [Reset](#) [Back To Activity Source List](#)

CAPACITY/PTE TAB

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Capacity/PTE

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

EU Number: 1

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

View Permit Document(s)

Capacity/PTE

Max Heat Input: 399.0 MMBTU/Hr.

Schedule: 24HD,52WY,7DW,8760HY

Max Throughput Rate: 150 12

Max Production Rate: 111 10

Max Incin Rate: 120.0 (LB/HR) 100.0 (TON/DY)

Capacity Comment: Maximum heat input based on natural gas-firing. For oil-firing, maximum

Source Classification Code

Page: 1/1

SCC #	Process/Fuel Description	SCC Units	Maximum % Ash	% Sulfur Limit	Hourly Rate Limit	Annual Rate Limit	Comments	Operation (s)
20200103	Internal Combustion Engines; Industrial; Distillate Oil (Diesel); Turbine; Cogeneration	1000 Gallons Distillate Oil (Diesel) Burned	Allowed: .1 Observed:	Allowed: .5 Observed:	Allowed: 2.9 Observed:	Allowed: 635.1 Observed:	Million Btu per SCC Unit = 132.48 (rounded to 132). Heat content based on LHV.	Edit
20200203	Internal Combustion Engines; Industrial; Natural Gas; Turbine; Cogeneration	Million Cubic Feet Natural Gas Burned	Allowed: .1 Observed:	Allowed: .5 Observed:	Allowed: .56 Observed:	Allowed: 3516 Observed:	Max ann. rate:8,146.8 hr/yr at max hr fuel use rate.	Edit

Page: 1/1

Back To Activity Source List

CAPACITY/PTE DETAILS PAGE

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Capacity/PTE

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:In Progress

View Permit Document(s)

Capacity/PTE

Max Heat Input:399.0MMBTU/Hr.

Schedule:24HD,52WY,7DW,8760HY

Max Throughput Rate:15012

Max Production Rate:11110

Max Incin Rate:120.0(LB/HR)100.0(TON/DY)

Capacity Comment:Maximum heat input based on natural gas-firing. For oil-firing, maximum

Source Classification Code

Page: 1/1

SCC #	Process/Fuel Description	SCC Units	Maximum % Ash	% Sulfur Limit	Hourly Rate Limit	Annual Rate Limit	Comments	Operation (s)
20200103	Internal Combustion Engines; Industrial; Distillate Oil (Diesel); Turbine; Cogeneration	1000 Gallons Distillate Oil (Diesel) Burned	Allowed: .1 Observed:	Allowed: .5 Observed:	Allowed: 2.9 Observed:	Allowed: 635.1 Observed:	Million Btu per SCC Unit = 132.48 (rounded to 132). Heat content based on LHV.	Edit
20200203	Internal Combustion Engines; Industrial; Natural Gas; Turbine; Cogeneration	Million Cubic Feet Natural Gas Burned	Allowed: .1 Observed:	Allowed: .5 Observed:	Allowed: .56 Observed:	Allowed: 3516 Observed:	Max ann. rate:8,146.8 hr/yr at max hr fuel use rate.	Edit

Page: 1/1

Edit Source Classification Code

SCC #20200103

Process/Fuel Description:Internal Combustion Engines; Industrial; Distillate Oil (Diesel); Turbine; Cogeneration

Maximum % Ash Allowed:.1

Maximum % Ash Observed:

% Sulfur Limit Allowed:.5

% Sulfur Limit Observed:

Hourly Rate Limit Allowed:2.9

Hourly Rate Limit Observed:

Annual Rate Limit Allowed:635.1

Annual Rate Limit Observed:

SaveResetBack To Activity Source List

POLLUTANT/EMISSIONS TAB

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Pollutant Emissions

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

EU Number: 1

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

View Permit Document(s)

Pollutant/Emissions

Page: 1/1

Pollutant	Description	Allowable Sequence #	Emissions	Equivalent Emissions (LB/HR)	Test Date	Next Test Due Date	Operation(s)
SO2	Sulfur Dioxide	2	Allowable: .5 Observed:	208.8	12/30/2006	12/31/2008	Edit
CO	Carbon Monoxide	1	Allowable: 75 Observed:	70.5	09/24/2002	12/24/2002	Edit
CO	Carbon Monoxide	2	Allowable: 42 Observed:	38.8	09/24/2002	12/24/2002	Edit
CO	Carbon Monoxide	3	Allowable: 12 Observed:		09/24/2002	12/24/2002	Edit
NOX	Nitrogen Oxides	1	Allowable: 25 Observed:	39.6	09/24/2002	12/24/2002	Edit
NOX	Nitrogen Oxides	2	Allowable: 42 Observed:	66.3	09/24/2002	12/24/2002	Edit

Page: 1/1

Back To Activity Source List

POLLUTANT/EMISSIONS DETAIL PAGE

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Pollutant Emissions

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:In Progress

View Permit Document(s)

Pollutant/Emissions

Page: 1/1

Pollutant	Description	Allowable Sequence #	Emissions	Equivalent Emissions (LB/HR)	Test Date	Next Test Due Date	Operation(s)
SO2	Sulfur Dioxide	2	Allowable: .5 Observed:	208.8	12/30/2006	12/31/2008	Edit
CO	Carbon Monoxide	1	Allowable: 75 Observed:	70.5	09/24/2002	12/24/2002	Edit
CO	Carbon Monoxide	2	Allowable: 42 Observed:	38.8	09/24/2002	12/24/2002	Edit
CO	Carbon Monoxide	3	Allowable: 12 Observed:		09/24/2002	12/24/2002	Edit
NOX	Nitrogen Oxides	1	Allowable: 25 Observed:	39.6	09/24/2002	12/24/2002	Edit
NOX	Nitrogen Oxides	2	Allowable: 42 Observed:	66.3	09/24/2002	12/24/2002	Edit

Page: 1/1

Edit Pollutant

Pollutant:CO

Allowable Sequence #:1

Description:Carbon Monoxide

CAS #:630-08-0

Equivalent Emissions (LB/HR):70.5 (TPY):7.7

Test Methods:10

Compliance Method Code:STACK TEST

Test Frequency:EACH FFY (1 OCT - 30 S

Frequency Base Date:09/30/1994

Test Date:09/24/2002

Last Test Result:Pass

Next Test Due Date:12/24/2002

Compliance Method:STACK TEST

Allowable Comments:While firing Fuel Oil, 9/2/13 KKC Discontinue date testing.

Allowable Emissions:75 PARTS PER MILLION DRY GAS VOLUME @ 15% O2

Observed Emissions:

SaveResetBack To Activity Source List

VISIBLE EMISSIONS TAB

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Visible Emissions

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:In Progress

View Permit Document(s)

Visible Emissions (VE)

Page: 1/1

VE Subtype	Begin Date	Observed VE%	Test Result	Test Date	Last Test Result	Next Test Due Date	Operation(s)
VE10				09/27/2001	PASS	09/27/2002	Edit
VE20							Edit

Page: 1/1

Back To Activity Source List

VISIBLE EMISSIONS DETAIL PAGE

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Visible Emissions

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:In Progress

View Permit Document(s)

Visible Emissions (VE)

Page: 1/1

VE Subtype	Begin Date	Observed VE%	Test Result	Test Date	Last Test Result	Next Test Due Date	Operation(s)
VE10				09/27/2001	PASS	09/27/2002	Edit
VE20							Edit

Page: 1/1

Edit Visible Emissions

VE Sub Type:VE10

Basis Opacity:RULE

Regulation:40CFR60, SUBPART A

Compliance Test Frequency:ANNUALLY

Allowable Opacity for Exceptional Conditions:0%

Max Period of Exceptional Opacity (Min/Hr):

Continuous Opacity Monitor Required:Y

VE Limit Required Date:

Comments:For Natural Gas.

Test Date:09/27/2001

Next Test Due Date:09/27/2002

Observed VE:

VISIBLE EMISSIONS - 10% NORMAL OPACITY

required by rule specified in regulation

Frequency Base Date:01/01/1994

Last Test Result:PASS

Test Result: ☒ Pass ☐ Fail

Save

Reset

Perform VE Test

Back To Activity Source List

MONITORING TAB

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Monitoring

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

EU Number: 1.0

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: Planned

View Permit Document(s)

Monitoring Requirements

Page: 1/1

Parameter	Parameter Description	Installation Date	Certification Date	Perf. Spec. Test Date	Perf. Spec. Test Status	Operation(s)
EM	EMISSION	12/01/1995		12/01/1995	PASS	View
EM	EMISSION					View

Page: 1/1

Back To Activity Source List

MONITORING DETAILS PAGE

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Monitoring

Capacity / PTEPollutant / EmissionsVisible EmissionsMonitoringPermit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1.0

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:Planned

View Permit Document(s)

Monitoring Requirements

Page: 1/1

Parameter	Parameter Description	Installation Date	Certification Date	Perf. Spec. Test Date	Perf. Spec. Test Status	Operation(s)
EM	EMISSION	12/01/1995		12/01/1995	PASS	View
EM	EMISSION					View

Page: 1/1

View Monitoring Requirements

Parameter :EM

CM ID :116

CEM Requirement :SIP SOURCE

Installation Date :12/01/1995

Certification Date :

Perf. Spec. Test Date :12/01/1995

Perf. Spec. Test Status :PASS

Comments :Steam-to-fuel ratio is monitored on a continuous basis and a predictive equation, incorporating these parameters, is used to calculate hourly emissions.

Parameter Description :EMISSION

Monitored Pollutant(s) :Nitrogen Oxides

Manufacturer :Teco/Enviroplan

Model :42

Serial # :42-45320-273

Calibrated Reading :

Back To Activity Source List

PERMIT CONDITIONS/OTHER

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Permit Conditions/Other

EU Compliance Status

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

EU Number: 1

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

View Permit Document(s)

Linked Permit Conditions/Other

No Results found.

Permit Conditions/Other

What do you want to do? ☒ Create Permit Conditions/Other ☐ Link existing Permit Conditions/Other

Submit

Create Permit Conditions/Other

Permit Conditions or Other :

Permit Conditions or Other:

Permit Conditions or Other:

Save

Reset

Back To Activity Source List

NEW PERMIT CONDITIONS

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Permit Conditions/Other

Capacity / PTE

Pollutant / Emissions

Visible Emissions

Monitoring

Permit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1.0

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:Planned

View Permit Document(s)

Permit Conditions/Other

No Results found.

Create Permit Conditions/Other

Permit Conditions or Other :Test Permit Condition

Permit Conditions or Other:Condition 2

Permit Conditions or Other:Condition 3

Save

Reset

Back To Activity Source List

SUCCESSFUL COMPLETION – ADDING NEW PERMIT CONDITIONS

Admin Tools

Air Compliance

Home

Permit Conditions have been created successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Permit Conditions/Other

Capacity / PTEPollutant / EmissionsVisible EmissionsMonitoringPermit Conditions / Other

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

EU Number:1.0

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:Planned

View Permit Document(s)

Permit Conditions/Other

Page: 1/1

Permit Conditions or Other	Observations	Observation By	Observation Date	Operation (s)
Condition 3				Delete
Condition 2				Delete
Test Permit Condition				Delete

Page: 1/1

Create Permit Conditions/Other

Permit Conditions or Other :

Permit Conditions or Other:

Permit Conditions or Other:

Save

Reset

Back To Activity Source List

ACTIVITY SOURCES – INITIAL COMPLIANCE STATUS

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument ManagementViolation

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of Adobe Reader.

Download Compliance FormBack To Facility Activity List

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide		IN COMPLIANCE			Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE	MINOR NON COMPLIANCE		Not in compliance	Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE	SIGNIFICANT NON COMPLIANCE		leakage	Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU

Add Source

Facility Contact(s)

No Results found.

Add Contact

SAVE AND MARK READY FOR REVIEW

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Activity

Activity

Assign Staff

Sources

Comments

Document Management

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Activity

Date Activity Created: 07/26/2014

Office*: NWDT-NW Br: TALLAHASSEE

Compliance Category*: INSP-INSPECTION

Activity Type*: INS2-Compliance Inspection, Walk Through

Due Date:

Performed Date: 07/26/2014

Notes: New activity

Save

Save and Mark Ready for Review

Reset

Back To Facility Activity List

SOURCES TAB – UNLINK EU FROM ACTIVITY

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument ManagementViolation

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INSP-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of Adobe Reader.

Sources

Page: 1/1

Type	EU Number	Description	Status	Compliance	Comments	Operation(s)
FAC		Facility Wide				Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE			Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE	SIGNIFICANT NON COMPLIANCE	leakage	Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE	IN COMPLIANCE		Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE	IN COMPLIANCE		Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE			Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU Add Source

Facility Contact(s)

No Results found.

Add Contact

Message from webpage

?

The Unlink function will remove the Source, and all data associated with the Source, from the Activity. Do you wish to continue?

OK

Cancel

SUCCESSFUL COMPLETION – UNLINK SOURCE FROM ACTIVITY

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

Unlink operation completed successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#)

[Activity](#) | [Assign Staff](#) | [Sources](#) | [Comments](#) | [Document Management](#) | [Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of **Adobe Reader**.

[Download Compliance Form](#) | [Back To Facility Activity List](#)

Sources
Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide		IN COMPLIANCE			Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE	MINOR NON COMPLIANCE		Not in compliance	Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE	SIGNIFICANT NON COMPLIANCE		leakage	Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink

Page: 1/1

Add Sources
Source Type *: ☒ Facility Wide ☐ Regulated EU [Add Source](#)

Facility Contact(s)
No Results found. [Add Contact](#)

VERIFY COMPLIANCE- OFFLINE EXPERIENCE

Where do I Begin? Before you go, Setup your AirCom Activity

- ✓ **Select Facility**, click the Compliance Details Hyperlink in the Actions column
- ✓ **Add Facility Activity** (For Non-General permits: Activity Category must be INSPECTION, Activity Types INS2, INS3, INS4, or CI)
- ✓ **Assign Staff** (Assign Staff Tab)
- ✓ **Add Comments** (Comments Tab)
- ✓ **Attach Documents**, Historical data (Document Management Tab)
- ✓ **Add Sources** (Sources Tab)
- ✓ **Download Compliance Form**

VERIFY COMPLIANCE - OFFLINE BUTTON

Admin Tools **Air Compliance**

[Home](#)

Home > Search Facility > Facility Search Results > Facility Activity

Activity **Assign Staff** **Sources** **Comments** **Document Management**

General

AIRS ID: 0010001
Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS
County: Alachua
Compliance Category: INSP-INSPECTION
Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV
Facility Status: ACTIVE
Compliance Office: NE: JACKSONVILLE
Activity Status: Planned
Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Verify Compliance button or Verify Compliance link for online Activities.

Verify Compliance **Back To Facility Activity List**

Sources
Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide					Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE				Prepare Inspection Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU **Add Source**

Facility Contact(s)

No Results found.
Add Contact

ACTIVITY STATUS CHANGED TO 'IN PROGRESS'

Admin Tools **Air Compliance**

[Home](#)

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity **Assign Staff** **Sources** **Comments** **Document Management**

General

AIRS ID: 0010001 Facility/Site Name: U OF FL COGEN, 11G OR
Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS Facility Status: ACTIVE
County: Alachua Compliance Office: NE: JACKSONVILLE
Compliance Category: INSP-INSPECTION
Activity Type: INS2-Compliance Inspection

Sources must be entered before a compliance Activity can be started.

Sources
Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide					Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE				Prepare Inspection Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE				Prepare Inspection Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU [Add Source](#)

Facility Contact(s)

No Results found. [Add Contact](#)

Clicking the Verify Compliance button will display the warning, Activity Status is changing from 'Planned' to 'In Progress', which means **AirCom is tracking your progress!!** Email reminders or notifications will be sent to you and Office/System managers about this Activity's progress status.

DOWNLOAD COMPLIANCE FORM BUTTON

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.

Forms can be filled out using the latest version of Adobe Reader.

Download Compliance Form

Back To Facility Activity List

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	
FAC		Facility Wide				Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE			Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE			Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE			Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE			Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE			Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU

Add Source

Facility Contact(s)

No Results found.

Message from webpage

 This will start the inspection process and cause the Activity Status to be changed to "In Progress". Do you wish to continue?

OK

Cancel

You must click 'OK' in this box to display the Down Compliance Form button

DOWNLOAD INSPECTION FORM

Admin Tools **Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#)

[Activity](#) [Assign Staff](#) **Sources** [Comments](#) [Document Management](#)

General

AIRS ID: 0010001 Facility/Site Name: U OF FL COGEN,11G ORADEVV
Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS Facility Status: ACTIVE
County: Alachua Compliance Office: NE: JACKSONVILLE
Compliance Category: INSP-INSPECTION Activity Status: In Progress
Activity Type: INSP-Compliance Inspection, Walk Through Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of **Adobe Reader**.

[Download Compliance Form](#) [Back To Facility Activity List](#)

Sources
Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	
FAC		Facility Wide				
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE			
EU	2	NO.4 STEAM BOILER	ACTIVE			
EU	3	NO.5 STEAM BOILER	ACTIVE			Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE			Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE			Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated [Add Source](#)

Facility Contact(s)

Do you want to open or save **Offline_Insp_Form_0010001.pdf** from **webappsdev.dep.state.fl.us?** [Open](#) [Save](#) [Cancel](#) [x](#)

The inspection form name defaults to Offline_Insp_Form_**Facility ID**.pdf. You can change the form name, but the form name cannot exceed 30 characters, to include the extension.

INSPECTION FORM PDF

FLORIDA POWER CORPORATION D/B/A PROGRESS	Alachua
SITE ADDRESS:	TITLE V:
1000 Mowery Rd	Y
COMPLIANCE OFFICE:	COMPLIANCE CATEGORY:
NE: JACKSONVILLE	INSP-INSPECTION
ACTIVITY TYPE:	INSPECTION PERFORM DATE:
INS2-Compliance Inspection, Walk Through	07/26/2014

FACILITY CONTACT INFORMATION						
First Name	Middle Name	Last Name	Title	Phone Number	Email	Primary Contact

Is the Permittee in compliance with the following Facility-Wide conditions of the Permit?	
1. Pollutant emissions limiting standards for Objectionable odors?	
Status:	In Compliance
Comments:	In Compliance
2. Reasonable precautionary measures to prevent odors from being emitted or properly maintained and VE standards?	
Status:	In Compliance
Comments:	
3. Conditions for unregulated emissions units and/or activities?	
Status:	In Compliance
Comments:	
4. Conditions for insignificant emissions units and/or activities listed?	
Status:	In Compliance
Comments:	
5. General pollutant emission limiting standards for VOC/Organic Solvents?	
Status:	In Compliance
Comments:	
6. Other non-EU requirements?	
Status:	In Compliance
Comments:	

There are interactive Dropdown boxes for ease of use.

INSPECTION FORM – CAPACITY/PTE

Capacity/PTE EU # 1

Max Heat Input: 399.0

Schedule: 24HD,52WY,7DW,8760HY

Max Incin Rate: 100.0

Max Throughput Rate: 150.0

Max Production Rate: 111.0

Capacity Comment: Maximum heat input based on natural gas-firing. For oil-firing, maximum heat input is 384 MMBtu/hr (LHV).

SCC #:	20200103
Process/Fuel Description:	Internal Combustion Engines; Industrial; Distillate Oil (Diesel); Turbine: Cogeneration
SCC Units:	1000 Gallons Distillate Oil (Diesel) Burned
Comments:	Million Btu per SCC Unit = 132.48 (rounded to 132). Heat content based on LHV.
% Ash Limit: .1	% Ash Observed:
% Sulfur Limit: .5	% Sulfur Observed:
Hourly Rate Limit: 2.9	Hourly Rate Observed:
Annual Rate Limit: 635.1	Annual Rate Observed:
SCC #:	20200203
Process/Fuel Description:	Internal Combustion Engines; Industrial; Natural Gas; Turbine: Cogeneration
SCC Units:	Million Cubic Feet Natural Gas Burned
Comments:	Max ann. rate: 8,146.8 hr/yr at max hr fuel use rate.
% Ash Limit: .1	% Ash Observed:
% Sulfur Limit: .5	% Sulfur Observed:
Hourly Rate Limit: .56	Hourly Rate Observed:
Annual Rate Limit: 3516	Annual Rate Observed:

INSPECTION FORM – POLLUTANT/EMISSIONS

Pollutant/Emissions EU # 1	
Pollutant:	CO
Description:	Carbon Monoxide
Allowable Sequence #:	3
Equivalent Emissions(LB/HR):	
Compliance Method Code:	STACK TEST & CMS
Frequency Base Date:	02/02/2014
Last Test Result:	Pass
Compliance Method:	STACK TEST & CMS
Allowable Emissions:	12
	POUNDS PER MILLION BTU HEAT INPUT
CAS #	630-08-0
Test Methods:	
Test Frequency:	ANNUALLY
Test Date:	09/24/2002
Next Test Due Date:	12/24/2002
Allowable Comments	
Observed Emissions:	
	POUNDS PER MILLION BTU HEAT INPUT
Pollutant:	NOX
Description:	Nitrogen Oxides
Allowable Sequence #:	2
Equivalent Emissions(LB/HR):	66.3
Compliance Method Code:	OTHER
Frequency Base Date:	
Last Test Result:	Pass
Compliance Method:	OTHER
Allowable Emissions:	42
	POUNDS PER MILLION BTU HEAT INPUT
CAS #	10102-44-0
Test Methods:	20
Test Frequency:	NONE REQUIRED
Test Date:	09/24/2002
Next Test Due Date:	12/24/2002
Allowable Comments	While firing Fuel Oil. 30 day rolling average compliance timeframe.
Observed Emissions:	
	POUNDS PER MILLION BTU HEAT INPUT
Pollutant:	NOX
Description:	Nitrogen Oxides
Allowable Sequence #:	1
Equivalent Emissions(LB/HR):	39.6
Compliance Method Code:	STACK TEST & CMS
Frequency Base Date:	09/30/1994
Last Test Result:	Pass
CAS #	10102-44-0
Test Methods:	20
Test Frequency:	EACH FFY (1 OCT - 30 SEP)
Test Date:	09/24/2002

INSPECTION FORM – VISIBLE EMISSIONS

Visible Emissions EU # 1	
VE Sub Type:	VE10
Basis Opacity #: RULE Regulation: 40CFR60, SUBPART A Compliance Test Frequency: ANNUALLY Allowable Opacity For Exceptional Conditions: 0 Max Period of Exceptional Opacity (Min/Hr): Continuous Opacity Monitor Required: Y VE Limit Required Date: Observed VE: Test Result:	
Page 3 of 11	
Last Test Result: Test Date: 09/27/2001 Next Test Due Date: 09/27/2002 Comment: For Natural Gas.	
VE Sub Type:	VE20
Basis Opacity #: OTHER Regulation: Compliance Test Frequency: ANNUALLY Allowable Opacity For Exceptional Conditions: 27 Max Period of Exceptional Opacity (Min/Hr): 6 Continuous Opacity Monitor Required: N VE Limit Required Date: Observed VE: Test Result: Last Test Result: Test Date: Next Test Due Date: Comment: For Fuel Oil.	

INSPECTION FORM MONITORING REQUIREMENTS

Monitoring Requirements EU # 1

Parameter:	EM	Parameter Description:	EMISSION
CM ID:	1	Monitored Pollutant(s):	Nitrogen Oxides
CME Requirement:	SIP SOURCE	Manufacturer:	Teco/Enviroplan
Installation Date:	12/01/1995	Model:	42
Certification Date:		Serial #:	42-45320-273
Perf. Spec. Test Date:	12/01/1995	Calibrated Reading:	
Perf. Spec. Test Status:	PASS		
Comment:	Steam-to-fuel ratio is monitored on a continuous basis and a predictive equation, incorporating these parameters, is used to calculate hourly emissions.		

Parameter:	EM	Parameter Description:	EMISSION
CM ID:	4	Monitored Pollutant(s):	Nitrogen Oxides
CME Requirement:	ACID RAIN	Manufacturer:	
Installation Date:		Model:	
Certification Date:		Serial #:	
Perf. Spec. Test Date:		Calibrated Reading:	
Perf. Spec. Test Status:			
Comment:			

EU#	2
EU Description	NO.4 STEAM BOILER
Status:	In Compliance
EU Comments:	

Capacity/PTE EU # 2

Max Heat Input:	69.6	Max Throughput Rate:	0.0
Schedule:	24HD,52WY,7DW,8760HY	Max Production Rate:	0.0
Max Incin Rate:	0.0	Capacity Comment:	Max Heat Input Rate = 69.6 (rounded to 70). Max heat input based on permit limit of 68,000 cf of gas/hour (1024 Btu/cf-HHV). Max fuel input for oil is 444 gal/hour (20,140 Btu/lb-HHV; 7.2 lb/gal).

BEGINNING THE UPLOAD PROCESS

- Save Inspection Form on your Device for Upload
- In AirCom:
 - Return to the Inspection Activity
 - Select the Document Management Tab
 - Prepare to Upload Form

UPLOAD INSPECTION FORM

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activities > Document Management

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Documents Linked to this Activity

Document Name	OCULUS Profile	OCULUS Document Type	Document Date	Received Date	Permit Number	Attached By	Attached Date	Document Subject	Operation (s)
dep62_210_900 (1).docx	Discovery_Compliance	HISTORICAL INSPECTION RECORDS	07/26/2014	07/26/2014		NELSON_SE	07/26/2014	Old report data	Unlink

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to activity [Submit](#)

Attach New Document

Path of the Document *:C:\Users\Nelson_SE\Documents (Browse)

The combined length of the file name and extension of the file being uploaded must be no longer than 30 characters and size must be less than 200 MB.

OCULUS Catalog*:Air_Restricted

OCULUS Profile*:Discovery_Compliance

OCULUS Document Type*:INSPECTION RELATED

Document Date *:07/26/2014

Received Date *:07/26/2014

Permit Number:

Document Subject *:Uploading an Inspection form

Upload Compliance Form : ☐ No ☒ Yes

[Attach](#) [Reset](#) [Back To Facility Activity List](#)

SUCCESSFUL COMPLETION – INSPECTION DATA PARSED, FORM ATTACHED

Home

Attach operation completed successfully.

Home > Search Facility > Facility Search Results > Facility Activities > Document Management

Activity Assign Staff **Sources** Comments Document Management

General

AIRS ID: 0010001
Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS
County: Alachua
Compliance Category: INSP-INSPECTION
Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV
Facility Status: ACTIVE
Compliance Office: NE: JACKSONVILLE
Activity Status: In Progress
Compliance Status:

Documents Linked to this Activity
Page: 1/1

Document Name	OCULUS Profile	OCULUS Document Type	Document Date	Received Date	Permit Number	Attached By	Attached Date	Document Subject	Operation (s)
Offline Insp Form 0010001.pdf	Discovery_Compliance	INSPECTION RELATED	07/26/2014	07/26/2014		NELSON_SE	07/26/2014	Uploading an Inspection form	Unlink
dep62_210_900(1).docx	Discovery_Compliance	HISTORICAL INSPECTION RECORDS	07/26/2014	07/26/2014		NELSON_SE	07/26/2014	Old report data	Unlink

Page: 1/1

Document Management
What do you want to do? ☒ Attach New Document ☐ Link existing document to activity [Submit](#)

Attach New Document

Path of the Document *: [Browse](#)
The combined length of the file name and extension of the file being uploaded must be no longer than 30 characters and size must be less than 200 MB.

OCULUS Catalog*:

OCULUS Profile*:

OCULUS Document Type*:

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

Upload Compliance Form : ☒ No ☐ Yes

[Attach](#) [Reset](#) [Back To Facility Activity List](#)

Select the Sources Tab to view the Compliance Status, parsed from the uploaded inspection form.

COMPLIANCE STATUS FOR SOURCES

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEVV

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of Adobe Reader.

Download Compliance Form

Back To Facility Activity List

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
FAC		Facility Wide		IN COMPLIANCE			Verify Compliance Unlink
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	2	NO.4 STEAM BOILER	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	3	NO.5 STEAM BOILER	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU

Add Source

Facility Contact(s)

No Results found.

To update the Status of the Activity, select Back To Facility Activity button

READY FOR REVIEW BUTTON

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Activity

ActivityAssign StaffSourcesCommentsDocument Management

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A PROGRESS

County:Alachua

Compliance Category:INSP-INSPECTION

Activity Type:INS2-Compliance Inspection, Walk Through

Facility/Site Name:U OF FL COGEN,11G ORADEW

Facility Status:ACTIVE

Compliance Office:NE: JACKSONVILLE

Activity Status:In Progress

Compliance Status:

Activity

Date Activity Created:07/26/2014

Office*:NWDT-NW Br: TALLAHASSEE

Compliance Category*:INSP-INSPECTION

Activity Type*:INS2-Compliance Inspection, Walk Through

Due Date:

Performed Date:07/26/2014

Notes:

New activity

Save

Save and Mark Ready for Review

Reset

Back To Facility Activity List

ACTIVITY STATUS UPDATED

Admin Tools

Air Compliance

Home > Search Facility > Facility Search Results > Facility Activity > Activity

Activity

Assign Staff

Sources

Comments

Document Management

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE JACKSONVILLE

Activity Status: Ready for Review

Compliance Status: IN COMPLIANCE

Activity

Date Activity Created: 07/26/2014

Office*: NWDT-NW Br: TALLAHASSEE

Compliance Category*: INSP-INSPECTION

Activity Type*: INS2-Compliance Inspection, Walk Through

Due Date:

Performed Date: 07/26/2014

Notes: New activity

Save


Save and Mark Complete

Reset

Back To Facility Activity List

Activity Status has been updated

EMAIL NOTIFICATION — ACTIVITY MARKED READY FOR REVIEW





Questions?

AirCom Training Session

Compliance Assurance and Inspection Tool Module

Session 2



Presented by: DARM



SESSION TOPICS

- Manage Violations
- Resolution Activities
- Reports (FAR, STR, MRR, VE22, and CEM)
- Summarize the day and introduce Day 2 topics
- Questions



MANAGE VIOLATIONS



WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (*** required fields**) and click the Save button
- 7) Select the **Sources** Tab
- 8) Click Add Source button
- 9) Select Sources
- 10) Click the **Link** button
- 11) Verify Compliance** for each source



SOME SOURCES ARE OUT OF COMPLIANCE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity

Assign Staff

Sources

Comments

Document Management

Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Sources must be entered before a compliance Activity may be performed. Please enter the Source(s) and click on the Download Compliance Form button or Verify Compliance link for online Activities.
Forms can be filled out using the latest version of **Adobe Reader**.

Download Compliance Form

Back To Facility Activity List

Sources

Page: 1/1

Type	EU Number	Description	EU Status	Initial Compliance Status	Current Compliance Status	Comments	Operation(s)
EU	1	GE LM6000-PA Combustion Turbine	ACTIVE	IN COMPLIANCE			Verify Compliance Unlink
EU	5	DUCT BURNER SYSTEM ASSOCIATED WITH HRSG	ACTIVE	MINOR NON COMPLIANCE		Not in compliance	Verify Compliance Unlink
EU	7	NEW LM6000PC-ESPRINT COMBUSTION TURBINE	ACTIVE	MINOR NON COMPLIANCE		Not in Compliance	Verify Compliance Unlink
EU	19	test	ACTIVE	EU Not Operating		Not in service	Verify Compliance Unlink

Page: 1/1

Add Sources

Source Type *: ☒ Facility Wide ☐ Regulated EU

Add Source

Facility Contact(s)

No Results found.

Add Contact

VIOLATION TAB

DEP BUSINESS PORTAL AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available. Welcome, **David Miller** [Sign Out]

Admin Tools **Air Compliance**

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation

Activity **Assign Staff** **Sources** **Comments** **Document Management** **Violation**

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN, 11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	INSP-INSPECTION	Activity Status:	In Progress
Activity Type:	INS2-Compliance Inspection, Walk Through	Compliance Status:	

Violations Linked to this activity No Results found.

Violation

What do you want to do? ☒ Create New Violation ☐ Link to existing Violations

Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

To Create a violation,
select Create New
Violation and click Submit.

CREATE NEW VIOLATION



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Violation](#)

Activity

Assign Staff

Sources

Comments

Document Management

Violation

General

Violations Linked to this activity

Violation

Create New Violation

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE JACKSONVILLE

Activity Status: In Progress

Compliance Status:

No Results found.

What do you want to do? ☒ Create New Violation ☐ Link to existing Violations

Discovered Date* :

Violation Office* : Please Select Office

Federally Reportable* : ☐ Yes ☒ No

Day O :

Day 0 Comments :

Description :

Violation Date* :

Violation Coordinator* : Please Select Staff

EPA High Priority Violation* : ☐ Yes ☒ No

Save

Reset

Back To Facility Activity List



Darm Aircom — 1.0.2-SNAPSHOT.15787



[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

CREATE NEW VIOLATION



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 058 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation

Activity

Assign Staff

Sources

Comments

Document Management

Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Violations Linked to this activity

No Results found.

Violation

What do you want to do? ☒ Create New Violation ☐ Link to existing Violations

Create New Violation

Discovered Date*: 07/01/2014

Violation Office*: NED-NE: JACKSONVILLE

Federally Reportable*: ☒ Yes ☐ No

Day O: 08/15/2014

Day 0 Comments:

Description: Steam boiler 4 exploded.

Violation Date*: 07/01/2014

Violation Coordinator*: Walker, Elizabeth

EPA High Priority Violation*: ☒ Yes ☐ No



Darm Aircom — 1.0.2-SNAPSHOT.15787

Site Map — Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — Contact Us



Add Data to required (*) fields

SUCCESSFUL COMPLETION – VIOLATION CREATED

 **DEP BUSINESS PORTAL** **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools **Air Compliance**

[Home](#)

i Violation has been added successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Violation](#)

Activity **Assign Staff** **Sources** **Comments** **Document Management** **Violation**

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	INSP-INSPECTION	Activity Status:	In Progress
Activity Type:	INS2-Compliance Inspection, Walk Through	Compliance Status:	

Violations Linked to this activity

Discovered Date	Status	HPV	FRV	Violation Office	Description	Coordinator	Operation(s)
07/01/2014	Open	Y	Y	NED	Steam boiler 4 exploded.	WALKER, E	Edit Violation Delete Violation

Violation

What do you want to do? ☐ Create New Violation ☐ Link to existing Violations [Submit](#)

Darm Aircom — 1.0.2-SNAPSHOT.15787

 [Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#) 

Violation can be modified or deleted by using the associated hyperlinks

EDIT VIOLATION HYPERLINK — VIOLATION DETAILS TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Violation](#) > [Violation Details](#)

[Violation Details](#) | [Sources in Violation](#) | [Document Management](#)

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Violation Office:	NED
Violation Number:	6319	Violation Status:	Open
Discovered Date:	07/01/2014		

Activities

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation (s)
INIT		INSP	INS2/Compliance Inspection, Walk Through	UAT Test Activity	07/31/2014	In Progress			View

Violation Details

Discovered Date *	07/01/2014	Violation Date *	07/01/2014
Violation Office *	NED-NE: JACKSONVILLE	Violation Coordinator *	Walker, Elizabeth
Federally Reportable *	☒ Yes ☐ No	EPA High Priority Violation *	☒ Yes ☐ No
Self-Reported Received Date :		Day 270 :	
Day 0 :	08/15/2014		
Day 0 Comments :			
Description :	Steam boiler 4 exploded.		

[Save](#) [Reset](#) [Back To Violation List](#)



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



EDIT VIOLATION - SOURCES IN VIOLATION TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation > Sources in Violation

Violation Details

Sources in Violation

Document Management

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Violation Number: 6319

Discovered Date: 07/01/2014

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Violation Office: NED

Violation Status: Open

Activities

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation (s)
INIT		INSP	INS2/Compliance Inspection, Walk Through	UAT Test Activity	07/31/2014	In Progress			View

Sources Details

No Results found.

Available Sources to Link

Page: 1/1

Select All	Type	EU Number	Description	Initial Compliance Status
☐	EU	1	GE LM6000-PA Combustion Turbine	MINOR NON COMPLIANCE
☐	EU	2	NO.4 STEAM BOILER	SIGNIFICANT NON COMPLIANCE

Page: 1/1

[Link Source](#) [Back To Violation List](#)



Darm Aircom — 1.0.2-SNAPSHOT.15787



[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

LINKING SOURCES TO VIOLATION



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Violation](#) > [Sources in Violation](#)

[Violation Details](#) | [Sources in Violation](#) | [Document Management](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Violation Number: 6319

Discovered Date: 07/01/2014

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Violation Office: NED

Violation Status: Open

Activities

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation (s)
INIT		INSP	INS2/Compliance Inspection, Walk Through	UAT Test Activity	07/31/2014	In Progress			View

Sources Details

No Results found.

Available Sources to Link

Page: 1/1

Select All	Type	EU Number	Description	Initial Compliance Status
☒	EU	1	GE LM6000-PA Combustion Turbine	MINOR NON COMPLIANCE
☒	EU	2	NO.4 STEAM BOILER	SIGNIFICANT NON COMPLIANCE

Page: 1/1

[Link Source](#) | [Back To Violation List](#)



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL COMPLETION – SOURCES LINKED TO VIOLATION



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools

Air Compliance

Home

Sources has been linked to Violation successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Violation > Sources in Violation

Violation Details

Sources in Violation

Document Management

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Violation Number: 6319

Discovered Date: 07/01/2014

Facility/Site Name: U OF FL COGEN,11G ORADEV

Facility Status: ACTIVE

Violation Office: NED

Violation Status: Open

Activities

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation(s)
INIT		INSP	INS2/Compliance Inspection, Walk Through	UAT Test Activity	07/31/2014	In Progress			View

Sources Details

Page: 1/1

Type	EU Number	Description	Initial Compliance Status	Current Compliance Status	EPA HPV	Violation Type	Operation(s)
EU	1	GE LM6000-PA Combustion Turbine	MINOR NON COMPLIANCE		N		Edit Unlink
EU	2	NO.4 STEAM BOILER	SIGNIFICANT NON COMPLIANCE		N		Edit Unlink

Page: 1/1

Available Sources to Link

No Results found.



Darm Aircom — 1.0.2-SNAPSHOT.15787

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





EDIT VIOLATION — DOCUMENT MANAGEMENT TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** ([Sign Out](#))

Admin Tools | **Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#) > [Violation](#) > [Document Management](#)

Violation Details | **Sources in Violation** | **Document Management**

Facility Information

AIRS ID:	0010001	Facility/Site Name:	FL POWER TEST SITE NAME
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A: PROG	Facility Status:	ACTIVE
County:	Alachua	Violation Office:	NWDOT
Violation Number:	6759	Violation Status:	Open
Discovered Date:	07/24/2014		

Activities Linked to this Violation

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation(s)
INIT	07/24/2014	INSP	INS2/Compliance Inspection, Walk Through	New Activity		In Progress			View

Documents Linked to this Violation

No Results found.

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to violation [Submit](#)

Attach New Document

Path of the Document *: [Browse...](#)

OCULUS Catalog*:

OCULUS Profile*:

OCULUS Document Type*:

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

[Attach](#) [Reset](#) [Back To Violation List](#)

EDIT VIOLATIONS — ATTACH NEW DOCUMENT

Complete the document profile information and click attach to upload a document.



DEP BUSINESS PORTAL

Florida Department of Environmental Protection

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [Sign Out]

Admin Tools**Air Compliance**

[Home](#)

Home > Search Facility > Facility Search Results > Facility Activities > Violation > Document Management

Violation Details**Sources in Violation****Document Management**

Facility Information

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Violation Number: 6759

Discovered Date: 07/24/2014

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Violation Office: NWDT

Violation Status: Open

Activities Linked to this Violation

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation (s)
INIT	07/24/2014	INSP	INS2/Compliance Inspection, Walk Through	New Activity		In Progress			View

Documents Linked to this Violation

No Results found.

Document Management

What do you want to do? [Attach New Document](#) [Link existing document to violation](#) [Submit](#)

Attach New Document

Path of the Document *: [Browse...](#)

OCULUS Catalog*:

OCULUS Profile*:

OCULUS Document Type*:

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

[Attach](#) [Reset](#) [Back To Violation List](#)

Documentation not in the AirCom database can be attached to the violation. Documents will be stored in OCULUS.

EDIT VIOLATIONS — BACK TO VIOLATIONS LIST



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#) > [Violation](#) > [Document Management](#)

[Violation Details](#)[Sources in Violation](#)[Document Management](#)

Facility Information

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Violation Number: 6759

Discovered Date: 07/24/2014

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Violation Office: NWDT

Violation Status: Open

Activities Linked to this Violation

Link Name	Date Performed	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Operation (s)
INIT	07/24/2014	INSP	INS2/Compliance Inspection, Walk Through	New Activity		In Progress			View

Documents Linked to this Violation

No Results found.

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to violation [Submit](#)

Attach New Document

Path of the Document *: [Browse...](#)

OCULUS Catalog*:

OCULUS Profile*:

OCULUS Document Type*:

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

[Attach](#)[Reset](#)[Back To Violation List](#)

VIOLATION TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [David Miller](#) [[Sign Out](#)]

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Violation

Activity

Assign Staff

Sources

Comments

Document Management

Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: INSP-INSPECTION

Activity Type: INS2-Compliance Inspection, Walk Through

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Violations Linked to this activity

Discovered Date	Status	HPV	FRV	Violation Office	Description	Coordinator	Operation(s)
07/01/2014	Open	Y	Y	NED	Steam boiler 4 exploded.	WALKER_E	Edit Violation Delete Violation

Violation

What do you want to do? ☐ Create New Violation ☐ Link to existing Violations



Darm Aircom — 1.0.2-SNAPSHOT.15787



[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



RESV Activities



WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (* **required fields**) and click the Save button



CREATE RESV ACTIVITY



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools **Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Add Activity](#)

Add Activity

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Facility Compliance Status: SIGNIFICANT NON COMPLIANCE

Facility/Site Name: U OF FL COGEN,11G ORADEV

Facility Status: ACTIVE

Compliance Office: NED

Activity

Office*: NED-NE: JACKSONVILLE

Compliance Category*: RESV-RESOLUTION

Activity Type*: COE-Consent Order Executed

Due Date: 07/31/2014

Perform Date: 07/03/2014

Penalty*: Assessed

Notes*: Test

Save

Reset

Back To Facility Activity List



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





CREATE RESV ACTIVITY WITH PENALTY

For the following
Activity Types:

- CRCA
- CRCO
- CRCF
- CRMR
- COE
- FOI
- MCOE
- SCOE

The screenshot displays the DEP Business Portal interface. At the top, the header includes the Florida Department of Environmental Protection logo, the text "DEP BUSINESS PORTAL", and the "AirCom" logo with the text "Florida Department of Environmental Protection". A session timeout message states "YOUR SESSION WILL TIME OUT IN 053 MINUTES." and a note indicates "This is a test website. The production website is not yet available." The user is logged in as "Welcome, Sonia E. Nelson [Sign Out]".

The main navigation bar contains "Admin Tools" and "Air Compliance". The "Home" section shows a breadcrumb trail: "Home > Search Facility > Facility Search Results > Facility Activity > Add Activity".

The "Add Activity" form is divided into two tabs: "General" and "Activity". The "General" tab is active, showing fields for "AIRS ID" (0010001), "Owner/Company Name" (FLORIDA POWER CORPORATION D/W/A/ PROG), "County" (Alachua), "Facility Compliance Status" (NON-COMPLIANT), "Facility/Site Name" (FL POWER TEST SITE NAME), "Facility Status" (ACTIVE), and "Compliance Office" (NAD).

The "Activity" tab is partially visible, showing fields for "Office*" (NPD-NPD-TA), "Compliance Category*" (RPRU-RPRU), "Activity Type*" (CRCA-CRCA), "Due Date" (empty), "Perform Date" (07/24/2014), "Penalty*" (Amount), and "Notes" (empty). A message from the webpage states: "Either Due Date or Perform Date is required while creating the activity".

A modal dialog box titled "Message from webpage" is displayed over the form. It contains a question mark icon and the text: "The resolution activity has been saved. Would you like to enter the penalty amounts now? Click OK to continue or Cancel to return." The dialog has "OK" and "Cancel" buttons.

At the bottom of the form, there are "Save", "Reset", and "Back To Facility Activity List" buttons.

The footer of the portal includes the "Derm Aircom" version "1.0.12.16060", a "Site Map" link, "Business Issues / Technical Assistance" link, a phone number "(850) 717 2012 / (850) 717 2000", a "Contact Us" link, and logos for "PDF READER" and "FLORIDA".

RESV ACTIVITY - PENALTY TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [\[Sign Out\]](#)

Admin Tools

Air Compliance

[Home](#)

Activity has been added successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Penalty](#)

[Activity](#) [Assign Staff](#) [Comments](#) [Document Management](#) **[Penalty](#)** [Link To Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: CRCO-Case Referred to Counsel, Resolution Through

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Penalty Assessed Status: Assessed

- [EPA Ben Model](#)
- [EPA Abel Model](#)
- [Penalty Calculation Worksheet](#)

Actions:

☐ Manage Penalty Assessment

☐ Manage Penalty Payment Schedule

☐ Manage Penalty Cash Payment

Linked Violations

No Results found.



Darm Aircom — 1.0.12.16060

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



PENALTY TAB – MANAGE PENALTY ASSESSMENT



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Penalty](#)

[Activity](#)[Assign Staff](#)[Comments](#)[Document Management](#)[Penalty](#)[Link To Violation](#)

General

AIRS ID:	0010001	Facility/Site Name:	FL POWER TEST SITE NAME
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A: PROG	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	RESV-RESOLUTION	Activity Status:	In Progress
Activity Type:	CRCO-Case Referred to Counsel, Resolution Through	Penalty Assessed Status:	Assessed

- [EPA Ben Model](#)
- [EPA Abel Model](#)
- [Penalty Calculation Worksheet](#)

Actions: ☒ Manage Penalty Assessment
☐ Manage Penalty Payment Schedule
☐ Manage Penalty Cash Payment

Linked Violations

No Results found.

Penalty Assessment

No Results found.

Manage Penalty Assessment

Assessment Type*:	Please Select	Assessed Date*:	
Assessed Amount*:		Penalty Comments*:	
Total Assessed Amount for all types:	0.00	Total Collected Amount for all types:	0.00

[Save](#)[Reset](#)[Back To Facility Activity List](#)

PENALTY TAB — MANAGE PENALTY ASSESSMENT GRID



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Penalty](#)

[Activity](#)[Assign Staff](#)[Comments](#)[Document Management](#)[Penalty](#)[Link To Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: CRCO-Case Referred to Counsel, Resolution Through C

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Penalty Assessed Status: Assessed

- [EPA Ben Model](#)
- [EPA Abel Model](#)
- [Penalty Calculation Worksheet](#)

☒ Manage Penalty Assessment

Actions: ☐ Manage Penalty Payment Schedule

☐ Manage Penalty Cash Payment

Linked Violations

No Results found.

Penalty Assessment

Assessment Type	Assessed Date	Assessed Amount	Penalty Comments	Operation(s)
Economic Benefit	07/24/2014	\$750.00	New penalty	Edit Delete

Manage Penalty Assessment

Assessment Type*: Please Select

Assessed Date*:

Assessed Amount*:

Penalty Comments*:

Total Assessed Amount for all types: 750.00

Total Collected Amount for all types: 0.00

[Save](#)[Reset](#)[Back To Facility Activity List](#)

PENALTY TAB — MANAGE PENALTY PAYMENT SCHEDULE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools | **Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Penalty](#)

[Activity](#) | [Assign Staff](#) | [Comments](#) | [Document Management](#) | **[Penalty](#)** | [Link To Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: COE-Consent Order Executed

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Penalty Assessed Status: Assessed

- [EPA Ben Model](#)
- [EPA Abel Model](#)
- [Penalty Calculation Worksheet](#)

Actions: ☐ Manage Penalty Assessment ☒ Manage Penalty Payment Schedule ☐ Manage Penalty Cash Payment

Linked Violations No Results found.

Penalty Payment Schedule No Results found.

Manage Penalty Payment Schedule

Payment Type*: Cash

Due Date*: 07/31/2014

Completed Date:

Comments: test

Amount Due*: 5.00

Actual Cost:

[Save](#) [Reset](#) [Back To Facility Activity List](#)



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



PENALTY TAB — MANAGE PENALTY PAYMENT SCHEDULE GRID



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [Sign Out]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Penalty](#)

[Activity](#) | [Assign Staff](#) | [Comments](#) | [Document Management](#) | **[Penalty](#)** | [Link To Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: CRCO-Case Referred to Counsel, Resolution Through

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Penalty Assessed Status: Assessed

- [EPA Ben Model](#)
- [EPA Abel Model](#)
- [Penalty Calculation Worksheet](#)

Manage Penalty Assessment

☒ Manage Penalty Payment Schedule

Manage Penalty Cash Payment

Linked Violations

No Results found.

Penalty Payment Schedule

Type	Due Date	Amount Due	Actual Cost	Penalty Comments	Operation(s)
Cash	07/24/2014	\$750.00		new penalty	Edit Delete

Manage Penalty Payment Schedule

Payment Type*: Please Select

Due Date*:

Completed Date:

Comments:

Amount Due*:

Actual Cost:

[Save](#) | [Reset](#) | [Back To Facility Activity List](#)

PENALTY TAB — MANAGE PENALTY CASH PAYMENT



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools | **Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Penalty](#)

[Activity](#) | [Assign Staff](#) | [Comments](#) | [Document Management](#) | **[Penalty](#)** | [Link To Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: COE-Consent Order Executed

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Penalty Assessed Status: Assessed

- EPA Ben Model
- EPA Abel Model
- Penalty Calculation Worksheet

☐ Manage Penalty Assessment

Actions: ☐ Manage Penalty Payment Schedule

☒ Manage Penalty Cash Payment

Linked Violations

No Results found.

Penalty Cash Payments

Total Cash Penalty Assessed: 5.0 | Balance Unpaid: 0.0

Manage Penalty Cash Payment

Date Paid*:

CRA Payment Number:

Comments:

Amount Paid*:

OR

Uncollectible: ☐

Date Determine*:

Comments:



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



LINK TO VIOLATION TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 054 MINUTES.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > [Link to Violation](#)

Activity

Assign Staff

Comments

Document Management

Penalty

Link To Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: CRCO-Case Referred to Counsel, Resolution Through C

Penalty Assessed Status: Assessed

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

LCT Link

OGC Number*:

No Results found.

[Save](#) [Reset](#) [Back To Facility Activity List](#)

Additional Violations To Link

Pages: 1/1

Select All	Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Activity Type/Description	Status	HPV	ERV	Violation Office	Description	Coordinator
☐	6727	03/09/2011	1233		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NED		PHILLIPS_C
☐	6677	01/01/2011	1300		INSP	INS3/Compliance Inspection Detailed (INS2 and Observed Stack Test)	Resolved	N	N	NED	Test of 11g	BANKS_R
☐	6353	10/01/2009	1757		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NED		BANKS_R
☐	5962	06/01/2009	1879	998	INSP	CI/Complaint Inspection	Resolved	N	N	NED	VIOLATION REMOVED - NO VIOLATION OCCURRED.	BANKS_R
☐	6058	03/27/2009	1945		AOR	AOR/Annual Operating Report Review	Resolved	N	N	NED		FELTON_R
☐	6260	03/01/2009	1971		INSP	INS1/Compliance Inspection, Drive By	Resolved	N	N	NED	Test 283	MORRISON_A
☐	6059	01/01/2009	2030		INSP	INS4/Compliance Inspection, INS3 with Professional Engineering Design	Resolved	N	N	NED		FELTON_R
☐	6411	01/01/2009	2030		INSP	INS3/Compliance Inspection Detailed (INS2 and Observed Stack Test)	Resolved	N	N	NED		FELTON_R
☐	6412	01/01/2009	2030		INSP	INS3/Compliance Inspection Detailed (INS2 and Observed Stack Test)	Resolved	N	N	NED		MORRISON_A
☐	6563	01/01/2009	2030		INSP	FR/File Review	Resolved	N	N	NED		FELTON_R
☐	6564	01/01/2009	2030		TRPT	STR/Stack Test Report Review	Resolved	Y	N	NED	VIOLATION REMOVED - NO VIOLATION OCCURRED.	BANKS_R
☐	6306	03/18/2008	2319		TRPT	VER/Visible Emission Test Report Review	Resolved	N	N	NED		FELTON_R
☐	5776	07/24/2007	2557		TRPT	STR/Stack Test Report Review	Resolved	N	N	NED		BANKS_R

Select existing Violation for this RESV Activity by selecting the Violation from the Additional Violations to link grid.

LINK VIOLATION TO RESV ACTIVITY



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools | **Air Compliance**

[Home](#)

Violation has been linked successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Link to Violation

Activity | Assign Staff | Sources | Comments | Document Management | Penalty | **Link To Violation**

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: COE-Consent Order Executed

Penalty Assessed Status: Assessed

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

LCT Link

No Results found.

OGC Number*:

[Save](#) [Reset](#) [Back To Facility Activity List](#)

Linked Violations

Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Initiating Activity Type/Description	Status	HPV	FRV	Violation Office	Description	Coordinator	Open
6319	07/01/2014	2		INSPECTION	INS2-Compliance Inspection, Walk Through	Open	Y	Y	NED	INS2-Compliance Inspection, Walk Through	WALKER_E	U Vis

Additional Violations To Link

Page: 1/1

Select	Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Activity Type/Description	Status	HPV	FRV	Violation Office	Description	Coord
☐	6169	01/01/2012	914		INSP	INS2-Compliance Inspection, Walk Through	Open	N	N	NED		SANKUF
☐	6228	01/05/2007	2736		TRPT	FR/File Review	Open	N	N	NED	test	SANKUF

Page: 1/1

[Link](#) [Back To Facility Activity List](#)



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



SOURCES TAB FOR LINKED VIOLATIONS



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 052 MINUTES.
This is a test website. The production website is not yet available.

Welcome, [David Miller](#) [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity

Assign Staff

Sources

Comments

Document Management

Penalty

Link To Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: COE-Consent Order Executed

Penalty Assessed Status: No Collect

Facility/Site Name: U OF FL COGEN,11G ORADEV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Linked Violations

Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Initiating Activity Type/Description	Status	HPV	ERV	Violation Office	Description	Coordinator
6319	07/01/2014	2		INSPECTION	INS2-Compliance Inspection, Walk Through	Open	Y	Y	NED	INS2-Compliance Inspection, Walk Through	WALKER_E

Sources

No Results found.

Add Sources

EU Number:

Violation # 6319-2-NO.4 STEAM BOILER
Violation # 6319-1-GE LM6000-PA Combustion Turbine

Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

Status: ☒ In Compliance ☐ Minor Non-Compliance ☐ Significant Non-Compliance

Comments:

SaveResetBack To Facility Activity List

Facility Contact(s)

No Results found.

Add Contact



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



SOURCES TAB –SOURCES (IN COMPLIANCE)



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 000 MINUTES.

This is a test website. The production website is not yet available.

AirCom
Florida Department of Environmental Protection

Welcome, Satyram T. Patel [Sign Out]

Admin Tools

Air Compliance

Home

Save operation completed successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources

Activity

Assign Staff

Sources

Comments

Document Management

Link To Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: COE-Consent Order Executed

Penalty Assessed Status: No Penalty

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Linked Violations

Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Initiating Activity Type/Description	Status	HPV	FRV	Violation Office	Description	Coordinator
6762	07/25/2014	0		INSPECTION	INS2-Compliance Inspection, Walk Through	Open	N	N	NWDIT	INS2-Compliance Inspection, Walk Through	PATEL_ST

Sources

Page: 1/1

Violation Number	Type	EU Number	Description	EU Status	Compliance Status	Comments	Operation(s)
6762	EU	1	GE LM6000-PA Combustion Turbine	ACTIVE	IN COMPLIANCE		Unlink Edit
6762	EU	3	NO.5 STEAM BOILER	ACTIVE	IN COMPLIANCE		Unlink Edit

Page: 1/1

Facility Contact(s)

No Results found.

Add Contact



Darm Aircom — 1.0.14.16119

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



RESV ACTIVITY TAB — SAVE AND MARK COMPLETE



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

AirCom
Florida Department of Environmental Protection

[Admin Tools](#) | [Air Compliance](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Activity](#)

[Activity](#) | [Assign Staff](#) | [Sources](#) | [Comments](#) | [Document Management](#) | [Penalty](#) | [Link To Violation](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: COE-Consent Order Executed

Penalty Assessed Status: No Collect

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Linked Violations

Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Initiating Activity Type/Description	Status	HPV	ERV	Violation Office	Description	Coordinator
6319	07/01/2014	2		INSPECTION	INS2-Compliance Inspection, Walk Through	Open	Y	Y	NED	INS2-Compliance Inspection, Walk Through	WALKER_E

Activity

Date Activity Created: 07/03/2014

Office*: NED-NE: JACKSONVILLE

Compliance Category*: RESV-RESOLUTION

Activity Type*: COE-Consent Order Executed

Due Date: 07/31/2014

Perform Date: 07/03/2014

Penalty*: No Collect

Notes*: Test

[Save](#) | [Save and Mark Complete](#) | [Reset](#) | [Back To Facility Activity List](#)



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



FACILITY ACTIVITIES – RESOLUTION ACTIVITY



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#)

Facility Activities | [Facility Violations](#)

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Facility Compliance Status: SIGNIFICANT NON COMPLIANCE

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

Activity Criteria

Compliance Status:

Date Performed From: 07/01/2014 To: 07/31/2014

Compliance Category:

Due Date From: To:

Activity Type:

Activity Status:

Assigned Staff:

[Search](#) | [Reset](#) | [Back to Search Result](#) | [Add Facility Activity](#)

Facility Activities

Your query returned 1 record(s).

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Number of Violations/Resolution	Operation(s)
07/03/2014		RESOLUTION	COE / Consent Order Executed	Test	07/31/2014	Complete		IN COMPLIANCE	Violations (1)	View/Edit Activity Delete Activity



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



FACILITY ACTIVITIES — CURRENT COMPLIANCE STATUS



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **Satyam T. Patel** [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#)

Facility Activities

Facility Violations

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

Facility Compliance Status: SIGNIFICANT NON COMPLIANCE

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NED

Activity Criteria

Compliance Status: Please Select Compliance Status

Date Performed From: 07/25/2014 To: 07/25/2014

Compliance Category: INSP-INSPECTION

Due Date From: To:

Activity Type: INSP-Compliance Inspection, Walk Through

Activity Status: Please Select Activity Status

Assigned Staff: Please Select Assigned Staff

Search

Reset

Back to Search Result

Add Facility Activity

Facility Activities

Page: 1/1

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Number of Violations/Resolution	Operation(s)
07/25/2014		INSPECTION	INS2 / Compliance Inspection, Walk Through	GP Inspection		In Progress				View/Edit Activity Delete Activity
07/25/2014		INSPECTION	INS2 / Compliance Inspection, Walk Through	New Inspection		In Progress				View/Edit Activity Delete Activity
07/25/2014		INSPECTION	INS2 / Compliance Inspection, Walk Through	ACTIVITY NOTES:	07/25/2014	Violation Resolved	SIGNIFICANT NON COMPLIANCE	IN COMPLIANCE	Violations (1) / Resolutions (1)	View/Edit Activity Delete Activity

Page: 1/1




Darm Aircom — 1.0.14.16119
[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





RESV / CCDL Activity



ADD ACTIVITY — RESV - CCDL



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Add Activity](#)

Add Activity

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEVV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NED
Facility Compliance Status:	SIGNIFICANT NON COMPLIANCE		

Activity

Office*:	NED-NE: JACKSONVILLE
Compliance Category*:	RESV-RESOLUTION
Activity Type*:	CCDL-Case Closed by District or Local
Due Date:	07/31/2014
Perform Date:	
Notes*:	Test

[Save](#)[Reset](#)[Back To Facility Activity List](#)



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



SUCCESSFUL COMPLETION – ACTIVITY ADDED



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools

Air Compliance

Home

Activity has been added successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Activity

Activity

Assign Staff

Comments

Document Management

Link To Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: CCDL-Case Closed by District or Local

Penalty Assessed Status:

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Compliance Status:

Activity

Date Activity Created: 07/03/2014

Office*: NED-NE: JACKSONVILLE

Compliance Category*: RESV-RESOLUTION

Activity Type*: CCDL-Case Closed by District or Local

Due Date: 07/31/2014

Perform Date:

Notes*: Test

Save

Save and Mark Complete

Reset

Back To Facility Activity List



Darm Aircom — 1.0.4-SNAPSHOT.15817

Site Map — Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — Contact Us



LINKED TO VIOLATION TAB



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

AirCom
Florida Department of Environmental Protection

Welcome, David Miller [Sign Out]

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Link to Violation

Activity

Assign Staff

Comments

Document Management

Link To Violation

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Compliance Category: RESV-RESOLUTION

Activity Type: CCOL-Case Closed by District or Local

Penalty Assessed Status:

Facility/Site Name: U OF FL COGEN,11G ORADEV

Facility Status: ACTIVE

Compliance Office: NEJ JACKSONVILLE

Activity Status: In Progress

Compliance Status:

LCT Link

OGC Number*: No Results found.

Save Reset Back To Facility Activity List

Additional Violations To Link

Page: 1/1

Select All	Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Activity Type/Description	Status	HPV	FRV	Violation Office	Description	Coordinator
☐	6319	07/01/2014	2		INSP	INS2/Compliance Inspection, Walk Through	Resolved	Y	Y	NED	Steam boiler 4 exploded.	WALKER
☐	6234	04/05/2012	819		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NED	kktest	SANKURA
☐	6226	10/12/2011	995		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NWD		KRIEGE
☐	6113	01/01/2011	1279		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NED		SANKURA
☐	6150	05/05/2009	1005		INSP	FR/File Review	Resolved	N	N	NED		SANKURA
☐	6151	05/05/2009	1005		INSP	FR/File Review	Resolved	N	N	NED	update.	SANKURA
☐	6195	05/05/2009	1005		TRPT	FR/File Review	Resolved	N	N	NED		SANKURA
☐	6209	05/05/2009	1005		INSP	FR/File Review	Resolved	N	N	NED		SANKURA
☐	6208	04/02/2009	1918		TRPT	STR/Stack Test Report Review	Resolved	N	N	NED		SANKURA
☐	6194	02/01/2008	2344		INSP	INS3/Compliance Inspection Detailed (INS2 and Observed Stack Test)	Resolved	N	N	NED		SANKURA
☐	6141	07/02/2007	2558		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NWDT	test	FERNAND
☐	6120	04/19/2007	2632		CEM	CMSR/Continuous Monitor System Report Review	Resolved	N	N	NED	test	MAYBIF
☐	4766	02/05/2007	2705		TRPT	SOCCR/Annual Statement of Compliance Report Review	Resolved	N	N	NED		SANKURA
☐	5244	08/03/2006	2801		INSP	INS2/Compliance Inspection, Walk Through	Resolved	N	N	NED		SANKURA

Page: 1/1

Link Back To Facility Activity List

Only one resolved violation can be linked. Select violation to link and click the link button

SUCCESSFUL COMPLETION – VIOLATION LINKED



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools

Air Compliance

[Home](#)

Violation has been linked successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Link to Violation

Activity

Assign Staff

Comments

Document Management

Link To Violation

General

AIRS ID:

0010001

Facility/Site Name:

U OF FL COGEN,11G ORADEV

Owner/Company Name:

FLORIDA POWER CORPORATION D/B/A PROGRESS

Facility Status:

ACTIVE

County:

Alachua

Compliance Office:

NE: JACKSONVILLE

Compliance Category:

RESV-RESOLUTION

Activity Status:

In Progress

Activity Type:

CCDL-Case Closed by District or Local

Compliance Status:

Penalty Assessed Status:

LCT Link

No Results found.

OGC Number*:

Save

Reset

Back To Facility Activity List

Linked Violations

Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Initiating Activity Type/Description	Status	HPV	FRV	Violation Office	Description	Coordinator	Op
6319	07/01/2014	2		INSPECTION	INS2-Compliance Inspection, Walk Through	Resolved	Y	Y	NED	INS2-Compliance Inspection, Walk Through	WALKER_E	VI

Additional Violations To Link

No Results found.

Back To Facility Activity List



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



EDIT ACTIVITY – CCDL – SAVE AND MARK COMPLETE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

Home > Search Facility > Facility Search Results > Facility Activity > Activity

[Activity](#) | [Assign Staff](#) | [Comments](#) | [Document Management](#) | [Link To Violation](#)

General

AIRS ID:	0010001	Facility/Site Name:	U OF FL COGEN,11G ORADEV
Owner/Company Name:	FLORIDA POWER CORPORATION D/B/A PROGRESS	Facility Status:	ACTIVE
County:	Alachua	Compliance Office:	NE: JACKSONVILLE
Compliance Category:	RESV-RESOLUTION	Activity Status:	In Progress
Activity Type:	CCDL-Case Closed by District or Local	Compliance Status:	
Penalty Assessed Status:			

Linked Violations

Violation Key	Discovered Date	# Days Open	Associated Complaint #	Compliance Category	Initiating Activity Type/Description	Status	HPV	FRV	Violation Office	Description	Coordinator
6319	07/01/2014	2		INSPECTION	INS2-Compliance Inspection, Walk Through	Resolved	Y	Y	NED	INS2-Compliance Inspection, Walk Through	WALKER_E

Activity

Date Activity Created:	07/03/2014
Office*:	NED-NE: JACKSONVILLE
Compliance Category*:	RESV-RESOLUTION
Activity Type*:	CCDL-Case Closed by District or Local
Due Date:	07/31/2014
Perform Date:	
Notes*:	Test

[Save](#) | [Save and Mark Complete](#) | [Reset](#) | [Back To Facility Activity List](#)



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



VIEW/EDIT ACTIVITY — UPDATE ACTIVITY



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

[Admin Tools](#) [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#)

Facility Activities **Facility Violations**

General

AIRS ID: 0010001Facility/Site Name: U OF FL COGEN,11G ORADEVVOwner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESSFacility Status: ACTIVECounty: AlachuaCompliance Office: NEDFacility Compliance Status: SIGNIFICANT NON COMPLIANCE

Activity Criteria

Compliance Status: Please Select Compliance StatusDate Performed From: 07/01/2014 To: 07/31/2014Compliance Category: Please Select Category CodeDue Date From: To:Activity Type: CCDL-Case Closed by District or LocalActivity Status: CompleteAssigned Staff: Please Select Assigned Staff

[Facility Activities](#) [Facility Violations](#) [Facility Search Results](#) [Facility Search](#) [Home](#)

Facility Activities

Your query returned 1 record(s).

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Number of Violations/Resolution	Operation (s)
07/03/2014		RESOLUTION	CCDL / Case Closed by District or Local	Test	07/31/2014	Complete			Violations (1)	View/Edit Activity Delete Activity



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



INITIATING ACTIVITY — MARKED COMPLETE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools | **Air Compliance**

Home

Home > Search Facility > Facility Search Results > Facility Activities

Facility Activities | **Facility Violations**

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A PROGRESS

County: Alachua

Facility Compliance Status: SIGNIFICANT NON COMPLIANCE

Facility/Site Name: U OF FL COGEN,11G ORADEVV

Facility Status: ACTIVE

Compliance Office: NED

Activity Criteria

Compliance Status: Please Select Compliance Status

Date Performed From: 07/01/2014 To: 07/31/2014

Compliance Category: Please Select Category Code

Due Date From: To:

Activity Type: INS2-Compliance Inspection, Walk Through

Activity Status: Complete

Assigned Staff: Please Select Assigned Staff

Search

Reset

Back to Search Result

Add Facility Activity

Facility Activities

Your query returned 1 record(s).

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Number of Violations/Resolution	Operation (s)
07/03/2014		INSPECTION	INS2 / Compliance Inspection, Walk Through	UAT Test Activity	07/31/2014	Complete	SIGNIFICANT NON COMPLIANCE	IN COMPLIANCE	Violations (1) / Resolutions (2)	View/Edit Activity Delete Activity



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





REPORTS

- Stack Test
- Visible Emissions Method 22
- Fuel Analysis
- Miscellaneous Report
- Continuous Emission Monitor



Stack Test Report

WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (* **required fields**) and click the Save button
- 7) **Date Due** or **Date Performed** must be completed
- 8) Compliance Category = **TRPT** – Test and Reports
- 9) Activity Type = **STR – Stack Test Report Review**
- 10) Click Save button
- 11) Select the **Sources Tab**
- 12) Add Regulated EU and click **Verify Compliance** button
- 13) Click on **Stack Test Report Details** tab



STACK TEST REPORT DETAILS TAB

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Stack Test Report Details

EU Compliance Status

Stack Test Report Details

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

EU Number: 1

Compliance Category: TRPT-TEST AND REPORTS

Activity Type: STR-Stack Test Report Review

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

Stack Test Details

No Results found.

Add Stack Test Result

Pollutant*: Please Select Pollutant

Test Frequency:

Test Date*:

Test Result*: Please Select Result

Received Date*:

Test Point: Please Select Test Point

Test Team: Please Select Test Team

Permit Allowable/Unit: /

Test Allowable/Unit*: /

Process Rate Maximum: Units

Production Rate Maximum: Units

Heat Input Rate Maximum: mmBTU/Hour

Dry Standard Flow Rate Maximum: dscfm

Incineration Rate Maximum: Lb/Hour

Incineration Rate Maximum: Ton/Day

Comments:

Allowable Sequence #: Please Select Sequence

Frequency Base Date:

Audit Type*: Please Select Audit Type

Next Test Due Date*:

Reviewed Date*:

Test Methods: Please Select Test Method

Test Actual/Unit*: / CMS REQUIRED (NO ALLOWABLE EMISSION)

Process Rate Actual: Units

Production Rate Actual: Units

Heat Input Rate Actual: mmBTU/Hour

Dry Standard Flow Rate Actual: dscfm

Incineration Rate Actual: Lb/Hour

Incineration Rate Actual: Ton/Day

Save

Reset

Back To Activity Source List

The logo for KYRA INFOTECH features a stylized orange sun with rays on the left, followed by the text "KYRA" in a bold, sans-serif font, and "INFOTECH" in a slightly smaller, bold, sans-serif font below it.

SUCCESSFUL ADDITION – STR DETAIL

Admin Tools

Air Compliance

Home

Stack Test Report has been created successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Stack Test Report Details

EU Compliance Status

Stack Test Report Details

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

EU Number: 1

Compliance Category: TRPT-TEST AND REPORTS

Activity Type: STR-Stack Test Report Review

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: WED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

Stack Test Details

Pollutant	Allow Sequence	Test Date	Audit Type	Result	Test	Operation(s)
NOX	1	07/24/2014	Complete Test Audit & Test Report Review	Pass	Allowable: 0.0 Actual: 0.0	View/Edit Report Delete Report

Add Stack Test Result

Pollutant*: Please Select Pollutant

Test Frequency:

Test Date*:

Test Result*: Please Select Result

Received Date*:

Test Point: Please Select Test Point

Test Team: Please Select Test Team

Permit Allowable/Unit: /

Test Allowable/Unit*: /

Process Rate Maximum: Units

Production Rate Maximum: Units

Heat Input Rate Maximum: mmBTU/Hour

Dry Standard Flow Rate Maximum: dscfm

Incineration Rate Maximum: Lb/Hour

Incineration Rate Maximum: Ton/Day

Comments:

Allowable Sequence #: Please Select Sequence

Frequency Base Date:

Audit Type*: Please Select Audit Type

Next Test Due Date*:

Reviewed Date*:

Test Methods: Please Select Test Method

Test Actual/Unit*: / CMS REQUIRED (NO ALLOWABLE EMISSION)

Process Rate Actual: Units

Production Rate Actual: Units

Heat Input Rate Actual: mmBTU/Hour

Dry Standard Flow Rate Actual: dscfm

Incineration Rate Actual: Lb/Hour

Incineration Rate Actual: Ton/Day

Save

Reset

Back To Activity Source List



Visible Emissions Method 22 Test Report

WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (* **required fields**) and click the Save button
- 7) **Date Due** or **Date Performed** must be completed
- 8) Compliance Category = **TRPT** – Test and Reports
- 9) Activity Type = **VE22 – EPA Method 22 Report Review**
- 10) Click Save button
- 11) Select the **Sources Tab**
- 12) Add Regulated EU and click **Verify Compliance** button
- 13) Click on **Visible Emission Method 22 Test Report Details** tab



VISIBLE EMISSION METHOD 22 TEST REPORT DETAILS TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#) > Visible Emission Method 22 Test Report Details

EU Compliance Status

Visible Emission Method 22 Test Report Details

General

AIRS ID:	0730003	Facility/Site Name:	ARVAH B. HOPKINS GENERATING STATION
Owner/Company Name:	CITY OF TALLAHASSEE	Facility Status:	ACTIVE
County:	Leon	Compliance Office:	NWDT
EU Number:	1.0	EU Description:	Boiler #1(Phase II Acid Rain Unit)
Compliance Category:	TRPT-TEST AND REPORTS	Activity Status:	In Progress
Activity Type:	VE22-EPA Method 22 Report Review		

Visible Emissions Method 22 Test Details

No Results found.

Add Visible Emissions Method 22 Test Result

Test Date*:	07/01/2014	Test Point*:	Bypass Stack
Observer*:	Bob Smith		
Audit Type*:	test		
Received Date*:	07/02/2014	Reviewed Date*:	07/03/2014
Emissions Observed*:	☒ Yes ☐ No	Process Rate Observed:	4
Required Observation Period Length*:	5		
	☐ Hours ☒ Minutes ☐ Seconds		
Actual Observation Period Length*:	5		
	☐ Hours ☒ Minutes ☐ Seconds		
Observation Period Frequency*:	Daily	Test Report Frequency*:	EACH MONTH
Basis of Opacity Limit*:	1	Next Report Due Date:	09/30/2014
Basis Comment:			
Comments:			

Save

Reset

Back To Activity Source List



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL ADDITION – VM22 REPORT DETAILS



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Visible Emission Method 22 Test Report has been created successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Visible Emission Method 22 Test Report Details

EU Compliance Status

Visible Emission Method 22 Test Report Details

General

AIRS ID: 0730003

Owner/Company Name: CITY OF TALLAHASSEE

County: Leon

EU Number: 1.0

Compliance Category: TRPT-TEST AND REPORTS

Activity Type: VE22-EPA Method 22 Report Review

Facility/Site Name: ARVAH B. HOPKINS GENERATING STATION

Facility Status: ACTIVE

Compliance Office: NWDT

EU Description: Boiler #1(Phase II Acid Rain Unit)

Activity Status: In Progress

Visible Emissions Method 22 Test Details

Test Point	Test Date	Audit Type	VE Observed	Operation(s)
VM22	07/01/2014	test	Yes	View/Edit Report Delete Report

Add Visible Emissions Method 22 Test Result

Test Date*:

Observer*:

Audit Type*: Please Select Audit Type

Received Date*:

Emissions Observed*: ☐ Yes ☐ No

Required Observation Period Length*: ☐ Hours ☐ Minutes ☐ Seconds

Actual Observation Period Length*: ☐ Hours ☐ Minutes ☐ Seconds

Observation Period Frequency*: Please Select

Basis of Opacity Limit*:

Basis Comment:

Comments:

Test Point*: Please Select Test Point

Reviewed Date*:

Process Rate Observed:

Test Report Frequency*: Please Select

Next Report Due Date:

Save

Reset

Back To Activity Source List



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)







Fuel Analysis Test Report

WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (* **required fields**) and click the Save button
- 7) **Date Due** or **Date Performed** must be completed
- 8) Compliance Category = **TRPT** – Test and Reports
- 9) Activity Type = **FAR – Fuel Analysis Report**
- 10) Click Save button
- 11) Select the **Sources Tab**
- 12) Add Regulated EU and click **Verify Compliance** button
- 13) Click on **Fuel Analysis Test Report** tab



FUEL ANALYSIS TEST REPORT TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#) > [Fuel Analysis Test Report Details](#)

[EU Compliance Status](#) | **Fuel Analysis Test Report**

General

AIRS ID: 0730003

Owner/Company Name: CITY OF TALLAHASSEE

County: Leon

EU Number: 1.0

Compliance Category: TRPT-TEST AND REPORTS

Activity Type: FAR-Fuel Analysis Report

Facility/Site Name: ARVAH B. HOPKINS GENERATING STATION

Facility Status: ACTIVE

Compliance Office: NWDT

EU Description: Boiler #1(Phase II Acid Rain Unit)

Activity Status: In Progress

Fuel Analysis Test Details

No Results found.

Add Fuel Analysis Test Result

Pollutant*: PM

Analysis Test Date*: 07/01/2014

Analysis Test Received Date*: 07/02/2014

Analysis Test Reviewed Date*: 07/03/2014

Permit Allowable: 0

Allowable Unit: POUNDS PER MILLION BTU HEAT INPUT

Required Analysis Method: Test not required in years that fuel oil is fired < 400 h

Allowable Limit Met?: ☒ Yes ☐ No

Comments:

Audit Type*: test

Analytical Lab/Team*: Cubix Corporation

Analysis Test Frequency: NONE REQUIRED

Next Analysis Test Due Date:

Actual Allowable*: 1000

Actual Unit*: POUNDS PER MILLION BTU HEAT INPUT

Actual Analysis Method*: test

[Save](#) [Reset](#) [Back To Activity Source List](#)



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL ADDITION — FUEL ANALYSIS TEST REPORT



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** ([Sign Out](#))

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

Fuel Analysis Test Report has been created successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#) > [Fuel Analysis Test Report Details](#)

[EU Compliance Status](#) | **Fuel Analysis Test Report**

General

AIRS ID: 0730003

Owner/Company Name: CITY OF TALLAHASSEE

County: Leon

EU Number: 1.0

Compliance Category: TRPT-TEST AND REPORTS

Activity Type: FAR-Fuel Analysis Report

Facility/Site Name: ARVAH B. HOPKINS GENERATING STATION

Facility Status: ACTIVE

Compliance Office: NWDI

EU Description: Boiler #1(Phase II Acid Rain Unit)

Activity Status: In Progress

Fuel Analysis Test Details

Pollutant	Analysis Test Date	Received Date	Frequency	Audit Type	Actual Analysis Method	Limit Met	Operation(s)
PM	07/01/2014	07/02/2014	NONE REQUIRED	test	test	Yes	View/Edit Report Delete Report

Add Fuel Analysis Test Result

Pollutant*:

Please Select

Analysis Test Date*:

Analysis Test Received Date*:

Analysis Test Reviewed Date*:

Permit Allowable:

Allowable Unit:

Required Analysis Method:

Allowable Limit Met? ☒ Yes ☐ No

Comments:

Audit Type*:

Please Select

Analytical Lab/Team*:

Please Select

Analysis Test Frequency:

Next Analysis Test Due Date:

Actual Allowable*:

Actual Unit*:

Please Select

Actual Analysis Method*:

Save

Reset

Back To Activity Source List



Darm Aircom — 1.0.4-SNAPSHOT.15817

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)







Miscellaneous Report

WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (* **required fields**) and click the Save button
- 7) **Date Due** or **Date Performed** must be completed
- 8) Compliance Category = **TRPT** – Test and Reports
- 9) Activity Type = **MRR – Miscellaneous Report Review**
- 10) Click Save button
- 11) Select the **Sources Tab**
- 12) Add Regulated EU and click **Verify Compliance** button
- 13) Click on **Report Review Details** tab



REPORT REVIEW DETAILS TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Satyam T. Patel** [[Sign Out](#)]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Sources](#) > [Generic Report Review Details](#)

EU Compliance Status

Report Review Details

General

AIRS ID:0010001

Owner/Company Name:FLORIDA POWER CORPORATION D/B/A: PROG

County:Alachua

EU Number:1

Compliance Category:TRPT-TEST AND REPORTS

Activity Type:MRR-Miscellaneous Report Review

Facility/Site Name:FL POWER TEST SITE NAME

Facility Status:ACTIVE

Compliance Office:NED

EU Description:GE LM6000-PA Combustion Turbine

Activity Status:In Progress

Report Review Details

No Results found.

Add Report Review Result

Requirement Status:Active

Report Frequency:EVERY 5 YEARS

Regulation:

Report Date From*:

Report Received Date*:

Next Report Due Date:

Required Results:

23

Reported Results:

Discontinue Date:

Report Date To*:

Report Reviewed Date*:

Save

Reset

Back To Activity Source List



Darm Aircom — 1.0.14.16119

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





SUCCESSFUL ADDITION — REPORT REVIEW DETAILS TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **Satvam T. Patel** [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Generic Test Report has been created successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Generic Report Review Details

EU Compliance Status

Report Review Details

General

AIRS ID: 0010001

Owner/Company Name: FLORIDA POWER CORPORATION D/B/A: PROG

County: Alachua

EU Number: 1

Compliance Category: TRPT-TEST AND REPORTS

Activity Type: MRR-Miscellaneous Report Review

Facility/Site Name: FL POWER TEST SITE NAME

Facility Status: ACTIVE

Compliance Office: NED

EU Description: GE LM6000-PA Combustion Turbine

Activity Status: In Progress

Report Review Details

Regulation	Requirement Status	Frequency	Discontinue Date	Report Date Range	Received Date	Reviewed Date	Next Report Date	Reported Results	Operation(s)
	Active	EVERY 5 YEARS		07/25/2014 - 08/28/2014	07/25/2014	07/25/2014	01/30/2020	REPORT REVIEW.	View/Edit Report Delete Report

Add Report Review Result

Requirement Status: Active

Report Frequency: EVERY 5 YEARS

Regulation:

Report Date From*:

Report Received Date*:

Next Report Due Date:

Required Results: 23

Reported Results:

Discontinue Date:

Report Date To*:

Report Reviewed Date*:

Save

Reset

Back To Activity Source List



Darm Aircom — 1.0.14.16119
[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)







Continuous Emission Monitor Report

WHERE TO START.....

From the AirCom Welcome Screen:

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**
- 4) Select **Compliance Details Hyperlink** for the Facility
- 5) Select **Add Facility Activity** button
- 6) Add Activity data (* **required fields**) and click the Save button
- 7) **Date Due** or **Date Performed** must be completed
- 8) Compliance Category = **CEM**– Continuous Emission Monitor
- 9) Activity Type = **CMSR – Continuous Monitor System Report Review**
- 10) Click Save button
- 11) Select the **Sources Tab**
- 12) Add Regulated EU and click **Verify Compliance** button
- 13) Click on **Continuous Monitor System Report Review** tab



CONTINUOUS MONITOR SYSTEM REPORT REVIEW TAB

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Continuous Monitor Report Details

EU Compliance Status

Continuous Monitor System Report Review

General

AIRS ID: 0730003

Owner/Company Name: CITY OF TALLAHASSEE

County: Leon

EU Number: 1.0

Compliance Category: CEM-CONTINUOUS EMISSION MONITOR

Activity Type: CMSR-Continuous Monitor System Report Review

Facility/Site Name: ARVAY B. HOPKINS GENERATING STATION

Facility Status: ACTIVE

Compliance Office: NWDI

EU Description: Boiler #1(Phase II Acid Rain Unit)

Activity Status: In Progress

Continuous Monitor Report Details

No Results found.

Add Continuous Monitor Report Details

Monitor Information

Monitor Status*: ACTIVE

Monitor Parameter*: FLOW-Volumetric flow rate

Pollutant*: SO2-Sulfur Dioxide

Monitor Identifier / Mfr / Serial No.*: 2/DANIEL/94060041

Monitor Model: FLANGE NECK

Monitor Serial Number: 94060041

Report Year*: 2014

Received Date*: 07/02/2014

Next Report Due Date: 10/30/2014

Operating Time Periods*: 2

Monitor Manufacturer: DANIEL

Monitor Reason: ACID RAIN

Report Period*: Quarter: Apr-Jun

Reviewed Date*: 07/02/2014

Operating Time Period Increments*: 1 HOUR

Excess Emissions

Time Periods

Operating Time Period Increments

Startup/Shutdown*: .1

Control Equipment Problem*: 0

Process Problem*: 0

Other Known Cause*: 0

Unknown Cause*: 0

Cleaning/Soot-Blowing*: 0

Fuel Problem*: .15

% Excess Emission Non-Compliance: 12.50

Excess Emissions Comments: test

1 HOUR

1 HOUR

1 HOUR

1 HOUR

1 HOUR

1 HOUR

1 HOUR

Downtime

Time Periods

Operating Time Period Increments

Monitor Malfunction*: .3

Non-Monitor Malfunction*: 0

Quality Assurance Calibration*: 0

Other Known Cause*: 0

Unknown Cause*: 0

% Downtime Non-Compliance: 15.00

Downtime Comments:

1 HOUR

1 HOUR

1 HOUR

1 HOUR

1 HOUR

Save

Reset

Back To Activity Source List

SUCCESSFUL ADDITION – CONTINUOUS MONITOR SYSTEM REPORT REVIEW

Admin Tools Air Compliance

Home

Continuous Monitor Report has been created successfully.

Home > Search Facility > Facility Search Results > Facility Activity > Sources > Continuous Monitor Report Details

EU Compliance Status Continuous Monitor System Report Review

General

AIRS ID: 0730003 Facility/Site Name: ARVAM B. HOPKINS GENERATING STATION
Owner/Company Name: CITY OF TALLAHASSEE Facility Status: ACTIVE
County: Leon Compliance Office: NWDT
EU Number: 1.0 EU Description: Boiler #1(Phase II Acid Rain Unit)
Compliance Category: CEM-CONTINUOUS EMISSION MONITOR Activity Status: In Progress
Activity Type: CHSR-Continuous Monitor System Report Review

Continuous Monitor Report Details

Identifier	Parameter	Pollutant	Report Year	Report Period	Received Date	% Excess Emiss. Non-Compliance	% Downtime Non-Compliance	Operation(s)
2	FLOW	SO2	2014	Quarter: Apr-Jun	07/02/2014	15.00	15.00	View/Edit Report Delete Report

Add Continuous Monitor Report Details

Monitor Information

Monitor Status*: Please Select
Monitor Parameter*: Please Select
Pollutant*: Please Select
Monitor Identifier / Mfr / Serial No.*:
Monitor Model:
Monitor Serial Number:
Report Year*:
Received Date*:
Next Report Due Date:
Operating Time Periods*:
Monitor Manufacturer:
Monitor Reason:
Report Period*: Please Select
Reviewed Date*:
Operating Time Period Increments*: Please Select

Excess Emissions

Time Periods Operating Time Period Increments

Startup/Shutdown*:
Control Equipment Problem*:
Process Problem*:
Other Known Cause*:
Unknown Cause*:
Cleaning/Soot-Blowing*:
Fuel Problem*:
% Excess Emission Non-Compliance:
Excess Emissions Comments:

Downtime

Time Periods Operating Time Period Increments

Monitor Malfunction*:
Non-Monitor Malfunction*:
Quality Assurance Calibration*:
Other Known Cause*:
Unknown Cause*:
% Downtime Non-Compliance:
Downtime Comments:

Save Reset Back To Activity Source List



NEXT ON THE AGENDA ...

- Manage Complaints
- FCE Checklist
- AirCom Production Timeline
- Questions



Questions?

AirCom Training Session

Compliance Assurance and Inspection Tool Module

Session Date: August 2014



Presented by: Elizabeth Walker



SESSION TOPICS

- Manage Complaints
- FCE Checklist Activity
- AirCom Production Schedule
- Questions





MANAGE COMPLAINTS



AIRCOM WELCOME PAGE

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Complaint** from the sub-menu
- 3) Select **Search Complaint**

DEP BUSINESS PORTAL **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 058 MINUTES.

Welcome, **Sonia E. Nelson** [[Sign Out](#)]

Admin Tools	Air Compliance
Home	Manage Complaints ▶ Search Complaints
	Manage Facility ▶

Welcome to AirCom, the Department of Environmental Protection's (DARM) compliance assurance database. If you have technical questions regarding AirCom (sign in, database outage, etc.) please contact the DARM Help Desk at (850) 717-9012 or DARM.Helpdesk@dep.state.fl.us. For data input or correction issues please see the contacts on DARM's Compliance and Enforcement Intranet/Extranet site, or contact DARM's Front Desk, at (850) 717-9000. Thank you.

To create a Complaint, access the Complaint Search Page

Darm Aircom — 1.0.7-SNAPSHOT.15926

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

CREATE COMPLAINT BUTTON

Admin Tools

Air Compliance

Home

Complaints Criteria

Complaint#:

County:

Alachua

Baker

Bay

Bradford

Compliance Office:

CD-Cen: ORLANDO

CDOR-Cen: ORANGE

NED-NE: JACKSONVILLE

NEDB-NE Br: GAINESVILLE

Complaint Against:

Complaint Made By:

Anonymous:

Please Select

Type :

Please Select Complaint Type

Status:

Please Select Complaint Status

Date Received From:

To:

AIRS ID:

City:

Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

Search

Reset

Create Complaint

CREATE COMPLAINT PAGE

 **DEP BUSINESS PORTAL** **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available. Welcome, David Miller [Sign Out]

[Admin Tools](#) [Air Compliance](#)

Home
Home > Search Complaint > Create Complaint

Create Complaint

General

Complaint Type*: Compliance Office*:

County*: Incident Date*:

Closing Date: Received Date*:

Description*:

Received Via*: Recontact*:

Complaint Location:

Enter complete description of complaint location.

Latitude Degree: Longitude Degree:

Latitude Minutes: Longitude Minutes:

Latitude Seconds: Longitude Seconds:

[Verify on Map](#)

Entity Lodging Complaint

Anonymous*:

Company: Job Title:

First Name: Middle Name:

Last Name: Suffix:

Address1:

Address2:

Country:

State:

City:

Zip Code:

Phone Number: Ext: Fax: Ext:

Email Address:

Entity Complaint Lodged Against

Company: Job Title:

First Name: Middle Name:

Last Name: Suffix:

Address1:

Address2:

Country:

State:

City:

Zip Code:

Phone Number: Ext: Fax: Ext:

Email Address:

[Save](#) [Reset](#) [Back To Search Complaint List](#)

Darm Aircom - 1.0.3-SNAPSHOT.15810

Site Map - Business Issues / Technical Assistance - (850) 717-9012 / (850) 717-9000 - [Contact Us](#)

CREATE COMPLAINT - PAGE SECTIONS

General

Create Complaint

General

Complaint Type * :

County * :

Closing Date:

Description * :

Received Via * :

Complaint Location:

Latitude Degrees:

Latitude Minutes:

Latitude Seconds:

Compliance Office * :

Incident Date * :

Received Date * :

Recontact * :

Entity Lodging Complaint

Entity Lodging Complaint

Anonymous * :

Company :

First Name :

Last Name :

Address1 :

Address2 :

Country:

State:

City:

Zip Code:

Phone Number: Ext:

Email Address:

Job Title :

Middle Name :

Suffix :

Fax: Ext:

Entity Complaint Lodged Against

Entity Complaint Lodged Against

Company:

First Name:

Last Name:

Address1 :

Address2 :

Country:

State:

City:

Zip Code:

Phone Number: Ext:

Email Address:

Job Title :

Middle Name:

Suffix :

Fax: Ext:

CREATE COMPLAINT – DATA ENTRY

Required Fields:

Complaint Type

Compliance Office

County

Received Date

Description

Received Via (Email, Fax, Letter,
Other, Phone, Visit)

Recontact

Anonymous

Enter Required
Data to Save
complaint

DEP BUSINESS PORTAL **AirCom**
Florida Department of Environmental Protection

Your Session Will Time Out In 019 minutes.
This is a test website. The production website is not yet available.

Welcome, David Miller [Sign Out]

Admin Tools **Air Compliance**

Home
Home > Search Complaint > Create Complaint

Create Complaint

General

Complaint Type*: Odor
County*: Leon
Closing Date:
Description*: Something smells bad
Received Via*: Phone
Complaint Location:
Latitude Degree:
Latitude Minutes:
Latitude Seconds:
Compliance Office*: NWDT-NW Br: TALLAHASSEE
Incident Date*: 07/02/2014
Received Date*: 07/03/2014
Recontact*: Yes
Verify on Map

Entity Lodging Complaint

Anonymous*: No
Company:
First Name: John
Last Name: Doe
Address1: 123 Monroe
Address2:
Country: USA
State: Florida
City: TALLAHASSEE
Zip Code: 32301
Phone Number: 8505555555 Ext:
Fax:
Email Address:
Job Title:
Middle Name:
Suffix:

Entity Complaint Lodged Against

Company: Seafood World
First Name:
Last Name:
Address1:
Address2:
Country: USA
State: Florida
City: TALLAHASSEE
Zip Code: 32301
Phone Number:
Ext:
Fax:
Email Address:
Job Title:
Middle Name:
Suffix:

Save **Reset** **Back To Search Complaint List**

Darm Aircom - 1.0.3-SNAPSHOT.15810
Site Map - Business Issues / Technical Assistance - (850) 717-9012 / (850) 717-9000 - Contact Us

COMPLAINT HAS BEEN CREATED

To Link Complaint to a Facility, **click the Link to Facility Tab.**

DEP BUSINESS PORTAL **AirCom**
Florida Department of Environmental Protection

Your Session Will Time Out In 60 Minutes.
This is a test website. The production website is not yet available. Welcome, David Miller [Sign Out]

Admin Tools **Air Compliance**

Home
Complaint has been created successfully.

Home > Search Complaint > Edit Complaint

Edit Complaint **Link to Facility**

General

Complaint Number: 8134
Complaint Type: Odor
County: Leon
Closing Date:
Description: Something smells bad
Received Via: Phone
Complaint Location: Enter complete description of complaint location.
Latitude Degree:
Latitude Minutes:
Latitude Seconds:
Entered By: MILLER_WD
Compliance Office: NWDT-NW Br: TALLAHASSEE
Incident Date: 07/02/2014
Received Date: 07/03/2014
Recontact: Yes
Longitude Degree:
Longitude Minutes:
Longitude Seconds:
Verify on Map

Entity Lodging Complaint

Anonymous: No
Company:
First Name: John
Last Name: Doe
Address1: 123 Monroe
Address2:
Country: USA
State: Florida
City: TALLAHASSEE
Zip Code: 32301
Phone Number: 8905555555 Ext:
Email Address:
Job Title:
Middle Name:
Suffix:

Entity Complaint Lodged Against

Company: Seafood World
First Name:
Last Name:
Address1:
Address2:
Country: USA
State: Florida
City: TALLAHASSEE
Zip Code: 32301
Phone Number: Ext:
Email Address:
Job Title:
Middle Name:
Suffix:

Save Reset Back To Search Complaint List

DEP AirCom — 1.0.3-SNAPSHOT.15810
Site Map — Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — Contact Us

LINK TO FACILITY TAB

 **DEP BUSINESS PORTAL** **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available. Welcome, **David Miller** [Sign Out]

Admin Tools | **Air Compliance**

Home

Home > Search Complaint > Link to Facility

Edit Complaint | **Link to Facility**

General

Complaint Number:	8134	Complaint Type:	Odor
County:	Leon	Complaint Office:	NWDI
Received Date:	07/03/2014	Complaint Status:	Open
Incident Date:		Closed Date:	07/02/2014
Description:	Something smells bad		

Linked Facility No Results found.

Search by Facility

AIRS ID:		Owner Name:	
Compliance Office:	CD-Cen: ORLANDO CDOR-Cen: ORANGE NED-NE: JACKSONVILLE NEDB-NE Br: GAINESVILLE Press and hold down the Ctrl key, and then click each item that you want to select/deselect.	Site Name:	
Status:	Please Select Facility Status	County:	Please Select County
Title V:	Please Select	Zip Code:	
Address:		City:	

Search **Reset** **Back To Search Complaint List**

Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

Use the Search by Facility section to locate the Facility the Complaint will link to.

FACILITY SEARCH RESULTS GRID



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Complaint](#) > [Link to Facility](#)

[Edit Complaint](#) [Link to Facility](#)

General

Complaint Number: 8134

Complaint Type: Odor

County: Leon

Complaint Office: NWDT

Received Date: 07/03/2014

Complaint Status: Open

Incident Date:

Closed Date: 07/02/2014

Description: Something smells bad

Linked Facility

No Results found.

Search by Facility

AIRS ID:

Owner Name:

Compliance Office:

CD-Cen: ORLANDO
CDOR-Cen: ORANGE
NED-NE: JACKSONVILLE
NEDB-NE Br: GAINESVILLE

Site Name: prestige cleaners

Status: ACTIVE

County: Please Select County

Title V: Please Select

Zip Code:

Address:

City:

Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

[Search](#) [Reset](#) [Back To Search Complaint List](#)

Facility Search Result

Your query returned 1 record(s).

Select All	Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title V	Current Permit Indicator	Facility Compliance Status
☐	NWDT	0730096	PRESTIGE CLEANERS INC	PRESTIGE CLEANERS	ACTIVE	3044 W Tharpe St	TALLAHASSEE	32303	No	AG	MINOR NON COMPLIANCE

[Link](#)



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





LINK FACILITY TO COMPLAINT



DEP BUSINESS PORTAL



AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Complaint](#) > [Link to Facility](#)

[Edit Complaint](#) | [Link to Facility](#)

General
Complaint Number: Complaint Type:
County: Complaint Office:
Received Date: Complaint Status:
Incident Date: Closed Date:
Description:

Linked Facility
No Results found.

Search by Facility
AIRS ID:
Owner Name:
Compliance Office:
Site Name:
NED-NE: JACKSONVILLE
NEDB-NE Br: GAINESVILLE
Status:
County:
Title V:
Zip Code:
Address:
City:

Facility Search Result
Your query returned 1 record(s).

Select All	Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title V	Current Permit Indicator	Facility Compliance Status
☐	NWDT	0730096	PRESTIGE CLEANERS INC	PRESTIGE CLEANERS	ACTIVE	3044 W Tharpe St	TALLAHASSEE	32303	No	AG	MINOR NON COMPLIANCE

- To link Complaint to Facility
- 1) **Select the Facility**
 - 2) **Click the link button**



SUCCESSFUL COMPLETION — COMPLAINT IS LINKED TO FACILITY

DEP BUSINESS PORTAL **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available. Welcome, **David Miller** [Sign Out]

Admin Tools **Air Compliance**

Home

Facility has been linked to the Complaint successfully.

Home > Search Complaint > Link to Facility

Edit Complaint **Link to Facility**

General

Complaint Number: 8134
County: Leon
Received Date: 07/03/2014
Incident Date:
Description: Something smells bad

Complaint Type: Odor
Complaint Office: NWDOT
Complaint Status: Open
Closed Date: 07/02/2014

Linked Facility

Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title V	Current Permit Indicator	Facility Compliance Status	Operation (s)
NWDOT	0730096	PRESTIGE CLEANERS INC	PRESTIGE CLEANERS	ACTIVE	3044 W Tharpe St	TALLAHASSEE	32303	No	AG	MNC	Unlink

Search by Facility

AIRS ID:
Compliance Office:
Status: Please Select Facility Status
Title V: Please Select
Address:

Owner Name:
Site Name:
County: Please Select County
Zip Code:
City:

Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

[Search](#) [Reset](#) [Back To Search Complaint List](#)

Darm Aircom — 1.0.3-SNAPSHOT.15810

Site Map — Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — Contact Us

To Add Complaint Activity, click the **Back to Search Complaint List** button



COMPLAINT ACTIVITIES HYPERLINK



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [David Miller](#) [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

Complaints Criteria

Complaint#:

County:

Alachua
Baker
Bay
Bradford

Compliance Office:

CD-Cen: ORLANDO
CDOR-Cen: ORANGE
NED-NE: JACKSONVILLE
NEDB-NE Br: GAINESVILLE

Complaint Against:

Complaint Made By:

Anonymous:

Please Select

Type:

Please Select Complaint Type

Status:

Please Select Complaint Status

Date Received From: To:

AIRS ID:

City:

[Search](#) [Reset](#) [Create Complaint](#)

Complaint Search Results

Your query returned 1 record(s).

Status	Date Received	Compliance Office	Complaint Number	County	Complaint Against	AIRS ID	Complaint Made By	Complaint Type	Action
Open	07/03/2014	NW Br: TALLAHASSEE	8134	Leon	Seafood World		John Doe	Odor	View/Edit Complaint Delete Complaint Complaint Activities

Select Complaint Activities Hyperlink

Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

COMPLAINT ACTIVITIES



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [Sign Out]

Admin Tools

Air Compliance

Home

Home > Search Complaint > Complaint Activities

Complaint Activities

General

Complaint Number: 8134

County: Leon

Received Date: 07/03/2014

Incident Date:

Description: Something smells bad

Complaint Type: Odor

Complaint Office: NWDT

Complaint Status: Open

Closed Date: 07/02/2014

Back To Search Complaint List

Add Complaint Activity

Link Other Activities to Complaint

Complaint Activities

No Results found.



Darm Aircom — 1.0.3-SNAPSHOT.15810



[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

ADD COMPLAINT ACTIVITY

When Complaint is not linked to a Facility

 **DEP BUSINESS PORTAL** **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, Sonia E. Nelson [[Sign Out](#)]

Admin Tools **Air Compliance**

[Home](#)

Home > Search Complaint > Complaint Activities > Add Activity

Add Activity

General

Complaint Number:	8134	Complaint Type:	Fugitive Particulate
County:	Leon	Complaint Office:	NWD
Received Date:	03/03/2006	Complaint Status:	Closed
Incident Date:		Closed Date:	06/28/2006
Description:	Dust from land clearing operation		

Activity

Either Due Date or Perform Date is required while creating the activity

Office*:

Compliance Category*:

Activity Type*:

Due Date:

Perform Date:

Notes:

Compliance Status:

Red * indicates the field must have data to save the activity

SAVE COMPLAINT ACTIVITY



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Complaint](#) > [Complaint Activities](#) > [Add Activity](#)

Add Activity

General

Complaint Number:	8134	Complaint Type:	Odor
County:	Leon	Complaint Office:	NWDt
Received Date:	07/03/2014	Complaint Status:	Open
Incident Date:		Closed Date:	07/02/2014
Description:	Something smells bad		

Activity

Office*:	NWDt-NW Br: TALLAHASSEE
Compliance Category*:	INSP-INSPECTION
Activity Type*:	CALL-Telephone Conservation
Due Date:	
Perform Date:	07/03/2014
Notes*:	Test



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



SYSTEM MESSAGE – SUCCESSFUL COMPLETION



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 053 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

Admin Tools | **Air Compliance**

[Home](#)

Activity has been added successfully.

[Home](#) > [Search Complaint](#) > [Complaint Activities](#) > [Activity](#)

Activity | [Assign Staff](#) | [Comments](#)

General

Complaint Number:	8134	Complaint Type:	Odor
County:	Leon	Complaint Office:	NWDT
Received Date:	07/03/2014	Complaint Status:	Open
Closed Date:			
Description:	Test		
Compliance Category:	INSP	Activity Status:	In Progress
Activity Type:	CALL		

Activity

Date Activity Created:	07/03/2014
Office*:	NWDT-NW B7: TALLAHASSEE
Compliance Category*:	INSP-INSPECTION
Activity Type*:	CALL-Telephone Conversation
Due Date:	
Perform Date:	07/03/2014
Notes*:	Test

[Save](#) | [Save and Mark Complete](#) | [Reset](#) | [Back To Complaint Activity List](#)



Darm Aircom — 1.0.3-SNAPSHOT.15810

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



ADD COMPLAINT ACTIVITY

When Complaint is linked to a Facility

When a Complaint is linked to a facility, the Facility drop down will be present to link the activity to the Facility.



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **David Miller** [\[Sign Out\]](#)

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Complaint](#) > [Complaint Activities](#) > [Add Activity](#)

Add Activity

General

Complaint Number: 8134

County: Leon

Received Date: 07/03/2014

Incident Date:

Description: Something smells bad

Complaint Type: Odor

Complaint Office: NWDT

Complaint Status: Open

Closed Date: 07/02/2014

Activity

Facility: Please Select

Office*: Please Select Office

Compliance Category*: Please Select Category Code

Activity Type*: Please Select Activity Type

Due Date:

Perform Date:

Notes*:

Save

Reset

Back To Complaint Activity List



[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





COMPLAINT ACTIVITIES GRID

Details Activity
associated with a
Complaint



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 058 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [Sign Out](#)

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Complaint](#) > [Complaint Activities](#)

Complaint Activities

General

Complaint Number: 8275

County: Baker

Received Date: 07/23/2014

Incident Date: 07/23/2014

Description: Insects

Complaint Type: CFC

Complaint Office: NWDT

Complaint Status: Open

Closed Date:

[Back To Search Complaint List](#)

[Add Complaint Activity](#)

[Link Other Activities to Complaint](#)

Date Performed	Activity Office	Activity Type/Description	AIRS Id	Notes	Due Date	Activity Status	Initial Compliance Status	Current Compliance Status	Number of Violations/Resolutions	Operation(s)
07/23/2014	CEN: ORLANDO	CALL- Telephone Conversation	0730096			In Progress			Violation(0)/ Resolutions(0)	View/Edit Activity Delete Activity Unlink Activity



Darm Aircom — 1.0.11.16015

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)







FCE CHECKLIST ACTIVITY



AIRCOM WELCOME PAGE

- 1) Select **Air Compliance** Menu
- 2) Select **Manage Facility**
- 3) Select **Search Facility**

DEP BUSINESS PORTAL **AirCom**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 058 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [[Sign Out](#)]

Admin Tools **Air Compliance**

[Home](#)

Manage Complaints ▶
Manage Facility ▶ Search Facility

Welcome to AirCom, the online assurance database. If you have technical questions regarding AirCom (sign in, database outage, etc.) please contact the DARM Help Desk at (850) 717-9012 or DARM.Helpdesk@dep.state.fl.us. For data input or correction issues please see the contacts on DARM's Compliance and Enforcement Intranet/Extranet site, or contact DARM's Front Desk, at (850) 717-9000. Thank you.

To Create a FCE Checklist Activity,
from the Main Menu, select
Manage Facility, Search Facility

DARM Aircom — 1.0.11.16015

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

FACILITY SEARCH CRITERIA PAGE

Search and select the Facility

If known use AIRS ID for the most direct search

DEP BUSINESS PORTAL
AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 059 MINUTES.
This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) ([Sign Out](#))

Admin Tools **Air Compliance**

Home

Search Criteria

Search by Facility

AIRS ID:

Compliance Office:
CD-CEN: ORLANDO
CDOR-Cen: ORANGE
NED-NE: JACKSONVILLE
NEDB-NE Br: GAINESVILLE
Press and hold down the Ctrl key, and then click each item that you want to select/deselect.

Status:

Facility Reg Class:

Address:

Owner/Company Name:

Facility/Site Name:

County:

Zip Code:

City:

Activity Criteria

Compliance Status:

Date Performed From: To:

Compliance Category:

Date Due From: To:

Activity Type:

Activity Status:

Assigned Staff:

Violation Criteria

Violation Status:

Date Discovered From: To:

Darm Aircom - 1.0.11.16015

[Site Map](#) — Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

FACILITY SEARCH RESULTS PAGE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)
[Home](#) > [Search Facility](#) > Facility Search Results

[Back to Search Criteria](#)

Search Criteria
The following search criteria was used: AIRS ID: 0730096

Search Result
Your query returned 1 record(s).

Compliance Office	AIRS ID	Owner/Company Name	Site Name	Facility Status	Address	City	Zip	Title V	Current Permit Indicator	Facility Compliance Status	Action
NWDT	0730096	PRESTIGE CLEANERS INC	PRESTIGE CLEANERS	ACTIVE	3044 W Tharpe St	TALLAHASSEE	32303	No	AG	MINOR NON COMPLIANCE	Facility Details / Compliance Details



Darm Aircom — 1.0.11.16015

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



Select Compliance
Details Hyperlink



FACILITY ACTIVITIES TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activities](#)

[Facility Activities](#) | [Facility Violations](#)

General

AIRS ID: 0730096

Owner/Company Name: PRESTIGE CLEANERS INC

County: Leon

Facility Compliance Status: MINOR NON COMPLIANCE

Facility/Site Name: PRESTIGE CLEANERS

Facility Status: ACTIVE

Compliance Office: NWDT

Activity Criteria

Compliance Status:

Date Performed From: To:

Compliance Category:

Due Date From: To:

Activity Type:

Activity Status:

Assigned Staff:

[Search](#) [Reset](#) [Back to Search Result](#) [Add Facility Activity](#)

Facility Activities

Your query returned 0 record(s).



Darm Aircom — 1.0.11.16015

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



Click the Add Facility Activity button

ADD ACTIVITY PAGE



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 000 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Satyam T. Patel** [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)
[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Add Activity](#)

Add Activity

General

AIRS ID:

Owner/Company Name:

County:

Facility Compliance Status:

Facility/Site Name:

Facility Status:

Compliance Office:

Activity

Either Due Date or Perform Date is required while creating the activity

Office*:

Compliance Category*:

Activity Type*:

Due Date:

Perform Date:

Notes:

Add data to the required fields.
Compliance Category = Inspection
Activity Type = FCS - Full Compliance
Evaluation - On Site
or FCF - Full Compliance Evaluation -
Off Site

Click the Save button



Darm Aircom — 1.0.12.16060

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)





FCE CHECKLIST TAB



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#)[Air Compliance](#)

[Home](#)

Activity has been added successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Activity](#)

[Activity](#)[Assign Staff](#)[FCE Checklist](#)[Comments](#)[Document Management](#)

General

AIRS ID:0730096

Owner/Company Name:PRESTIGE CLEANERS INC

County:Leon

Compliance Category:INSP-INSPECTION

Activity Type:FCS-Full Compliance Evaluation - On-Site

Facility/Site Name:PRESTIGE CLEANERS

Facility Status:ACTIVE

Compliance Office:NW Br: TALLAHASSEE

Activity Status:In Progress

Compliance Status:

Activity

Date Activity Created:07/23/2014

Office*:NWDI-NW Br: TALLAHASSEE

Compliance Category*:INSP-INSPECTION

Activity Type*:FCS-Full Compliance Evaluation - On-Site

Due Date:

Performed Date:07/23/2014

Notes:

New Activity performed for 0730096

Save

Save and Mark Ready for Review

Reset

Back To Facility Activity List

FCE CHECKLIST PAGE

**DEP BUSINESS PORTAL**
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.
This is a test website. The production website is not yet available.

Welcome, **David Miller** [[Sign Out](#)]

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [FCE Checklist](#)

[Activity](#) | [Assign Staff](#) | [FCE Checklist](#) | [Comments](#) | [Document Management](#)

General
AIRS ID: 0730003
Owner/Company Name: CITY OF TALLAHASSEE
County: Leon
Compliance Category: INSP-INSPECTION
Activity Type: FCS-Full Compliance Evaluation - On-Site
Previous FCE Checklist Completed:
Facility/Site Name: ARVAH D. HOPKINS GENERATING STATION
Facility Address: 1125 Geddie Road
Facility Status: ACTIVE
Compliance Office: NW Br: TALLAHASSEE
Activity Status: In Progress

Periodic Reports Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
Annual Operating	0				Details
Annual Statement of Compliance - Title V	0				Details
Other	0				Details
Quarterly Compliance	0				Details
Semi-Annual Compliance	0				Details
Stack Test	0				Details
Visible Emissions Test	0				Details

Continuous Emission Monitor Reports Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
CGA	0				Details
Other	0				Details
Quarterly excess emissions	0				Details
RATA	0				Details
Semi-annual	0				Details

Observations and Records Review Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
Assessment of control equipment performance parameters (water flow rates, pressure drops, temperatures, ESP power levels, etc.)	0				Details
Assessment of process parameters (feed rates, process rates, raw material compositions, etc.)	0				Details
Fuel Analysis	0				Details
Other	0				Details
Review of facility records and logs	0				Details
Stack test observation(s)	0				Details
Visible emission observation(s)	0				Details

Inspections Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
Inspection(s)	0				Details

Documentation
Document Location:
Please provide the name, type, and location of any information or documents related to this FCE that are not contained in ARMS or OCULUS.
[Save](#) [Reset](#) [Back To Facility Activity List](#)

Darm Aircom — 1.0.3-SNAPSHOT.15810
[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

To attach a Activity to the Checklist, click on the Details Hyperlink for the activity.



FCE CHECKLIST DETAILS PAGE



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 603 MINUTES.
This is a test website. The production website is not yet available.

AirCom
Florida Department of Environmental Protection

Welcome, [Satyam T. Patel](#) | [Sign Out](#)

Admin Tools

Air Compliance

Home

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [FCE Checklist](#) > [FCE Checklist Details](#)

FCE Checklist Details

General

AIRS ID: 0730096

Owner/Company Name: PRESTIGE CLEANERS INC

County: Leon

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Previous FCE Checklist Completed:

Facility/Site Name: PRESTIGE CLEANERS

Address: 3044 W Tharpe St

Facility Status: ACTIVE

Compliance Office: NW Br: TALLAHASSEE

Activity Status: In Progress

Checklist

Item: Stack Test

Status: ☐ NOT APPLICABLE ☒ COMPLETED

Comments:

Save

Reset

Back To FCE Checklist Tab

Linked Activities

No Results found.

Activity Criteria

Compliance Status: Please Select Compliance Status

Date Performed From: To:

Compliance Category: TRPT-TEST AND REPORTS

Due Date From: To:

Activity Type: Please Select Activity Type

Activity Status: Please Select Activity Status

Search

Reset

Back to FCE Checklist Tab

Perform an Activity Search
to locate qualifying
activities to link to the
checklist.

FCE CHECKLIST DETAILS PAGE — SEARCH RESULTS GRID



DEP BUSINESS PORTAL

Your Session will time out in 60 minutes.
This is a test website. The production website is not yet available.

AirCom
Florida Department of Environmental Protection

Welcome, [Satyam T. Patel](#) [Sign Out](#)

[Admin Tools](#) | [Air Compliance](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [FCE Checklist](#) > [FCE Checklist Details](#)

FCE Checklist Details

General

AIRG ID: 0730096

Owner/Company Name: PRESTIGE CLEANERS INC.

County: Leon

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Previous FCE Checklist Completed:

Facility/Site Name: PRESTIGE CLEANERS

Address: 3044 W Tharpe St

Facility Status: ACTIVE

Compliance Office: NW Br: TALLAHASSEE

Activity Status: In Progress

Checklist

Item: Stack Test

Status: ☐ NOT APPLICABLE ☒ COMPLETED

Comments:

[Save](#) [Reset](#) [Back To FCE Checklist Tab](#)

Linked Activities

No Results found.

Activity Criteria

Compliance Status:

Date Performed From: To:

Compliance Category: TRPT-TEST AND REPORTS

Due Date From: To:

Activity Type:

Activity Status:

[Search](#) [Reset](#) [Back to FCE Checklist Tab](#)

Search Results

Your query returned 2 record(s).

Page: 1/1

Select All	Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Current Compliance Status
☒	07/08/2004		TEST AND REPORTS	SOCR / Annual Statement of Compliance Report Review	NO HISTORICAL DATA FOUND		Complete	IN COMPLIANCE
☐	12/21/2000		TEST AND REPORTS	SOCR / Annual Statement of Compliance Report Review	NO HISTORICAL DATA FOUND		Complete	IN COMPLIANCE

Page: 1/2

[Link](#)

Select the Activity and click the Link button



Site Map — Business Issues / Technical Assistance — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



DATE RESTRICTION

Activity being linked must be within 18 months of the current date.



FCE CHECKLIST DETAILS PAGE — LINKED ACTIVITIES



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [\[Sign Out\]](#)

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

Link operation completed successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [FCE Checklist](#) > [FCE Checklist Details](#)

FCE Checklist Details

General

AIRS ID: 0030014

Owner/Company Name: CUPCAKE BAKERY

County: Baker

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Previous FCE Checklist Completed:

Facility/Site Name:

Address: 123 Main St

Facility Status: ACTIVE

Compliance Office: NE JACKSONVILLE

Activity Status: In Progress

Checklist

Item: Stack Test

Status: ☒ NOT APPLICABLE ☐ COMPLETED

Comments *

Linked Activities

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Current Compliance Status	Operation(s)
07/18/2014		TEST AND REPORTS	STR / Stack Test Report Review	test	07/14/2014	In Progress		Unlink

Activity Criteria

Compliance Criteria:

Date Performed From: To:

Compliance Category:

Due Date From: To:

Activity Type:

Activity Status:

[Search](#) [Reset](#) [Back to FCE Checklist Tab](#)



Derm Aircom — 1.0.11.16015

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)

FCE CHECKLIST DETAILS PAGE — CHECKLIST STATUS & COMMENTS

**DEP BUSINESS PORTAL**

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Sonia E. Nelson** [\[Sign Out\]](#)

[Admin Tools](#) | [Air Compliance](#)

Home

Save operation completed successfully.

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [FCE Checklist](#) > [FCE Checklist Details](#)

FCE Checklist Details

General

AIRS ID: 0030014

Owner/Company Name: CUPCAKE BAKERY

County: Baker

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Previous FCE Checklist Completed:

Facility/Site Name:

Address: 123 Main St

Facility Status: ACTIVE

Compliance Office: NE: JACKSONVILLE

Activity Status: In Progress

Checklist

Item: Stack Test

Status: ☐ NOT APPLICABLE ☒ COMPLETED

Comments:

[Save](#) [Reset](#) [Back To FCE Checklist Tab](#)

Linked Activities

Date Performed	Associated Complaint #	Compliance Category	Activity Type/Description	Notes	Due Date	Activity Status	Current Compliance Status	Operation(s)
07/18/2014		TEST AND REPORTS	STR / Stack Test Report Review	test	07/14/2014	In Progress		Unlink

Activity Criteria

Compliance Status:

Date Performed From: To:

Compliance Category:

Due Date From: To:

Activity Type:

Activity Status:

[Search](#) [Reset](#) [Back to FCE Checklist Tab](#)

Darm Aircom — 1.0.11.16015

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



FCE CHECKLIST TAB — LINKED ACTIVITY



DEP BUSINESS PORTAL

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, [Sonia E. Nelson](#) [Sign Out](#)

[Admin Tools](#) | [Air Compliance](#)

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [FCE Checklist](#)

[Activity](#) | [Assign Staff](#) | [FCE Checklist](#) | [Comments](#) | [Document Management](#)

General

AIRS ID: 0030014

Owner/Company Name: CURCAKE BAKERY

County: Baker

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Previous FCE Checklist Completed:

Facility/Site Name:

Facility Address: 123 Main St

Facility Status: ACTIVE

Compliance Office: NE JACKSONVILLE

Activity Status: In Progress

Periodic Reports Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
Annual Operating	0				Details
Annual Statement of Compliance - Title V	0				Details
Other	0				Details
Quarterly Compliance	0				Details
Semi-Annual Compliance	0				Details
Stack Test	1	COMPLETED	07/23/2014	New Comments	Details
Full MSW Landfill Monitoring	0				Details
Visible Emissions Test	0				Details

Continuous Emission Monitor Reports Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
CGA	0				Details
Other	0				Details
Quarterly excess emissions	0				Details
RATA	0				Details
Semi-annual	0				Details

Observations and Records Review Checklist

Item	Total # of Linked Activities	Status	Status Updated Date	Comments	Operation(s)
Assessment of control equipment performance parameters (water flow rates, pressure drops, temperatures, ESP power levels, etc.)	0				Details
Assessment of process parameters (feed rates, process rates, raw material compositions, etc.)	0				Details
Fuel Analysis	0				Details
Other	0				Details

Checklist Item
Complete each checklist item by updating status and linking an activities.

EDIT ACTIVITY TAB — READY FOR REVIEW



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Satyam T. Patel** [Sign Out]

Admin Tools

Air Compliance

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Activity](#)

Activity

[Assign Staff](#) [FCE Checklist](#) [Comments](#) [Document Management](#)

General

AIRS ID: 0730096

Owner/Company Name: PRESTIGE CLEANERS INC

County: Leon

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Facility/Site Name: PRESTIGE CLEANERS

Facility Status: ACTIVE

Compliance Office: NW Br: TALLAHASSEE

Activity Status: In Progress

Compliance Status:

Activity

Date Activity Created: 07/23/2014

Office*: NWDT-NW Br: TALLAHASSEE

Compliance Category*: INSP-INSPECTION

Activity Type*: FCS-Full Compliance Evaluation - On-Site

Due Date:

Performed Date: 07/23/2014

Notes: New Activity performed for 0730096

Save

Save and Mark Ready for Review

Reset

Back To Facility Activity List



Darm Aircom — 1.0.12.16060

[Site Map](#) — [Business Issues / Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



EDIT ACTIVITY TAB — SAVE AND MARK COMPLETE



DEP BUSINESS PORTAL

AirCom
Florida Department of Environmental Protection

YOUR SESSION WILL TIME OUT IN 060 MINUTES.

This is a test website. The production website is not yet available.

Welcome, **Satyam T. Patel** [[Sign Out](#)]

Admin Tools**Air Compliance**

[Home](#)

[Home](#) > [Search Facility](#) > [Facility Search Results](#) > [Facility Activity](#) > [Activity](#)

Activity [Assign Staff](#) [FCE Checklist](#) [Comments](#) [Document Management](#)

General

AIRS ID: 0730096

Owner/Company Name: PRESTIGE CLEANERS INC

County: Leon

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Facility/Site Name: PRESTIGE CLEANERS

Facility Status: ACTIVE

Compliance Office: NW Br: TALLAHASSEE

Activity Status: Ready for Review

Compliance Status:

Activity

Date Activity Created: 07/23/2014

Office*: NWDT-NW Br: TALLAHASSEE

Compliance Category*: INSP-INSPECTION

Activity Type*: FCS-Full Compliance Evaluation - On-Site

Due Date:

Performed Date: 07/23/2014

Notes: New Activity performed for 0730096

[Save](#) [Save and Mark Complete](#) [Reset](#) [Back To Facility Activity List](#)



Darm Aircom — 1.0.12.16060

[Site Map](#) — [Business Issues](#) / [Technical Assistance](#) — (850) 717-9012 / (850) 717-9000 — [Contact Us](#)



DOCUMENT MANAGEMENT TAB

**DEP BUSINESS PORTAL**

AirCom
Florida Department of Environmental Protection

Your session will time out in 000 minutes.
This is a test website. The production website is not yet available.

Welcome, **Satyam T. Patel** [\[Sign Out\]](#)

Admin Tools

Air Compliance

Home

Home > Search Facility > Facility Search Results > Facility Activities > Document Management

Activity

Assign Staff

FCE Checklist

Comments

Document Management

General

AIRS ID: 0730096

Owner/Company Name: PRESTIGE CLEANERS INC.

County: Leon

Compliance Category: INSP-INSPECTION

Activity Type: FCS-Full Compliance Evaluation - On-Site

Facility/Site Name: PRESTIGE CLEANERS

Facility Status: ACTIVE

Compliance Office: NW Bn TALLAHASSEE

Activity Status: Complete

Compliance Status:

Documents linked to this Activity

Document Name	OCULUS profile	OCULUS Document Type	Document Date	Received Date	Permit Number	Attached By	Attached Date	Document Subject
FCEChecklist_161703.pdf	Discovery_Compliance	INSPECTION RELATED	07/24/2014	07/24/2014		PATEL,ST	07/24/2014	FCE Checklist

Document Management

What do you want to do? ☒ Attach New Document ☐ Link existing document to activity [Submit](#)

Attach New Document

Path of the Document *:

OCULUS Catalog*: Please Select

OCULUS Profile*: Please Select

OCULUS Document Type*: Please Select

Document Date *:

Received Date *:

Permit Number:

Document Subject *:

Attach

Reset

Back To Facility Activity List

System will generate FCE Checklist Document and upload into OCULUS

 Darm Aircom - 1.0.12.16060

[Site Map](#) - [Business Issues / Technical Assistance](#) - (850) 717-9012 / (850) 717-9000 - [Contact Us](#)

AIRCOM PRODUCTION SCHEDULE





AIRCOM PRODUCTION SCHEDULE

- August 12-15 – AirCom Orientation sessions
- August 16
 - AirCom goes into production
 - ARMS CA, EASIR, and GPCI shutdown
 - ACES and existing canned reports will no longer be pulling current data
- January 2015 – Canned reports available



Questions?