

User ID: ETA

QUICKLOOK ALL PARAMETERS

Report Request ID: 1407800

Report Code: AMP450NC

Feb. 1, 2016

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
----------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	---------------

12

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
-----------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS
AGENCY ROLE	PQA0

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC
6	DATES
7	EDT_ID

DATE CRITERIA

Start Date	End Date
2015	2015

APPLICABLE STANDARDS

Standard Description

CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2013
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-001-0023	City: Gainesville		County: Alachua				Address: 5400 NW 43RD ST							
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	88	20.5	12.0	11.9	11.9	6.24*	24 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	22	13.0	9.1	8.3	7.7	6.40*	24 HOUR		0
Site ID: 12-001-3011	City: Micanopy		County: Alachua				Address: 918 SE 119TH AVE							
44201 Ozone	Parts per million	1	1328	2015	047	6463	.062	.061	.057	.056	.0333	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-003-0002	City: Not in a city		County: Baker				Address: HWY 90 OLUSTEE FOREST SERVICE OFFICE							
44201 Ozone	Parts per million	1	1328	2015	047	6506	.063	.061	.059	.058	.0360	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-005-0006	City: Lower Grand Lagoon		County: Bay				Address: 4607 STATE PARK LN PCB, FL							
44201 Ozone	Parts per million	1	1328	2015	047	6514	.065	.063	.063	.061	.0368	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-009-0007	City: Melbourne		County: Brevard				Address: 401 FLORIDA AVE							
44201 Ozone	Parts per million	1	1328	2015	047	6276	.064	.060	.059	.058	.0347	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	239	47	47	42	35	13.4*	24-HR BLK AVG		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	5825	114	111	110	106	14.0*	1 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	91	14.7	13.2	12.4	11.0	5.59*	24 HOUR		0
Site ID: 12-009-4001	City: Cocoa Beach		County: Brevard				Address: 400 SOUTH 4TH STREET							
44201 Ozone	Parts per million	1	1328	2015	047	6534	.067	.062	.059	.059	.0373	8-HR RUN AVG BEGIN HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-011-0010		City: Fort Lauderdale		County: Broward		Address: LINCOLN PARK ELEMENTARY SCH. (NW CORNER)								
42101	Carbon monoxide	Parts per million	1	1328	2015	054	6421	1.2	1.2	1.2	1.2	.32 8-HR RUN AVG END HOUR	0	
42401	Sulfur dioxide	Parts per billion	1	1328	2015	060	6478	27.0	7.0	6.0	4.0	.56* 1 HOUR	0	
42401	Sulfur dioxide	Parts per billion	5	1328	2015	060	77803	13.0	12.0	12.0	12.0	.07* 5 MINUTE	0	
81102	PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	122	264	70	66	61	60	12.2* 24-HR BLK AVG	0	
81102	PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	122	6336	173	127	123	122	12.6* 1 HOUR	0	
Site ID: 12-011-0033		City: Davie		County: Broward		Address: 3211 College Ave, Davie, FL 33314								
44201	Ozone	Parts per million	1	1328	2015	047	6038	.067	.059	.059	.058	.0312 8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-011-0034		City: Davie		County: Broward		Address: 5300 South Pine Island Road								
42101	Carbon monoxide	Parts per million	1	1328	2015	554	2887	.5	.4	.4	.4	.17 8-HR RUN AVG END HOUR	0	
42401	Sulfur dioxide	Parts per billion	1	1328	2015	560	2866	1.0	1.0	1.0	1.0	.06* 1 HOUR	0	
42401	Sulfur dioxide	Parts per billion	5	1328	2015	560	34395	3.9	2.8	2.2	2.2	-.06* 5 MINUTE	0	
44201	Ozone	Parts per million	1	1328	2015	047	2857	.044	.044	.043	.042	.0284* 8-HR RUN AVG BEGIN HOUR	0	
81102	PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	141	41	55	27	24	24	13.5* 24 HOUR	0	
81102	PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	2	1328	2015	141	38	57	29	26	24	14.2* 24 HOUR	0	
88101	PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	145	264	22.3	20.9	20.5	18.2	6.94* 24 HOUR	0	
88101	PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	145	41	19.3	13.2	11.2	11.2	6.93* 24 HOUR	0	
Site ID: 12-011-0035		City: Fort Lauderdale		County: Broward		Address: 799 North I-95								

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-011-0035	City: Fort Lauderdale			County: Broward										
42101 Carbon monoxide	Parts per million	1	1328	2015	554	710	.9	.9	.9	.9	.57	8-HR RUN AVG END HOUR	0	
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	200	943	95.0	37.0	33.0	32.0	13.79*	1 HOUR	0	
Site ID: 12-011-2003	City: Pompano Beach Highlands			County: Broward										
44201 Ozone	Parts per million	1	1328	2015	047	5474	.063	.062	.061	.060	.0304*	8-HR RUN AVG BEGIN HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	86	18.5	15.3	15.2	14.7	6.89*	24 HOUR	0	
Site ID: 12-011-8002	City: Dania			County: Broward										
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	074	6435	50.0	49.0	44.0	43.0	5.01*	1 HOUR	0	
44201 Ozone	Parts per million	1	1328	2015	047	6517	.068	.064	.063	.060	.0301	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-017-0005	City: Not in a city			County: Citrus										
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	79	14.8	11.3	10.4	10.4	5.69*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	25	15.7	10.7	10.7	9.7	6.43*	24 HOUR	0	
Site ID: 12-017-0006	City: Not in a city			County: Citrus										
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6500	164.0	132.0	99.0	90.0	13.77*	1 HOUR	0	
42401 Sulfur dioxide	Parts per billion	5	0395	2015	060	75254	268.0	256.0	253.0	245.0	2.39*	5 MINUTE	0	
Site ID: 12-021-0004	City: Naples			County: Collier										
44201 Ozone	Parts per million	1	1328	2015	047	6441	.061	.060	.057	.057	.0311	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-023-0002	City: Lake City			County: Columbia										

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Cert& Duration	ED1 Eval
Site ID: 12-023-0002	City: Lake City		County: Columbia				Address: 751 SE SYCAMORE TERRACE						
44201 Ozone	Parts per million	1	1328	2015	047	5638	.063	.059	.058	.058	.0378*	8-HR RUN AVG BEGIN HOUR	0
Site ID: 12-031-0032	City: Jacksonville		County: Duval				Address: 2900 BENNETT ST.						
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6276	18.0	14.0	12.0	11.0	2.19*	1 HOUR	0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	75310	39.0	29.0	28.0	28.0	.38*	5 MINUTE	0
42602 Nitrogen dioxide (NO2)	Parts per billion	2	1328	2015	074	5763	37.0	35.0	35.0	35.0	6.97*	1 HOUR	0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	079	3475	307	267	249	245	19.7*	1 HOUR	0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	079	140	118	83	52	47	19.3*	24-HR BLK AVG	0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	335	36.7	22.9	20.5	19.1	7.66	24 HOUR	0
Site ID: 12-031-0077	City: Jacksonville		County: Duval				Address: 13333 LANIER RD.						
44201 Ozone	Parts per million	1	1328	2015	047	6370	.066	.057	.056	.056	.0355	8-HR RUN AVG BEGIN HOUR	0
Site ID: 12-031-0080	City: Jacksonville		County: Duval				Address: LASALLE ST. JACKSONVILLE, FL. 32207						
42101 Carbon monoxide	Parts per million	1	1328	2015	054	6470	.9	.9	.9	.9	.33	8-HR RUN AVG END HOUR	0
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6310	16.0	11.0	9.0	9.0	1.57*	1 HOUR	0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	75719	30.0	28.0	25.0	24.0	.27*	5 MINUTE	0
Site ID: 12-031-0081	City: Jacksonville		County: Duval				Address: 1840 CEDAR BAY RD						
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6417	17.0	16.0	14.0	12.0	2.33*	1 HOUR	0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	76992	30.0	29.0	28.0	28.0	.36*	5 MINUTE	0
Site ID: 12-031-0084	City: Jacksonville		County: Duval				Address: 2189 rosselle st						
42101 Carbon monoxide	Parts per million	1	1328	2015	054	5886	.9	.8	.8	.8	.33	8-HR RUN AVG END HOUR	0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-031-0084	City: Jacksonville		County: Duval				Address: 2189 rosselle st							
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	6314	156	141	132	121	16.3*	1 HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	262	50	44	39	38	15.9*	24-HR BLK AVG		0
Site ID: 12-031-0097	City: Jacksonville		County: Duval				Address: 6241 FORT CAROLINE ROAD, JACKSONVILLE							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6271	23.0	23.0	22.0	21.0	1.94*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	75252	71.0	41.0	40.0	34.0	.32*	5 MINUTE		0
Site ID: 12-031-0098	City: Jacksonville		County: Duval				Address: 14932 MANDARIN ROAD							
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	329	17.1	15.5	15.4	15.4	6.59	24 HOUR		0
Site ID: 12-031-0099	City: Jacksonville		County: Duval				Address: 9429 MERRILL ROAD							
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	327	25.7	22.0	17.8	16.5	7.14	24 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	21	10.8	9.6	8.5	8.5	6.47*	24 HOUR		0
Site ID: 12-031-0100	City: Jacksonville		County: Duval				Address: 13600 William Davis Parkway.							
44201 Ozone	Parts per million	1	1328	2015	047	6455	.062	.061	.061	.061	.0398	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-031-0106	City: Jacksonville		County: Duval				Address: 4770 Cisco Dr							
44201 Ozone	Parts per million	1	1328	2015	047	6347	.060	.059	.059	.058	.0325	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-031-0107	City: Jacksonville		County: Duval				Address: 1216 Day Ave							
42101 Carbon monoxide	Parts per million	1	1328	2015	054	6248	1.4	1.4	1.3	1.3	.35	8-HR RUN AVG END HOUR		0
Site ID: 12-031-0108	City: Jacksonville		County: Duval				Address: 5895 Pepsi Place							

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P O C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-031-0108 City: Jacksonville		County: Duval		Address: 5895 Pepsi Place										
42101 Carbon monoxide	Parts per million	1	1328	2015	054	6374	1.5	1.5	1.4	1.4	.43	8-HR RUN AVG END HOUR	0	
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	074	5755	58.0	56.0	53.0	50.0	11.62*	1 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	3	1328	2015	183	272	24.8	21.8	18.3	18.3	8.50*	24-HR BLK AVG	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	3	1328	2015	183	6506	124.2	119.3	91.4	89.5	8.55*	1 HOUR	0	
Site ID: 12-033-0004 City: Ferry Pass		County: Escambia		Address: ELLYSON INDUSTRIAL PARK-COPTER ROAD										
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6426	33.0	17.0	10.0	9.0	2.52*	1 HOUR	0	
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	75180	56.0	52.0	44.0	41.0	.94*	5 MINUTE	0	
44201 Ozone	Parts per million	1	1328	2015	047	6197	.066	.065	.062	.062	.0396	8-HR RUN AVG BEGIN HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	83	19.0	16.7	15.6	14.8	7.95*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	23	18.7	16.3	14.7	13.6	8.43*	24 HOUR	0	
Site ID: 12-033-0018 City: Pensacola		County: Escambia		Address: NAS PENSACOLA										
44201 Ozone	Parts per million	1	1328	2015	047	6380	.070	.065	.061	.061	.0402	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-035-0004 City: Bunnell		County: Flagler		Address: 208 Sawgrass Rd										
44201 Ozone	Parts per million	1	1328	2015	047	6541	.062	.059	.058	.058	.0366	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-047-0015 City: White Springs		County: Hamilton		Address: COUNTY ROAD 137 AT ENTRANCE TO OXY SRCC										
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	5874	27.0	19.0	15.0	14.0	1.20*	1 HOUR	0	
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	71858	81.0	71.0	66.0	62.0	-.62*	5 MINUTE	0	
Site ID: 12-055-0003 City: Sebring		County: Highlands		Address: 123 MAIN DRIVE VENUS FL 33960										

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-055-0003	City: Sebring		County: Highlands				Address: 123 MAIN DRIVE VENUS FL 33960							
44201 Ozone	Parts per million	1	1328	2015	047	6398	.064	.063	.061	.058	.0335	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-057-0081	City: Ruskin		County: Hillsborough				Address: 2401 19th Avenue Northwest							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6119	21.0	15.0	14.0	13.0	2.27*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	74382	70.0	56.0	52.0	45.0	.38*	5 MINUTE		0
44201 Ozone	Parts per million	1	1328	2015	047	6342	.071	.069	.068	.068	.0397	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-057-0083	City: Tampa		County: Hillsborough				Address: GARDINIER PARK U S 41 & RIVERVIEW DR.							
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	222	53	51	50	49	22.1*	24-HR BLK AVG		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	5363	162	154	126	115	22.5*	1 HOUR		0
Site ID: 12-057-0100	City: East Lake-Orient Park		County: Hillsborough				Address: 2909 N 66TH ST							
14129 Lead (TSP) LC	Micrograms/cubic meter (LC)	1	1328	2015	813	40	.020	.016	.016	.015	.0061*	24 HOUR		0
Site ID: 12-057-0109	City: Tampa		County: Hillsborough				Address: 9851 HIGHWAY 41 SOUTH							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	5694	98.0	77.0	76.0	69.0	7.82*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	68098	148.0	144.0	135.0	132.0	.95*	5 MINUTE		0
Site ID: 12-057-1035	City: Tampa		County: Hillsborough				Address: COAST GUARD STATION DAVIS ISLAND							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6142	99.0	25.0	18.0	17.0	4.83*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	75776	251.0	245.0	243.0	229.0	2.23*	5 MINUTE		0
44201 Ozone	Parts per million	1	1328	2015	047	5683	.076	.067	.066	.066	.0401*	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	079	257	53	50	49	45	19.3*	24-HR BLK AVG		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	079	6135	178	163	111	103	19.7	1 HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-057-1065	City: Tampa			County: Hillsborough										
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	099	6141	34.0	32.0	31.0	30.0	4.13*	1 HOUR		0
44201 Ozone	Parts per million	1	1328	2015	047	6486	.075	.068	.067	.066	.0419	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-057-1066	City: Tampa			County: Hillsborough										
14129 Lead (TSP) LC	Micrograms/cubic meter (LC)	1	1328	2015	813	43	.156	.091	.083	.078	.0328*	24 HOUR		0
14129 Lead (TSP) LC	Micrograms/cubic meter (LC)	2	1328	2015	813	20	.140	.091	.082	.060	.0361*	24 HOUR		0
Site ID: 12-057-1073	City: Tampa			County: Hillsborough										
14129 Lead (TSP) LC	Micrograms/cubic meter (LC)	1	1328	2015	813	42	1.141	.123	.106	.101	.0627*	24 HOUR		0
Site ID: 12-057-1111	City: Tampa			County: Hillsborough										
42101 Carbon monoxide	Parts per million	1	1328	2015	593	4904	.8	.8	.8	.7	.28	8-HR RUN AVG END HOUR		0
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	200	6254	84.0	57.0	57.0	53.0	11.77*	1 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	3	1328	2015	183	6436	65.7	64.6	63.7	61.8	10.27*	1 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	3	1328	2015	183	267	26.0	24.2	23.9	23.8	10.25*	24-HR BLK AVG		0
Site ID: 12-057-3002	City: Valrico			County: Hillsborough										
42101 Carbon monoxide	Parts per million	2	1328	2015	554	6417	.4	.4	.4	.4	.15	8-HR RUN AVG END HOUR		0
42401 Sulfur dioxide	Parts per billion	1	1328	2015	560	6496	17.0	15.0	15.0	15.0	2.98*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	560	77891	32.0	32.0	32.0	29.0	1.03*	5 MINUTE		0
44201 Ozone	Parts per million	1	1328	2015	047	6483	.069	.068	.068	.066	.0402	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP (25 C)	Micrograms/cubic meter	1	1328	2015	063	45	42	35	30	24	15.0*	24 HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-057-3002 City: Valrico		County: Hillsborough				Address: 1167 NORTH DOVER ROAD								
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	2	1328	2015	063	23	29	23	17	17	13.3*	24 HOUR	0	
85129 Lead PM10 LC FRM/FEM	Micrograms/cubic meter (LC)	1	1328	2015	811	38	.006	.006	.006	.005	.0014*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	145	262	24.6	20.4	18.9	18.7	7.66*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	145	41	30.3	19.7	14.6	12.8	7.65*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	3	1328	2015	183	5399	61.8	54.2	49.6	45.2	9.15	1 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	3	1328	2015	183	225	23.0	20.6	20.2	20.2	9.06*	24-HR BLK AVG	0	
Site ID: 12-059-0004 City: Not in a city		County: Holmes				Address: TRI CO AIRPORT RD (CO RD 162)								
44201 Ozone	Parts per million	1	1328	2015	047	6541	.063	.061	.060	.060	.0362	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-061-9991 City: Not in a city		County: Indian River				Address: Sebastian Inlet State Recreation Area, Vero Beach, FL 32963								
44201 Ozone	Parts per million	1	1344	2015	047	7338	.065	.060	.059	.059	.0366	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-069-0002 City: Clermont		County: Lake				Address: 1901 JOHNS LAKE RD								
44201 Ozone	Parts per million	1	1328	2015	047	6508	.066	.060	.060	.059	.0374	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-071-0005 City: Fort Myers		County: Lee				Address: PRINCETON STREET								
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	6386	163	118	96	93	15.0*	1 HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	264	49	43	42	42	14.5*	24-HR BLK AVG	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	120	17.3	14.3	13.4	13.1	5.83	24 HOUR	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P O C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-071-0005	City: Fort Myers			County: Lee								Address: PRINCETON STREET		
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	31	16.8	9.4	9.2	8.8	5.91	24 HOUR		0
Site ID: 12-071-2002	City: Cape Coral			County: Lee								Address: 5505 ROSE GARDEN RD CAPE COREL FL 33914		
44201 Ozone	Parts per million	1	1328	2015	047	6484	.067	.060	.060	.058	.0332	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-071-3002	City: Fort Myers Beach			County: Lee								Address: INTERSECTION OF SCHOOL ST AND BAY ST		
44201 Ozone	Parts per million	1	1328	2015	047	6469	.066	.059	.058	.058	.0336	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-073-0012	City: Tallahassee			County: Leon								Address: 110 CENTURY PARK CIRCLE WEST		
44201 Ozone	Parts per million	1	1328	2015	047	6143	.069	.062	.062	.061	.0352	8-HR RUN AVG BEGIN HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	111	22.5	17.3	16.9	16.4	7.64*	24 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	59	16.3	16.2	15.0	14.8	7.51	24 HOUR		0
Site ID: 12-073-0013	City: Tallahassee			County: Leon								Address: 5600 MICCOSUKEE RD		
44201 Ozone	Parts per million	1	1328	2015	047	6087	.067	.064	.062	.060	.0349	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-077-9991	City: Not in a city			County: Liberty								Address: Apalachicola National Forest, Bristol, FL 32321		
44201 Ozone	Parts per million	1	1344	2015	047	7725	.058	.058	.057	.056	.0334	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-081-0028	City: Not in a city			County: Manatee								Address: 1801 Piney Point Road (Site is located in the property of Port Manatee)		
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6313	11.0	10.0	8.0	7.0	2.16*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	75202	15.0	13.0	13.0	13.0	1.11*	5 MINUTE		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P O C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-081-3002	City: Palmetto		County: Manatee				Address: PORT MANATEE, REEDER RD & SOUTH DOCK ST.							
44201 Ozone	Parts per million	1	1328	2015	190	6464	.066	.062	.061	.061	.0361	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-081-4012	City: Bradenton		County: Manatee				Address: 5502 33RD AVE DRIVE W. (G T BRAY PARK)							
44201 Ozone	Parts per million	1	1328	2015	190	6183	.069	.067	.065	.065	.0368	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-081-4013	City: Bradenton		County: Manatee				Address: 5511 39TH STREET EAST							
44201 Ozone	Parts per million	1	1328	2015	190	5890	.064	.060	.060	.060	.0334*	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-083-0003	City: Ocala		County: Marion				Address: SE 17TH STREET & SE 30TH AVENUE							
44201 Ozone	Parts per million	1	1328	2015	047	6496	.060	.060	.058	.058	.0364	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-083-0004	City: Ocala		County: Marion				Address: 692 NW 30TH AVE							
44201 Ozone	Parts per million	1	1328	2015	047	6532	.059	.059	.058	.057	.0355	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-085-0007	City: Stuart		County: Martin				Address: 950 SE MONTEREY RD							
44201 Ozone	Parts per million	1	1328	2015	047	6534	.061	.060	.060	.060	.0329	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-086-0019	City: Miami		County: Miami-Dade				Address: FHP, DOT, ROUTE U.S. 27 MIAMI, FLA.							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	5915	1.0	1.0	1.0	1.0	.00*	1 HOUR	0	
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	70820	4.0	3.0	2.0	2.0	-.05*	5 MINUTE	0	
Site ID: 12-086-0027	City: Not in a city		County: Miami-Dade				Address: ROSENSTIEL SCHOOL							
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	000	5802	43.0	43.0	37.0	37.0	2.51*	1 HOUR	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P O C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-086-0027	City: Not in a city	County: Miami-Dade	Address: ROSENSTIEL SCHOOL											
44201 Ozone	Parts per million	1	1328	2015	047	6485	.065	.064	.064	.062	.0320	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-086-0029	City: Cutler Ridge	County: Miami-Dade	Address: 19590 OLD CUTLER RD-PERDUE MED. CENTER											
44201 Ozone	Parts per million	1	1328	2015	000	5822	.064	.062	.060	.058	.0298*	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-086-0031	City: Miami	County: Miami-Dade	Address: 16000 SOUTH DIXIE HIGHWAY											
42101 Carbon monoxide	Parts per million	1	1328	2015	093	6362	1.5	1.4	1.4	1.3	.31	8-HR RUN AVG END HOUR	0	
Site ID: 12-086-0033	City: Palm Springs North	County: Miami-Dade	Address: 7700 NW 186 STREET											
88101 PM2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1328	2015	118	113	13.6	13.5	12.7	12.5	5.85	24 HOUR	0	
Site ID: 12-086-0034	City: Not in a city	County: Miami-Dade	Address: NW CORNER OF INTERSECTION OF SW 88 ST AND SW 127 AVENUE											
42101 Carbon monoxide	Parts per million	1	1328	2015	093	6496	.8	.8	.7	.7	.31	8-HR RUN AVG END HOUR	0	
Site ID: 12-086-1016	City: Miami	County: Miami-Dade	Address: NW 20 ST AND 12 AVE, FIRE STATION											
81102 PM10 Total 0-10um STP (25 C)	Micrograms/cubic meter	1	1328	2015	063	41	59	37	33	33	22.7*	24 HOUR	0	
81102 PM10 Total 0-10um STP (25 C)	Micrograms/cubic meter	2	1328	2015	063	42	57	38	33	32	22.7*	24 HOUR	0	
88101 PM2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1328	2015	118	365	19.7	19.1	18.9	18.7	6.88	24 HOUR	0	
88101 PM2.5 - Local Conditions (LC)	Micrograms/cubic meter	2	1328	2015	118	57	12.3	10.2	10.2	10.1	6.33	24 HOUR	0	
Site ID: 12-086-4002	City: Miami	County: Miami-Dade	Address: METRO ANNEX 864 NW 3RD STREET											

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-086-4002	City: Miami		County: Miami-Dade				Address: METRO ANNEX 864 NW 3RD STREET							
42101 Carbon monoxide	Parts per million	1	1328	2015	093	6444	1.2	1.2	1.1	1.1	.31	8-HR RUN AVG END HOUR		0
42602 Nitrogen dioxide (NO2)	Parts per billion	2	1328	2015	000	5701	55.0	52.0	52.0	51.0	8.90*	1 HOUR		0
Site ID: 12-086-6001	City: Homestead		County: Miami-Dade				Address: FIRE STATION 325 NW 2ND ST							
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	357	18.8	18.7	18.5	18.0	5.71	24 HOUR		0
Site ID: 12-089-0005	City: Fernandina Beach		County: Nassau				Address: 5TH ST.N.OF LIME AVE.							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6298	67.0	57.0	57.0	54.0	7.96*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	72984	132.0	123.0	121.0	116.0	1.60*	5 MINUTE		0
Site ID: 12-091-0002	City: Fort Walton Beach		County: Okaloosa				Address: 720 Lovejoy Rd							
44201 Ozone	Parts per million	1	1328	2015	047	6541	.062	.061	.059	.059	.0373	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	6522	2647	848	648	610	17.5*	1 HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	273	178	121	68	62	17.0*	24-HR BLK AVG		0
Site ID: 12-095-0008	City: Orlando		County: Orange				Address: 7055 WINEGARD RD., ORLANDO							
44201 Ozone	Parts per million	1	1328	2015	047	5945	.071	.063	.062	.061	.0368	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-095-2002	City: Winter Park		County: Orange				Address: MORRIS BLVD.							
42101 Carbon monoxide	Parts per million	1	1328	2015	054	6508	1.3	1.3	1.3	1.3	.48	8-HR RUN AVG END HOUR		0
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6457	5.0	4.0	4.0	3.0	.38*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	77487	9.0	8.0	8.0	7.0	.04*	5 MINUTE		0
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	074	5925	35.0	31.0	31.0	30.0	4.07*	1 HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-095-2002 City: Winter Park		County: Orange		Address: MORRIS BLVD.										
44201 Ozone	Parts per million	1	1328	2015	047	6503	.065	.063	.062	.059	.0385	8-HR RUN AVG BEGIN HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	150	5757	110	108	108	108	15.7	1 HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	150	239	43	41	39	37	15.2*	24-HR BLK AVG	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	000	256	18.6	18.2	17.5	17.2	6.71*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	000	22	13.2	12.3	10.0	9.3	6.91*	24 HOUR	0	
Site ID: 12-097-2002 City: Kissimmee		County: Osceola		Address: 8706_WEST 192, KISSIMMEE										
44201 Ozone	Parts per million	1	1328	2015	047	6500	.066	.062	.061	.061	.0371	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-099-0009 City: Royal Palm Beach		County: Palm Beach		Address: 980 CRESTWOOD BLVD NORTH										
44201 Ozone	Parts per million	1	1328	2015	047	6528	.062	.061	.060	.059	.0322	8-HR RUN AVG BEGIN HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	265	16.6	15.6	14.4	14.1	5.31*	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	39	14.5	11.5	10.6	10.5	5.45*	24 HOUR	0	
Site ID: 12-099-0021 City: Lantana		County: Palm Beach		Address: 8th Street										
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	099	4183	26.0	25.0	23.0	23.0	3.94*	1 HOUR	0	
44201 Ozone	Parts per million	1	1328	2015	047	5350	.069	.067	.065	.062	.0323	8-HR RUN AVG BEGIN HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	122	230	125	90	71	68	27.8*	24-HR BLK AVG	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	122	5502	728	523	520	479	28.2*	1 HOUR	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P O C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-099-2005	City: Delray Beach	County: Palm Beach	Address: 225 SOUTH CONGRESS AVE GELRAY BEACH, FL											
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	81	19.4	12.2	10.5	10.3	5.49*	24 HOUR		0
Site ID: 12-101-0005	City: Dade City	County: Pasco	Address: 30908 WARDER ROAD											
44201 Ozone	Parts per million	1	1328	2015	047	6510	.067	.062	.061	.061	.0374	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-101-2001	City: Holiday	County: Pasco	Address: 3452 DARLINGTON RD., HOLIDAY											
44201 Ozone	Parts per million	1	1328	2015	047	6521	.064	.062	.061	.060	.0387	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-103-0004	City: Clearwater	County: Pinellas	Address: 2435 SHARKEY RD.CLEARWATER											
44201 Ozone	Parts per million	1	1328	2015	087	6466	.061	.061	.059	.059	.0368	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-103-0012	City: Saint Petersburg	County: Pinellas	Address: N E CORNER OF 13TH AVE N AND 19TH ST N											
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	063	43	49	38	35	34	19.6*	24 HOUR		0
Site ID: 12-103-0018	City: Saint Petersburg	County: Pinellas	Address: 7200-22 AVENUE NORTH											
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	074	6061	34.0	33.0	33.0	29.0	3.55*	1 HOUR		0
44201 Ozone	Parts per million	1	1328	2015	047	6336	.061	.060	.059	.059	.0370	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	063	44	39	39	27	27	14.8*	24 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	247	20.7	19.5	19.3	17.7	7.16*	24 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	23	23.7	12.4	9.5	9.3	7.41*	24 HOUR		0
Site ID: 12-103-0023	City: Saint Petersburg	County: Pinellas	Address: 10100 SAN MARTIN ROAD ST PETERSBURG FL.											
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6485	7.0	6.0	5.0	5.0	.74*	1 HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-103-0023	City: Saint Petersburg		County: Pinellas				Address: 10100 SAN MARTIN ROAD ST PETERSBURG FL.							
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	77943	10.0	10.0	10.0	9.0	.12*	5 MINUTE		0
Site ID: 12-103-1009	City: Clearwater		County: Pinellas				Address: 1360 SANDY LANE CLEARWATER FLORIDA							
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	80	22.4	18.6	16.5	14.9	7.04*	24 HOUR		0
Site ID: 12-103-2008	City: Clearwater		County: Pinellas				Address: 34TH STREET N., CLEARWATER (ULMERTON RD)							
42101 Carbon monoxide	Parts per million	1	1328	2015	054	6475	.6	.6	.6	.6	.30	8-HR RUN AVG END HOUR		0
Site ID: 12-103-3004	City: Largo		County: Pinellas				Address: 1301 ULMERTON ROAD (COUNTY MOTOR POOL)							
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	063	45	50	41	39	38	21.1*	24 HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	2	1328	2015	063	25	42	39	37	27	20.2*	24 HOUR		0
Site ID: 12-103-5002	City: Tarpon Springs		County: Pinellas				Address: COUNTY ROAD 77 BOOKER CK PARK							
44201 Ozone	Parts per million	1	1328	2015	087	6146	.058	.057	.056	.056	.0349	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	063	43	40	37	26	24	15.3*	24 HOUR		0
Site ID: 12-103-5003	City: Tarpon Springs		County: Pinellas				Address: 40671 US 19 NORTH							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6436	9.0	4.0	4.0	3.0	.39*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	77405	20.0	14.0	12.0	10.0	-.15*	5 MINUTE		0
Site ID: 12-105-6005	City: Lakeland		County: Polk				Address: 2727 SHEPHERD RD (JAMES W. SIKES ELM SCH							
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	5805	54.0	22.0	19.0	18.0	5.07*	1 HOUR		0
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	67086	153.0	65.0	65.0	64.0	1.22*	5 MINUTE		0
44201 Ozone	Parts per million	1	1328	2015	047	6499	.066	.065	.064	.062	.0361	8-HR RUN AVG BEGIN HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-105-6006 City: Lakeland		County: Polk		Address: 1015 SIKES BLVD., LAKELAND										
44201 Ozone	Parts per million	1	1328	2015	047	6242	.072	.065	.064	.064	.0379	8-HR RUN AVG BEGIN HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	269	46	40	37	37	14.8*	24-HR BLK AVG	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	6465	71	69	66	66	15.2*	1 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	118	21.1	15.4	13.4	13.0	6.12	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	28	22.0	11.4	10.7	8.7	6.34*	24 HOUR	0	
Site ID: 12-107-1008 City: Not in a city		County: Putnam		Address: COMFORT AND PORT ROADS, PALATKA										
42401 Sulfur dioxide	Parts per billion	1	1328	2015	060	6153	30.0	27.0	25.0	22.0	3.68*	1 HOUR	0	
42401 Sulfur dioxide	Parts per billion	5	1328	2015	060	71241	69.0	69.0	67.0	66.0	1.04*	5 MINUTE	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	5977	115	105	99	95	15.5*	1 HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	249	45	43	37	34	15.0*	24-HR BLK AVG	0	
Site ID: 12-111-0013 City: Fort Pierce		County: St. Lucie		Address: 1420 E Midway rd										
44201 Ozone	Parts per million	1	1328	2015	047	6350	.065	.063	.060	.060	.0339	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-113-0015 City: Gulf Breeze		County: Santa Rosa		Address: 1500 WOODLAWN WAY										
44201 Ozone	Parts per million	1	1328	2015	047	6454	.068	.062	.061	.059	.0393	8-HR RUN AVG BEGIN HOUR	0	
Site ID: 12-115-0013 City: Ridge Wood Heights		County: Sarasota		Address: BEE RIDGE PARK-WILKENSON&LOCKWOOD RIDGE										
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	118	17.4	13.9	13.8	11.6	5.62	24 HOUR	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	40	18.9	11.0	10.1	10.0	5.85	24 HOUR	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-115-1005	City: Sarasota			County: Sarasota										
44201 Ozone	Parts per million	1	1328	2015	000	6129	.072	.065	.064	.062	.0378	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-115-1006	City: Sarasota			County: Sarasota										
42602 Nitrogen dioxide (NO2)	Parts per billion	1	1328	2015	099	6470	22.0	19.0	17.0	16.0	1.94*	1 HOUR		0
44201 Ozone	Parts per million	1	1328	2015	047	6448	.067	.064	.064	.063	.0347	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	079	6512	121	111	106	98	17.2*	1 HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	1	1328	2015	079	273	51	50	47	46	16.7*	24-HR BLK AVG		0
Site ID: 12-115-2002	City: Venice			County: Sarasota										
44201 Ozone	Parts per million	1	1328	2015	047	6207	.068	.062	.061	.060	.0334	8-HR RUN AVG BEGIN HOUR		0
Site ID: 12-117-1002	City: Sanford			County: Seminole										
44201 Ozone	Parts per million	1	1328	2015	047	6422	.064	.061	.060	.060	.0377	8-HR RUN AVG BEGIN HOUR		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	263	43	43	41	40	13.5*	24-HR BLK AVG		0
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	3	1328	2015	079	6330	130	122	112	110	13.9*	1 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	87	20.5	14.8	14.5	11.4	6.07*	24 HOUR		0
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	2	1328	2015	118	24	20.2	13.7	11.1	10.1	6.47*	24 HOUR		0
Site ID: 12-127-2001	City: Port Orange			County: Volusia										
44201 Ozone	Parts per million	1	1328	2015	047	6342	.062	.057	.057	.057	.0357	8-HR RUN AVG BEGIN HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-127-5002 City: Daytona Beach		County: Volusia		Address: 1185-A DUNN AVE., DAYTONA BEACH										
44201 Ozone	Parts per million	1	1328	2015	047	6396	.062	.058	.057	.057	.0367	8-HR RUN AVG BEGIN HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	2	1328	2015	079	6206	196	139	92	76	15.1*	1 HOUR	0	
81102 PM10 Total 0-10um STP	Micrograms/cubic meter (25 C)	2	1328	2015	079	256	46	39	38	37	14.7*	24-HR BLK AVG	0	
88101 PM2.5 - Local Conditions	Micrograms/cubic meter (LC)	1	1328	2015	118	89	15.6	13.7	13.3	12.8	6.24*	24 HOUR	0	
Site ID: 12-129-0001 City: Saint Marks		County: Wakulla		Address: COUNTY RD 59										
42101 Carbon monoxide	Parts per million	1	1328	2015	593	3380	.3	.3	.3	.2	.09	8-HR RUN AVG END HOUR	0	
42401 Sulfur dioxide	Parts per billion	3	1328	2015	600	4970	7.0	5.0	3.0	2.0	.37*	1 HOUR	0	
42401 Sulfur dioxide	Parts per billion	5	1226	2015	600	43093	8.0	8.0	7.0	7.0	.05*	5 MINUTE	0	
44201 Ozone	Parts per million	1	1328	2015	047	6270	.063	.059	.057	.057	.0349	8-HR RUN AVG BEGIN HOUR	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

METHODS USED IN THIS REPORT

PARAMETER	METHOD CODE	COLLECTION METHOD	ANALYSIS METHOD
14129	813	HI-VOL	ICP-MS FRM; Heated ultrasonic 1.03M HN03/2.23M HCl or Hot block 1:19 v/v HN03
42101	054	INSTRUMENTAL	NONDISPERSIVE INFRARED
42101	093	INSTRUMENTAL	GAS FILTER CORRELATION CO ANALYZER
42101	554	INSTRUMENTAL	Gas Filter Correlation Thermo Electron 48i-TLE
42101	593	INSTRUMENTAL	Gas Filter Correlation Teledyne API 300 EU
42401	060	INSTRUMENTAL	PULSED FLUORESCENT
42401	560	INSTRUMENTAL	Pulsed Fluorescent 43C-TLE/43i-TLE
42401	600	Instrumental	Ultraviolet Fluorescence API 100 EU
42602	000	MULTIPLE METHODS	MULTIPLE METHODS
42602	074	INSTRUMENTAL	CHEMILUMINESCENCE
42602	099	INSTRUMENTAL	GAS PHASE CHEMILUMINESCENCE
42602	200	Teledyne-API Model 200EUP or T200UP	Photolytic-Chemiluminescence
44201	000	MULTIPLE METHODS	MULTIPLE METHODS
44201	047	INSTRUMENTAL	ULTRA VIOLET
44201	087	INSTRUMENTAL	ULTRA VIOLET ABSORPTION
44201	190	Instrumental	UV absorption photometry/UV 2B model 202 and 205
81102	063	HI-VOL SA/GMW-1200	GRAVIMETRIC
81102	079	INSTRUMENTAL-R&P SA246B-INLET	TEOM-GRAVIMETRIC
81102	122	INSTRUMENT MET ONE 4 MODELS	BETA ATTENUATION
81102	141	Tisch Environ Model-6070 PM10 Hi-Vol	Gravimetric
81102	150	T A Series FH 62 C14 Continuous	Beta Attenuation
85129	811	Thermo/R & P 2025 PM10	X-ray Fluorescence (EDXRF) FRM
88101	000	MULTIPLE METHODS	MULTIPLE METHODS
88101	118	R & P Model 2025 PM2.5 Sequential w/WINS	GRAVIMETRIC
88101	145	R & P Model 2025 PM-2.5 Sequential Air Sample	Gravimetric
88101	183	Thermo Scientific 5014i or FH62C14-DHS w/VSCC	Beta Attenuation

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

PQAOS USED IN THIS REPORT

PQA0	AGENCY DESCRIPTION
0395	Florida Dept of Environmental Protection, Southwest District
1226	FDEP Ambient Monitoring Section
1328	Florida Department of Environmental Protection (FDEP)
1344	USEPA - Clean Air Markets Division

Note: The * indicates that the mean does not
satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

FLAG	MEANING
M	The monitoring organization has revised data from this monitor since the most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required summary reports, but the certifying agency and/or EPA has determined that issues regarding the quality of the ambient concentration data cannot be resolved due to data completeness, the lack of performed quality assurance checks or the results of uncertainty statistics shown in the AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required summary reports. A value of "S" conveys no Regional assessment regarding data quality per se. This flag will remain until the Region provides an "N" or "Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification letter and summary reports for this monitor even though the due date has passed, or the state's certification letter specifically did not apply the certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no unresolved reservations about data quality (after reviewing the letter, the attached summary reports, the amount of quality assurance data submitted to AQS, the quality statistics, and the highest reported concentrations).

Note: The * indicates that the mean does not satisfy summary criteria.

User ID: ETA

QUICKLOOK ALL PARAMETERS

Report Request ID: 1407804

Report Code: AMP450NC

Feb. 1, 2016

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
----------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	---------------

12

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
-----------------------------	-----------	--------	----------

ALL	88502		
-----	-------	--	--

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS
AGENCY ROLE	PQA0

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC
6	DATES
7	EDT_ID

DATE CRITERIA

Start Date	End Date
2015	2015

APPLICABLE STANDARDS

Standard Description

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-001-3011	City: Micanopy		County: Alachua				Address: 918 SE 119TH AVE							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	247	16.1	16.0	15.9	15.6	7.61*	24-HR BLK AVG	0	
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	5948	44.9	43.1	38.5	37.8	7.64*	1 HOUR	0	
Site ID: 12-005-0006	City: Lower Grand Lagoon		County: Bay				Address: 4607 STATE PARK LN PCB, FL							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	1	1328	2015	702	6496	48.3	44.5	37.8	35.7	8.60*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	1	1328	2015	702	272	22.2	18.7	18.5	17.8	8.55*	24-HR BLK AVG	0	
Site ID: 12-009-0007	City: Melbourne		County: Brevard				Address: 401 FLORIDA AVE							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	4836	92.9	91.3	69.5	65.1	7.82*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	198	22.2	20.9	18.7	16.8	7.76*	24-HR BLK AVG	0	
Site ID: 12-011-0033	City: Davie		County: Broward				Address: 3211 College Ave, Davie, FL 33314							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	5878	151.8	123.0	64.3	59.2	8.34*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	240	26.5	24.0	22.5	20.7	8.25*	24-HR BLK AVG	0	
Site ID: 12-021-0004	City: Naples		County: Collier				Address: 7800 IMMOKALEE ROAD NAPLES 34119							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	253	23.0	19.7	19.4	18.9	8.41*	24-HR BLK AVG	0	
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	6181	61.5	58.4	53.2	49.5	8.46*	1 HOUR	0	
Site ID: 12-023-0002	City: Lake City		County: Columbia				Address: 751 SE SYCAMORE TERRACE							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	4487	61.9	53.7	49.0	46.6	7.54*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	179	16.9	16.4	16.0	15.8	7.33*	24-HR BLK AVG	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	EDT
Site ID: 12-031-0077	City: Jacksonville		County: Duval				Address: 13333 LANIER RD.							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6503	55.2	52.3	51.1	49.1	5.41*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	270	19.3	18.2	15.6	15.0	5.36*	24-HR BLK AVG		0
Site ID: 12-031-0098	City: Jacksonville		County: Duval				Address: 14932 MANDARIN ROAD							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	186	13.5	13.2	12.3	12.2	4.70*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	4456	70.9	61.7	56.3	51.6	4.73*	1 HOUR		0
Site ID: 12-031-0100	City: Jacksonville		County: Duval				Address: 13600 William Davis Parkway.							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6522	197.6	125.7	107.2	79.8	5.51*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	273	25.3	16.3	14.3	14.2	5.46*	24-HR BLK AVG		0
Site ID: 12-033-0004	City: Ferry Pass		County: Escambia				Address: ELLYSON INDUSTRIAL PARK-COPTER ROAD							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	5384	37.6	37.0	35.5	34.3	10.12*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	223	22.2	19.7	19.5	19.4	10.07*	24-HR BLK AVG		0
Site ID: 12-047-0015	City: White Springs		County: Hamilton				Address: COUNTY ROAD 137 AT ENTRANCE TO OXY SRCC							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6259	130.4	62.6	59.3	57.7	9.24*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	262	24.4	21.5	21.0	18.7	9.19*	24-HR BLK AVG		0
Site ID: 12-057-1065	City: Tampa		County: Hillsborough				Address: 5121 GANDY BLVD							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6516	69.5	50.4	50.3	48.7	9.18*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	273	23.0	22.9	22.4	21.1	9.14*	24-HR BLK AVG		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-059-0004	City: Not in a city		County: Holmes				Address: TRI CO AIRPORT RD (CO RD 162)							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	5829	61.5	50.2	47.8	47.2	9.05*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	242	22.2	20.5	18.6	17.7	8.99*	24-HR BLK AVG		0
Site ID: 12-071-0005	City: Fort Myers		County: Lee				Address: PRINCETON STREET							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	251	22.8	22.2	20.0	19.5	8.11*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	6116	152.8	78.0	58.6	52.2	8.15*	1 HOUR		0
Site ID: 12-073-0012	City: Tallahassee		County: Leon				Address: 110 CENTURY PARK CIRCLE WEST							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	267	29.9	27.2	22.4	22.4	10.51*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	6380	75.0	69.8	68.3	66.8	10.55*	1 HOUR		0
Site ID: 12-083-0003	City: Ocala		County: Marion				Address: SE 17TH STREET & SE 30TH AVENUE							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	229	19.8	19.5	17.9	17.1	8.48*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	5580	98.1	70.4	60.4	57.4	8.51*	1 HOUR		0
Site ID: 12-085-0007	City: Stuart		County: Martin				Address: 950 SE MONTEREY RD							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	258	23.5	21.8	20.6	20.4	8.06*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	6272	61.3	55.6	50.2	45.7	8.10*	1 HOUR		0
Site ID: 12-086-1016	City: Miami		County: Miami-Dade				Address: NW 20 ST AND 12 AVE, FIRE STATION							
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	6242	79.3	40.2	39.5	39.0	10.43*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass	Micrograms/cubic meter (LC)	3	1328	2015	702	262	28.3	25.0	24.7	24.5	10.38*	24-HR BLK AVG		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-086-6001	City: Homestead		County: Miami-Dade				Address: FIRE STATION 325 NW 2ND ST							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	267	25.5	25.1	23.4	22.8	9.05*	24-HR BLK AVG	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6401	188.3	179.1	133.9	95.8	9.11*	1 HOUR	0	
Site ID: 12-089-0010	City: Yulee		County: Nassau				Address: 96160 Nassau Place, Yulee, FL 32097							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	1	1328	2015	702	6500	57.6	52.5	51.6	51.0	9.07*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	1	1328	2015	702	273	20.1	19.8	19.2	18.5	9.02*	24-HR BLK AVG	0	
Site ID: 12-095-2002	City: Winter Park		County: Orange				Address: MORRIS BLVD.							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6311	126.4	99.3	74.8	45.9	8.73*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	263	24.6	24.1	22.3	19.1	8.68*	24-HR BLK AVG	0	
Site ID: 12-099-0008	City: Belle Glade		County: Palm Beach				Address: 38754 STATE RD 80, BELLE GLADE							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	170	5658	111.0	81.0	80.0	75.0	6.69*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	170	234	22.9	21.7	18.7	18.7	6.61*	24-HR BLK AVG	0	
Site ID: 12-099-0009	City: Royal Palm Beach		County: Palm Beach				Address: 980 CRESTWOOD BLVD NORTH							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	170	5835	56.0	50.0	49.0	40.0	7.59*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	170	247	20.2	19.0	16.4	16.2	7.55*	24-HR BLK AVG	0	
Site ID: 12-103-0018	City: Saint Petersburg		County: Pinellas				Address: 7200-22 AVENUE NORTH							
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	239	21.9	21.6	20.0	19.6	8.56*	24-HR BLK AVG	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	5886	71.1	57.0	39.2	36.2	8.63*	1 HOUR	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P O C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-103-0026	City: Pinellas Park			County: Pinellas								Address: 8601 60TH STREET N., PINALLAS PARK, FL .		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	5	1328	2015	810	4	6.3	6.3	6.0	5.5	6.03*	24 HOUR		0
Site ID: 12-103-5002	City: Tarpon Springs			County: Pinellas								Address: COUNTY ROAD 77 BOOKER CK PARK		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	200	20.2	19.7	16.6	16.0	7.50*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	4873	55.7	53.7	47.6	46.1	7.55*	1 HOUR		0
Site ID: 12-105-6006	City: Lakeland			County: Polk								Address: 1015 SIKES BLVD., LAKELAND		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	270	22.7	21.9	20.9	20.5	8.95*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6466	61.4	59.0	42.8	40.7	8.99*	1 HOUR		0
Site ID: 12-113-0015	City: Gulf Breeze			County: Santa Rosa								Address: 1500 WOODLAWN WAY		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	266	22.8	21.1	18.5	17.9	8.95*	24-HR BLK AVG		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6426	120.6	46.1	44.5	44.4	9.00*	1 HOUR		0
Site ID: 12-115-0013	City: Ridge Wood Heights			County: Sarasota								Address: BEE RIDGE PARK-WILKENSON&LOCKWOOD RIDGE		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	5813	60.0	45.8	38.7	38.7	8.38*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	242	23.6	23.0	20.9	19.4	8.34*	24-HR BLK AVG		0
Site ID: 12-115-2002	City: Venice			County: Sarasota								Address: 201 SOUTH JACKSON ROAD VENICE FLORIDA		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6059	40.0	39.3	37.4	37.4	9.19*	1 HOUR		0
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	251	26.5	25.3	25.0	24.2	9.13*	24-HR BLK AVG		0
Site ID: 12-127-5002	City: Daytona Beach			County: Volusia								Address: 1185-A DUNN AVE., DAYTONA BEACH		
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	5475	174.1	123.5	61.0	54.0	7.98*	1 HOUR		0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

Parameter	Unit	P 0 C	PQA0	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert& Eval	ED1
Site ID: 12-127-5002	City: Daytona Beach	County: Volusia	Address: 1185-A DUNN AVE., DAYTONA BEACH											
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	222	26.2	19.6	18.9	17.4	7.98*	24-HR BLK AVG	0	
Site ID: 12-129-0001	City: Saint Marks	County: Wakulla	Address: COUNTY RD 59											
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	6111	132.0	120.9	117.8	113.1	9.17*	1 HOUR	0	
88502 Acceptable PM2.5 AQI & Speciation Mass (LC)	Micrograms/cubic meter	3	1328	2015	702	253	32.2	22.0	20.5	20.0	9.13*	24-HR BLK AVG	0	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

METHODS USED IN THIS REPORT

PARAMETER	METHOD CODE	COLLECTION METHOD	ANALYSIS METHOD
88502	170	Met-one BAM-1020 W/PM2.5 SCC	Beta Attenuation
88502	702	PM2.5 SCC w/Correction Factor	TEOM Gravimetric 50 deg C
88502	810	Met One SASS Teflon	Gravimetric

Note: The * indicates that the mean does not
satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

PQA0S USED IN THIS REPORT

PQA0	AGENCY DESCRIPTION
1328	Florida Department of Environmental Protection (FDEP)

Note: The * indicates that the mean does not
satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Feb. 1, 2016

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

FLAG	MEANING
M	The monitoring organization has revised data from this monitor since the most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required summary reports, but the certifying agency and/or EPA has determined that issues regarding the quality of the ambient concentration data cannot be resolved due to data completeness, the lack of performed quality assurance checks or the results of uncertainty statistics shown in the AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required summary reports. A value of "S" conveys no Regional assessment regarding data quality per se. This flag will remain until the Region provides an "N" or "Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification letter and summary reports for this monitor even though the due date has passed, or the state's certification letter specifically did not apply the certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no unresolved reservations about data quality (after reviewing the letter, the attached summary reports, the amount of quality assurance data submitted to AQS, the quality statistics, and the highest reported concentrations).

Note: The * indicates that the mean does not satisfy summary criteria.