















FIELD NO.	COMPARATIVE FT. NO.
F-1	63
F-1A	101
F-2	70
F-3	7
F-4	145
F-5	237
F-6	115
F-7	22
F-8A	B&A-5 FT 87
F-8B	W&A-29 FT 360
F-9	20 W 191
F-10	333
F-11	37
F-12	144
F-13	B&D B8 FT 380
F-14	381
F-15	382
F-16	FT 122
F-17	65
F-18	109



SWALE / DITCH PROFILES

- 1.) Drainage sub-seals (SS) will be V-sections with a side slope of 1:1.
- 2.) All scale locations are drawn as accurate as possible, actual field stake notes shall be based on available survey coordinates.
- 3.) Irrigation ditches (ID) will have a typical depth of 1.5' (18").
- 4.) Bottom width of 2' and a side slope of 2:1.
- 5.) Fill required at 2' drop in elevation.
- 6.) Fill required at 1' drop in elevation.
- 7.) Above existing ground.





**Conklin Porter and Holmes
ENGINEERS, INC.**
1104 EAST ROBINSON STREET
ORLANDO, FLORIDA, 32801
TEL. (407) 425 0492

ALL WORK THIS SHEET CONTRACTS II & IV AS NOTED

ACTIVITY	NAME	DATE	
DESIGNED BY:	B.C.B.	6/1/70	
DRAWN BY:	C.A.D. / C.D.	6/1/70	
CHECKED BY:	M.K.S. / C.D.K.	7/1/70	
APPROVED BY:	W.M. R. HOLMES	7/1/70	
REGISTRATION NO.	9801		

NO.	DATE	REVISION	APPROVED
1	7/2/70	PER D.E.C. COMMENTS CONTRACT II	A.L.S.
2	7/23/70	AS PER FIELD NOTES (6/24/70)	W.D.H.
3	7/23/70	AS PER FIELD NOTES TO REVISION	C.D.K.

**WATER REUSE SYSTEM
SITE 10**

**HAYFIELD LAYOUT &
PROFILES & MISC.
DETAILS**

CITY OF SANFORD, FLORIDA

SHEET NO. 36

SCALE: AS SHOWN
DATE: MAY 1980
JOB NO. S0802.51