From:	Tina Gordon
To:	Frick, Marcy
Cc:	Homann, Moira
Subject:	FW: Orlando BMAP Credits
Date:	Thursday, February 20, 2020 9:02:20 AM
Attachments:	Federal St CDS unit basin.dwg Federal.cpg Federal.dbf Federal.prj Federal.sbn Federal.sbx Federal.shp Federal.shx

---

Here are the shapefiles for the Federal CDS. I know you are at meetings today, so I wanted to forward this. Since I am out all week next week, if you have any issues or questions you can contact Lisa Lotti (email below).

Thanks,
Tina

From: Lisa A Lotti <Lisa.Lotti@cityoforlando.net>
Sent: Thursday, February 20, 2020 7:36 AM
To: Tina Gordon <tgordon@wildwoodconsulting.net>
Cc: 'Moira.Homann@FloridaDEP.gov' <Moira.Homann@FloridaDEP.gov>; Richard Lee <richard.lee@cityoforlando.net>
Subject: RE: Orlando BMAP Credits

Hello Tina,

Please find the Shapefiles associated with:

Jesup

1. For the Federal Street CDS Unit, we need a GIS file showing the treated area.

If you have difficulties opening, please let us know.

Best regards,
Lisa

~~~~~~~~~~~~~~~~~

Lisa Lotti
Stormwater Compliance Program Manager, Streets and Stormwater Division
City of Orlando
p. 407.246.2037
f. 407.246.4050

To report stormwater pollution:
stormwater@cityoforlando.net
407.246.2370
~~~~~~~~~~~~~~~~~

From: Lisa A Lotti
Sent: Monday, February 17, 2020 1:50 PM
To: Tina Gordon <tgordon@wildwoodconsulting.net>
Cc: 'Moira.Homann@FloridaDEP.gov' <Moira.Homann@FloridaDEP.gov>
Subject: RE: Orlando BMAP Credits

Hello Tina,

We are working on the Shapefile for #1. Regarding nutrient reductions with harvesting Typha and Cuban bulrush, I have emailed my colleague to see if he had any luck.

Thanks,
Lisa

From: Tina Gordon [mailto:tgordon@wildwoodconsulting.net]
Sent: Monday, February 17, 2020 11:05 AM
To: Lisa A Lotti <Lisa.Lotti@cityoforlando.net>
Cc: 'Moira.Homann@FloridaDEP.gov' <Moira.Homann@FloridaDEP.gov>
Subject: RE: Orlando BMAP Credits

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.
Lisa,

Do we have any progress on the Jesup items listed below?

Tina

From: Tina Gordon
Sent: Wednesday, February 12, 2020 10:39 AM
To: Lisa A Lotti <Lisa.Lotti@cityoforlando.net>
Cc: 'Moira.Homann@FloridaDEP.gov' <Moira.Homann@FloridaDEP.gov>
Subject: Orlando BMAP Credits

Lisa,

Thank you for the chat this morning. Below are notes on what was discussed.

Wekiva

1. For ORL-28 (Water Conserv II) we have received the spreadsheet showing the flow rates for the disposal sites. What we will need is a **GIS layer showing those disposal areas**. Additionally we will need to determine what the disposal site is (sprayfield, RIB, agricultural reuse, urban

reuse) as the load to land will need to be attenuated and recharged according to the disposal site. Let me know if you have questions about this. As discussed, this may take a while for us to work through this project.

2. I am adding the BMP Cleanout project which will be split between the surface and groundwater portions of the BMAP based on the percentage of the city that falls withing each. The credit for groundwater is 2.36% of the total credit and will then be attenuated and recharged. The remainder of the credit will be applied to the surface.
3. Your street sweeping credit has been split using the same methodology as above.
4. Upon reviewing the lat/long you sent for ORL-03 and ORL-03a (Lake Daniel Inlet Baskets) the location was found to be in the surface water only. I have canceled ORL-03 (Inside Springshed) and listed the credit as N/A. I have applied all of the credits to ORL-03a which is the surface water project.
5. ORL-04 (Inlet Baskets Around Lake Orlando) has an attenuated and recharged credit. Your raw credit number submitted was correct, however this will appear as a lower reduction due to attenuation and recharge.
6. Packing District Park – this project is in the surface water BMAP (it was listed as TBD) based on the location of OBT and Princeton Street. Please let me know if that is not accurate. When construction is completed and/or you have an engineering report, we can work on verifying credits.
7. Fairview Shores North Service Area – this project is in the surface water BMAP.

Jesup

1. For the Federal Street CDS Unit, we need a GIS file showing the treated area.
2. For ORL-34, aquatic vegetation harvesting, we would need an analysis of TN and TP content rates for both of these plants as neither species is listed in the DEP nutrient content list at this time. For now, I will leave the project and list it as TBD.

Thanks,

Tina Gordon

WILDWOOD CONSULTING INC.
69 S. Dixie Highway, Suite B
St. Augustine, FL 32084
(904) 342-3232 (office)
(386) 983-0492 (cell)
tgordon@wildwoodconsulting.net
www.wildwoodconsulting.net

Florida has a very broad public records law. As a result, any written communication created or received by the City of Orlando officials and employees will be made available to the public and media, upon request, unless otherwise exempt. Under Florida law, email addresses are public

records. If you do not want your email address released in response to a public records request, do not send electronic mail to this office. Instead, contact our office by phone or in writing.