SGS AXYS

2045 Mills Road West
Sidney, BC, Canada V8L5X2

TEL: (250) 655-5800
TOLL-FREE: 1-888-373-0881

SGS AXYS Client No.: 4114

Client Address: Florida Dept of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL, USA, 32399-2400

The SGS AXYS contact for these data is Megan Preik.

BATCH SUMMARY

	Revised Date: 18-May-2017
Batch ID: WG59329	***Date:*** 15-May-2017
Analysis Type: Hormones LC-APos	***Matrix Type:*** Aqueous

BATCH MAKEUP

Contract: 4114

Samples:

L27146-1	QA/ QC BLANK SW FIELD
L27146-2	SP-WITHLAC
L27146-3	SP-OCHLCK
L27146-4	SP-APALACH
L27146-5	SP-ALAFIA

Blank: WG59329-101

Reference or Spike: WG59329-102

Comments:

RESUBMISSION *14-September-2017: The data is re-submitted for corrections made to the electronic database and the deliverable reports. The blank flag of 'D' has been added to all the reports and EDD's. No other changes were made.*

1. Data are considered final.
2. Data are not blank corrected. Blank data should be taken into consideration when evaluating sample data.
3. Blank data should be evaluated against specifications using the same blank sample size as the size of the client samples.
4. The surrogate recoveries for all the client samples were biased high and were flagged with a 'V' on report forms. This was due to the ion suppression of the recovery standard responses. Since the isotope dilution method of quantification produces data that are recovery corrected, slight variances from the method specifications are deemed not to affect the quantification of the associated analytes.

Resubmission on 18-May-2017: The data is re-submitted for the corrections made to the EDD. The LAB_FLAG 'ND' reported for any compounds in all the client samples and the lab blank were corrected to 'U'. None of the other information was changed. The previous data should be disregarded and this data considered final.

Copyright SGS AXYS Analytical Services Ltd
February 2017

www.axysanalytical.com

AXYS ENVIRO
2045 Mills Road West TEL: (250) 655-5800
Sidney, British Columbia, Canada V8L 5X2 FAX: (250) 655-5811

CHAIN OF CUSTODY

AXYS CLIENT #: 4114

REPORT TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

INVOICE TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

Project Name/Number:
FL DEP Emerging Contaminants (ESOC) Pilot Study

Sampler's Name: M.A. Eckles
Signature:

Client Sample Identification	Matrix	Sampling Date	Sampling Time	Container Type/No.	AXYS Lab Sample ID (Lab use only)	Hormones	MRES 1699 Pesticides with ONs	Alkylphenols	PBDEs (Short List)	PPCPs (Lists 1, 3, 4, 5, 6)	PFCs
						ANALYSIS REQUESTED					
QA/QC BLANK SW FIELD	water	4/17/17	10:15	1L glass / 8	L27146-1	X	X	X	X		
ESOC-PILOT QA/QC BLANK SW FIELD	water	4/17/17	10:15	1 L HDPE / 4	-1					X	
	water	4/17/17	~~10:15~~ 10:15	500mL HDPE / 2	-1						X

Relinquished by (Signature)	Date	Time	Received by (Signature)
	4/17/17		Date 18-Apr-2017 Time 11:20
Relinquished by (Signature)	Date	Time	Received by (Signature)
			Date Time

Remarks

Courier	Waybill No.
FedEx	8617 8238 9083

Sample Receipt

	Cooler
Temp °C	
Custody Seal #	
Seal Intact Y / N	
Sample Tags Y / N	

SGS AXYS

AXYS ENVIRO
2045 Mills Road West TEL: (250) 655-5800
Sidney, British Columbia, Canada V8L 5X2 FAX: (250) 655-5811

CHAIN OF CUSTODY

AXYS CLIENT #: 4114

REPORT TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

INVOICE TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

Project Name/Number:
FL DEP Emerging Contaminants (ESOC) Pilot Study

Sampler's Name: M. A. Eckles
Signature:

Client Sample Identification	Matrix	Sampling Date	Sampling Time	Container Type/No.	AXYS Lab Sample ID (Lab use only)	Hormones	MRES 1699 Pesticides with ONs	Alkylphenols	PBDEs (Short List)	PPCPs (Lists 1, 3, 4, 5, 6)	PFCs
SP-WITHLAC	water	4/17/17	15:10	1L glass / 8	L27146-2	X	X	X	X		
	water	4/17/17	15:10	1 L HDPE / 4	-2					X	
	water	4/17/17	15:10	500mL HDPE / 2	-2						X
ESOC-PILOT WITHLACOOCHEE RIVER AT SR-150											

ANALYSIS REQUESTED

Relinquished by (Signature)	Date 4/17/17	Time	Received by (Signature) Date 18-Apr-2017 Time 11:20
Relinquished by (Signature)	Date	Time	Received by (Signature) Date Time

Courier: FedEx
Waybill No.: 8445 4868 8438

Remarks

Sample Receipt

	Cooler
Temp °C	
Custody Seal #	
Seal Intact Y / N	
Sample Tags Y / N	

SGS AXYS

www.axysanalytical.com

AXYS ENVIRO
2045 Mills Road West TEL: (250) 655-5800
Sidney, British Columbia, Canada V8L 5X2 FAX: (250) 655-5811

CHAIN OF CUSTODY

AXYS CLIENT #: 4114

REPORT TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

INVOICE TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

Project Name/Number:
FL DEP Emerging Contaminants (ESOC) Pilot Study

Sampler's Name: M. A. Eckles
Signature:

Client Sample Identification	Matrix	Sampling Date	Sampling Time	Container Type/No.	AXYS Lab Sample ID (Lab use only)	Hormones	MRES 1699 Pesticides with ONs	Alkylphenols	PBDEs (Short List)	PPCPs (Lists 1, 3, 4, 5, 6)	PFCs
SP-OCHLCK	water	4/17/17	12:15	1L glass / 8	L27146-3	X	X	X	X		
ESOC-PILOT OCHLOCKONEE RIVER AT LEON COUNTY ROAD 12	water	4/17/17	12:15	1 L HDPE / 4	-3					X	
	water	4/17/17	12:15	500mL HDPE / 2	-3						X

ANALYSIS REQUESTED

Relinquished by (Signature)	Date	Time	Received by (Signature)	
	4/17/17		Date 18-Apr-2017	Time 11:20
Relinquished by (Signature)	Date	Time	Received by (Signature)	
			Date	Time

Remarks

Courier	FedEx
Waybill No.	8617 8238 9120

Sample Receipt

	Cooler
Temp °C	
Custody Seal #	
Seal Intact Y / N	
Sample Tags Y / N	

SGS AXYS

www.axysanalytical.com

AXYS ENVIRO
2045 Mills Road West TEL: (250) 655-5800
Sidney, British Columbia, Canada V8L 5X2 FAX: (250) 655-5811

CHAIN OF CUSTODY

AXYS CLIENT #: 4114

REPORT TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

INVOICE TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

Project Name/Number:
FL DEP Emerging Contaminants (ESOC) Pilot Study

Sampler's Name: M.A. Eckles
Signature:

Client Sample Identification	Matrix	Sampling Date	Sampling Time	Container Type/No.	AXYS Lab Sample ID (Lab use only)	Hormones	MRES 1699 Pesticides with ONs	Alkylphenols	PBDEs (Short List)	PPCPs (Lists 1, 3, 4, 5, 6)	PFCs
						ANALYSIS REQUESTED					
SP-APALACH	water	4/17/17	9:55	1L glass / 8	L27146-4	X	X	X	X		
	water	4/17/17	9:55	1 L HDPE / 4	-4					X	
	water	4/17/17	9:55	500mL HDPE / 2	-4						X
ESOC-PILOT APALACHICOLA RIVER AT OLD VICTORY BRIDGE											

Relinquished by (Signature)	Date	Time	Received by (Signature)
	4/17/17		Date 18-APR-2017 Time 11:20
Relinquished by (Signature)	Date	Time	Received by (Signature)
			Date Time

Remarks

Courier: FedEx
Waybill No. 8617 8238 9094

Sample Receipt

	Cooler
Temp °C	
Custody Seal #	
Seal Intact Y / N	
Sample Tags Y / N	

SGS AXYS

www.axysanalytical.com

AXYS ENVIRO

2045 Mills Road West TEL: (250) 655-5800
Sidney, British Columbia, Canada V8L 5X2 FAX: (250) 655-5811

CHAIN OF CUSTODY

AXYS CLIENT #: 4114

REPORT TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

INVOICE TO:	Dept. of Environmental Protection
Company	Water Quality Assessment Program
Address	2600 Blair Stone Road, MS# MS3525
	Tallahassee, Florida 32399
	United States
Contact	Alicia Hogue
Phone	850-245-8553
FAX	
E-mail	alicia.hogue@dep.state.fl.us

Project Name/Number:
FL DEP Emerging Contaminants (ESOC) Pilot Study

Sampler's Name: Matthew Bearden
Signature: Matt B

Client Sample Identification	Matrix	Sampling Date	Sampling Time	Container Type/No.	AXYS Lab Sample ID (Lab use only)	Hormones	MRES 1699 Pesticides with ONs	Alkylphenols	PBDEs (Short List)	PPCPs (Lists 1, 3, 4, 5, 6)	PFCs
					L27146						
SP-ALAF1A	water	4/18/17	10:15	1L glass / 8	~~L27146~~-5	X	X	X	X		
ESOC-PILOT ALAFIA RIVER AT BELL SHOALS ROAD	water	4/18/17	10:15	1 L HDPE / 4	MSW 19APR2017. -5					X	
	water	4/18/17	10:15	500mL HDPE / 2	-5						X

Relinquished by (Signature)	Date	Time	Received by (Signature)	Courier	Waybill No.
Matt B	4/18/17	1300	Date 19-Apr-2017 Time 11:30	FedEx	8617 8238 9109
Relinquished by (Signature)	Date	Time	Received by (Signature)	Sample Receipt	
			Date Time		Cooler
Remarks				Temp °C	
				Custody Seal #	
				Seal Intact Y / N	
				Sample Tags Y / N	

SGS AXYS

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
QA/ QC BLANK SW FIELD
Sample Collection:
17-Apr-2017 10:15

Form 1A

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-1
Matrix:	AQUEOUS	**Sample Size:**	0.978 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 05:20:52	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 26**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng/L		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

COMPOUND	LAB FLAG [1]	CONC. FOUND	REPORTING LIMIT (RL)[2]	RETENTION TIME
Allyl Trenbolone	U		0.466 (L)	
Androstenedione	U		2.05 (L)	
Androsterone		24.9	20.5 (L)	18:51
Desogestrel	U		63.6 (S)	
Estriol	U		16.4 (L)	
Mestranol	B	31.7	20.5 (L)	20:10
Norethindrone	U		4.09 (L)	
Norgestrel	U		4.09 (L)	
Progesterone	U		0.818 (L)	
Testosterone	U		0.818 (L)	

(1) Where applicable, custom lab flags have been used on this report; U = not detected at RL; B = analyte found in the associated blank and concentration in sample is less than 10X the concentration in the associated blank.
(2) Reporting Limit (Code): S = sample detection limit; M = method detection limit; L = lowest calibration level equivalent; Q = minimum reporting level.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form1A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-1_Form1A_HM7J_080S26_SJ2204188.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
QA/ QC BLANK SW FIELD
Sample Collection:
17-Apr-2017 10:15

Form 2

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-1
Matrix:	AQUEOUS	**Sample Size:**	0.978 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 05:20:52	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 26**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng absolute		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC.	CONC. FOUND	R(%) [2]	RETENTION TIME
D6-Norethindrone	V	501	922	184	16:16
D9-Progesterone	V	499	716	144	18:33
D6-Norgestrel	V	501	875	175	17:27

(1) Where applicable, custom lab flags have been used on this report; V = surrogate recovery is not within method/contract control limits.
(2) R(%) = percent recovery.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form2.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-1_Form2_HM7J_080S26_SJ2204188.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-WITHLAC
Sample Collection:
17-Apr-2017 15:10

Form 1A

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-2
Matrix:	AQUEOUS	**Sample Size:**	0.974 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 05:50:50	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 27**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng/L		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

COMPOUND	LAB FLAG [1]	CONC. FOUND	REPORTING LIMIT (RL)[2]	RETENTION TIME
Allyl Trenbolone	U		0.468 (L)	
Androstenedione	U		2.05 (L)	
Androsterone		99.0	60.1 (S)	18:57
Desogestrel	U		403 (S)	
Estriol	U		75.5 (S)	
Mestranol	B	93.1	22.6 (S)	20:10
Norethindrone	U		4.11 (L)	
Norgestrel	U		4.11 (L)	
Progesterone	U		0.822 (L)	
Testosterone	U		0.982 (S)	

(1) Where applicable, custom lab flags have been used on this report; U = not detected at RL; B = analyte found in the associated blank and concentration in sample is less than 10X the concentration in the associated blank.
(2) Reporting Limit (Code): S = sample detection limit; M = method detection limit; L = lowest calibration level equivalent; Q = minimum reporting level.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form1A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-2_Form1A_HM7J_080S27_SJ2204189.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-WITHLAC
Sample Collection:
17-Apr-2017 15:10

Form 2

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-2
Matrix:	AQUEOUS	**Sample Size:**	0.974 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 05:50:50	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 27**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng absolute		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC.	CONC. FOUND	R(%) [2]	RETENTION TIME
D6-Norethindrone	V	501	972	194	16:16
D9-Progesterone	V	499	1150	231	18:33
D6-Norgestrel	V	501	942	188	17:27

(1) Where applicable, custom lab flags have been used on this report; V = surrogate recovery is not within method/contract control limits.
(2) R(%) = percent recovery.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form2.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-2_Form2_HM7J_080S27_SJ2204189.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-OCHLCK
Sample Collection:
17-Apr-2017 12:15

Form 1A

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-3
Matrix:	AQUEOUS	**Sample Size:**	0.969 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 06:20:48	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 28**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng/L		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

COMPOUND	LAB FLAG [1]	CONC. FOUND	REPORTING LIMIT (RL)[2]	RETENTION TIME
Allyl Trenbolone	U		0.471 (L)	
Androstenedione	U		2.06 (L)	
Androsterone		163	49.1 (S)	18:57
Desogestrel	U		159 (S)	
Estriol	U		93.9 (S)	
Mestranol	B	102	27.8 (S)	20:10
Norethindrone	U		4.13 (L)	
Norgestrel	U		4.13 (L)	
Progesterone	U		0.826 (L)	
Testosterone	U		1.05 (S)	

(1) Where applicable, custom lab flags have been used on this report; U = not detected at RL; B = analyte found in the associated blank and concentration in sample is less than 10X the concentration in the associated blank.
(2) Reporting Limit (Code): S = sample detection limit; M = method detection limit; L = lowest calibration level equivalent; Q = minimum reporting level.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form1A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-3_Form1A_HM7J_080S28_SJ2204190.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-OCHLCK
Sample Collection:
17-Apr-2017 12:15

Form 2

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-3
Matrix:	AQUEOUS	**Sample Size:**	0.969 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 06:20:48	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 28**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng absolute		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC.	CONC. FOUND	R(%) [2]	RETENTION TIME
D6-Norethindrone	V	501	993	198	16:16
D9-Progesterone	V	499	1230	246	18:33
D6-Norgestrel	V	501	980	196	17:27

(1) Where applicable, custom lab flags have been used on this report; V = surrogate recovery is not within method/contract control limits.
(2) R(%) = percent recovery.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form2.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-3_Form2_HM7J_080S28_SJ2204190.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-APALACH
Sample Collection:
17-Apr-2017 09:55

Form 1A

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-4
Matrix:	AQUEOUS	**Sample Size:**	0.940 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 06:50:54	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 29**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng/L		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

COMPOUND	LAB FLAG [1]	CONC. FOUND	REPORTING LIMIT (RL)[2]	RETENTION TIME
Allyl Trenbolone	U		0.485 (L)	
Androstenedione	U		2.13 (L)	
Androsterone	U		31.3 (S)	
Desogestrel	U		181 (S)	
Estriol	U		49.5 (S)	
Mestranol	B	80.3	21.3 (L)	20:10
Norethindrone	U		4.26 (L)	
Norgestrel	U		4.26 (L)	
Progesterone	U		0.851 (L)	
Testosterone	U		0.851 (L)	

(1) Where applicable, custom lab flags have been used on this report; U = not detected at RL; B = analyte found in the associated blank and concentration in sample is less than 10X the concentration in the associated blank.
(2) Reporting Limit (Code): S = sample detection limit; M = method detection limit; L = lowest calibration level equivalent; Q = minimum reporting level.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form1A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-4_Form1A_HM7J_080S29_SJ2204191.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-APALACH
Sample Collection:
17-Apr-2017 09:55

Form 2

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-4
Matrix:	AQUEOUS	**Sample Size:**	0.940 L
Sample Receipt Date:	18-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 06:50:54	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 29**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng absolute		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC.	CONC. FOUND	R(%) [2]	RETENTION TIME
D6-Norethindrone	V	501	944	188	16:16
D9-Progesterone	V	499	1030	206	18:33
D6-Norgestrel	V	501	900	180	17:27

(1) Where applicable, custom lab flags have been used on this report; V = surrogate recovery is not within method/contract control limits.
(2) R(%) = percent recovery.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form2.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-4_Form2_HM7J_080S29_SJ2204191.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
SP-ALAFIA
Sample Collection:
18-Apr-2017 10:15

Form 1A

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-5
Matrix:	AQUEOUS	**Sample Size:**	1.01 L
Sample Receipt Date:	19-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 07:20:52	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 30**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng/L		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

COMPOUND	LAB FLAG [1]	CONC. FOUND	REPORTING LIMIT (RL)[2]	RETENTION TIME
Allyl Trenbolone	U		0.453 (L)	
Androstenedione	U		1.99 (L)	
Androsterone	U		23.8 (S)	
Desogestrel	U		104 (S)	
Estriol	U		15.9 (L)	
Mestranol	B	68.1	19.9 (L)	20:10
Norethindrone	U		3.98 (L)	
Norgestrel	U		3.98 (L)	
Progesterone	U		0.795 (L)	
Testosterone	U		0.795 (L)	

(1) Where applicable, custom lab flags have been used on this report; U = not detected at RL; B = analyte found in the associated blank and concentration in sample is less than 10X the concentration in the associated blank.
(2) Reporting Limit (Code): S = sample detection limit; M = method detection limit; L = lowest calibration level equivalent; Q = minimum reporting level.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form1A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-5_Form1A_HM7J_080S30_SJ2204192.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 2

PHARMACEUTICALS ANALYSIS REPORT

CLIENT SAMPLE NO.
SP-ALAFIA
Sample Collection:
18-Apr-2017 10:15

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	FL DEP EMERGING CONTAMINANTS ESOC PILOT		
Contract No.:	4114	**Lab Sample I.D.:**	L27146-5
Matrix:	AQUEOUS	**Sample Size:**	1.01 L
Sample Receipt Date:	19-Apr-2017	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 07:20:52	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 30**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng absolute		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC.	CONC. FOUND	R(%) [2]	RETENTION TIME
D6-Norethindrone	V	501	755	151	16:16
D9-Progesterone	V	499	822	165	18:33
D6-Norgestrel	V	501	796	159	17:27

(1) Where applicable, custom lab flags have been used on this report; V = surrogate recovery is not within method/contract control limits.
(2) R(%) = percent recovery.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form2.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_L27146-5_Form2_HM7J_080S30_SJ2204192.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
Lab Blank
Sample Collection:
N/A

Form 1A

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	N/A		
Contract No.:	4114	**Lab Sample I.D.:**	WG59329-101
Matrix:	AQUEOUS	**Sample Size:**	1.00 L
Sample Receipt Date:	N/A	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 02:20:55	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 20**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng/L		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

COMPOUND	LAB FLAG [1]	CONC. FOUND	REPORTING LIMIT (RL)[2]	RETENTION TIME
Allyl Trenbolone	U		0.456 (L)	
Androstenedione	U		2.00 (L)	
Androsterone	U		38.6 (S)	
Desogestrel	U		257 (S)	
Estriol	U		16.0 (L)	
Mestranol		52.2	20.0 (L)	20:10
Norethindrone	U		4.00 (L)	
Norgestrel	U		4.00 (L)	
Progesterone	U		0.800 (L)	
Testosterone	U		0.800 (L)	

(1) Where applicable, custom lab flags have been used on this report; U = not detected at RL.
(2) Reporting Limit (Code): S = sample detection limit; M = method detection limit; L = lowest calibration level equivalent; Q = minimum reporting level.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form1A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_WG59329-101_Form1A_HM7J_080S20_SJ2204185.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

CLIENT SAMPLE NO.
Lab Blank
Sample Collection:
N/A

Form 2

PHARMACEUTICALS ANALYSIS REPORT

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Project No.	N/A		
Contract No.:	4114	**Lab Sample I.D.:**	WG59329-101
Matrix:	AQUEOUS	**Sample Size:**	1.00 L
Sample Receipt Date:	N/A	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 02:20:55	**Column ID:**	C18MS
Extract Volume (uL):	2000	**Sample Data Filename:**	**HM7J_080 S: 20**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13
Concentration Units:	ng absolute		

This page is part of a total report that contains information necessary for accreditation compliance.
This test is not NELAP accredited. Sample results relate only to the sample tested.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC.	CONC. FOUND	R(%) [2]	RETENTION TIME
D6-Norethindrone		501	557	111	16:16
D9-Progesterone		499	609	122	18:33
D6-Norgestrel		501	567	113	17:27

(1) Where applicable, custom lab flags have been used on this report.
(2) R(%) = percent recovery.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form2.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: LC_PPC_LC_HM075_POS_WG59329-101_Form2_HM7J_080S20_SJ2204185.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 8A

PHARMACEUTICALS ONGOING PRECISION AND RECOVERY (OPR)

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Contract No.:	4114	**Lab Sample I.D.:**	WG59329-102
Matrix:	AQUEOUS	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 00:20:53	**Column ID:**	C18MS
Extract Volume (uL):	2000	**OPR Data Filename:**	**HM7J_080 S: 16**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13

ALL CONCENTRATIONS REPORTED ON THIS FORM ARE CONCENTRATIONS IN EXTRACT, BASED ON A 1 mL EXTRACT VOLUME.

COMPOUND	LAB FLAG [1]	SPIKE CONC. (ng/mL)	CONC. FOUND (ng/mL)	% RECOVERY	RETENTION TIME
Allyl Trenbolone		20.0	12.7	63.6	18:03
Androstenedione		50.0	45.0	90.0	16:12
Androsterone		500	440	87.9	18:51
Desogestrel	TIC	1500	336	22.4	21:30
Estriol		400	409	102	11:59
Mestranol		500	352	70.5	20:04
Norethindrone		100	94.8	94.8	16:21
Norgestrel		100	100	100	17:31
Progesterone		20.0	23.0	115	18:39
Testosterone		20.0	14.5	72.7	16:57

(1) Where applicable, custom lab flags have been used on this report; TIC = compound identity and concentration are estimated.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

These pages are part of a larger report that may contain information necessary for full data evaluation. Results reported relate only to the sample tested.

For Axys Internal Use Only [XSL Template: FC-Form8A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12; Report Filename: LC_PPC_LC_HM075_POS_WG59329-102_Form8A_SJ2204180.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 8B

PHARMACEUTICALS ONGOING PRECISION AND RECOVERY (OPR)

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Contract No.:	4114	**Lab Sample I.D.:**	WG59329-102
Matrix:	AQUEOUS	**Initial Calibration Date:**	27-Apr-2017
Extraction Date:	25-Apr-2017	**Instrument ID:**	LC MS/MS
Analysis Date:	28-Apr-2017 **Time:** 00:20:53	**Column ID:**	C18MS
Extract Volume (uL):	2000	**OPR Data Filename:**	**HM7J_080 S: 16**
Injection Volume (uL):	15	**Blank Data Filename:**	HM7J_080 S: 20
Dilution Factor:	N/A	**Cal. Ver. Data Filename:**	HM7J_080 S: 13

ALL CONCENTRATIONS REPORTED ON THIS FORM ARE CONCENTRATIONS IN EXTRACT, BASED ON A 1 mL EXTRACT VOLUME.

LABELED COMPOUND	LAB FLAG [1]	SPIKE CONC. (ng/mL)	CONC. FOUND (ng/mL)	% RECOVERY	RETENTION TIME
D6-Norethindrone		501	479	95.7	16:16
D9-Progesterone		499	395	79.2	18:33
D6-Norgestrel		501	454	90.6	17:27

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

These pages are part of a larger report that may contain information necessary for full data evaluation. Results reported relate only to the sample tested.

For Axys Internal Use Only [XSL Template: FC-Form8B.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12; Report Filename: LC_PPC_LC_HM075_POS_WG59329-102_Form8B_SJ2204180.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 3A
PHARMACEUTICAL INITIAL CALIBRATION PERCENT RECOVERIES

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Initial Calibration Date: 27-Apr-2017

Instrument ID: LC MS/MS

LC Column ID: C18MS

CS0 Data Filename: HM7J_080 S: 4
CS1 Data Filename: HM7J_080 S: 5
CS2 Data Filename: HM7J_080 S: 6
CS3 Data Filename: HM7J_080 S: 7
CS4 Data Filename: HM7J_080 S: 8
CS5 Data Filename: HM7J_080 S: 9
CS6 Data Filename: HM7J_080 S: 10
CS7 Data Filename: N/A
CS8 Data Filename: N/A

		PERCENT RECOVERY (%)								
COMPOUND	**LAB FLAG [1]**	**CS0**	**CS1**	**CS2**	**CS3**	**CS4**	**CS5**	**CS6**	**CS7**	**CS8**
Allyl Trenbolone		75.4	107	112	112	93.2				
Androstenedione		127	106	88.1	81.5	94.9	103			
Androsterone		125	100	95.0	98.1	76.6	105			
Desogestrel		125	96.3	88.8	97.9	75.5	120	97.2		
Estriol		76.2	80.6	126	109	113	96.3			
Mestranol		120	113	90.1	83.1	104	87.3	103		
Norethindrone		106	94.8	99.0	92.5	103	105	99.0		
Norgestrel		88.6	90.1	104	109	108	102	99.2		
Progesterone		85.2	90.2	102	109	109	107	98.2		
Testosterone		128	106	96.3	87.6	84.7	95.3	102		

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form3A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: GENERIC-SPECS_PPC_LC_27-Apr-2017_HM7J__Form3A_GS69934.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 3B
PHARMACEUTICAL INITIAL CALIBRATION PERCENT RECOVERIES

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Initial Calibration Date: 27-Apr-2017

Instrument ID: LC MS/MS

LC Column ID: C18MS

CS0 Data Filename: HM7J_080 S: 4
CS1 Data Filename: HM7J_080 S: 5
CS2 Data Filename: HM7J_080 S: 6
CS3 Data Filename: HM7J_080 S: 7
CS4 Data Filename: HM7J_080 S: 8
CS5 Data Filename: HM7J_080 S: 9
CS6 Data Filename: HM7J_080 S: 10
CS7 Data Filename: N/A
CS8 Data Filename: N/A

		PERCENT RECOVERIES (%)								
LABELED COMPOUND	**LAB FLAG [1]**	**CS0**	**CS1**	**CS2**	**CS3**	**CS4**	**CS5**	**CS6**	**CS7**	**CS8**
D6-Norethindrone		88.9	106	140	124	99.2	79.2	63.3		
D9-Progesterone		86.0	103	130	113	98.2	84.8	85.0		
D6-Norgestrel		90.7	103	134	115	103	83.7	71.0		

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form3B.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: GENERIC-SPECS_PPC_LC_27-Apr-2017_HM7J__Form3B_GS69934.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 3C
PHARMACEUTICAL INITIAL CALIBRATION RETENTION TIMES

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Initial Calibration Date: 27-Apr-2017

Instrument ID: LC MS/MS

LC Column ID: C18MS

CS0 Data Filename: HM7J_080 S: 4
CS1 Data Filename: HM7J_080 S: 5
CS2 Data Filename: HM7J_080 S: 6
CS3 Data Filename: HM7J_080 S: 7
CS4 Data Filename: HM7J_080 S: 8
CS5 Data Filename: HM7J_080 S: 9
CS6 Data Filename: HM7J_080 S: 10
CS7 Data Filename: N/A
CS8 Data Filename: N/A

		RETENTION TIMES								
COMPOUND	**LAB FLAG [1]**	**CS0**	**CS1**	**CS2**	**CS3**	**CS4**	**CS5**	**CS6**	**CS7**	**CS8**	**MEAN RT**
Allyl Trenbolone		18:03	18:03	18:03	18:03	18:03					18:03
Androstenedione		16:12	16:12	16:07	16:12	16:12	16:12				16:11
Androsterone		18:51	18:51	18:48	18:51	18:51	18:51				18:51
Desogestrel		21:33	21:33	21:33	21:33	21:33	21:33	21:30			21:33
Estriol		11:57	11:57	11:56	11:57	11:57	11:59				11:57
Mestranol		20:04	20:04	20:04	20:04	20:04	20:04	20:04			20:04
Norethindrone		16:21	16:21	16:21	16:21	16:21	16:21	16:21			16:21
Norgestrel		17:31	17:31	17:27	17:31	17:31	17:31	17:31			17:30
Progesterone		18:39	18:39	18:39	18:39	18:39	18:39	18:39			18:39
Testosterone		16:57	16:57	16:57	16:57	16:57	16:57	16:57			16:57

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form3C.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: GENERIC-SPECS_PPC_LC_27-Apr-2017_HM7J__Form3C_GS69934.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 3D
PHARMACEUTICAL INITIAL CALIBRATION RETENTION TIMES

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Initial Calibration Date: 27-Apr-2017

Instrument ID: LC MS/MS

LC Column ID: C18MS

CS0 Data Filename: HM7J_080 S: 4
CS1 Data Filename: HM7J_080 S: 5
CS2 Data Filename: HM7J_080 S: 6
CS3 Data Filename: HM7J_080 S: 7
CS4 Data Filename: HM7J_080 S: 8
CS5 Data Filename: HM7J_080 S: 9
CS6 Data Filename: HM7J_080 S: 10
CS7 Data Filename: N/A
CS8 Data Filename: N/A

		RETENTION TIMES								
LABELED COMPOUND	**LAB FLAG[1]**	**CS0**	**CS1**	**CS2**	**CS3**	**CS4**	**CS5**	**CS6**	**CS7**	**CS8**	**MEAN RT**
D6-Norethindrone		16:16	16:16	16:16	16:16	16:16	16:16	16:16			16:16
D9-Progesterone		18:33	18:33	18:33	18:33	18:33	18:33	18:33			18:33
D6-Norgestrel		17:27	17:27	17:22	17:27	17:27	17:27	17:27			17:26

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form3D.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12;
Report Filename: GENERIC-SPECS_PPC_LC_27-Apr-2017_HM7J__Form3D_GS69934.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 4A
PHARMACEUTICAL CALIBRATION VERIFICATION

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Initial Calibration Date:	27-Apr-2017	**VER Data Filename:**	HM7J_080 S: 13
Instrument ID:	LC MS/MS	**Analysis Date:**	27-Apr-2017
LC Column ID:	C18MS	**Analysis Time:**	22:50:51

COMPOUND	LAB FLAG [1]	RETENTION TIME	EXPECTED CONC. (ng)	CONC. FOUND (ng)	RECOVERY (%)
Allyl Trenbolone		18:03	11.4	12.1	106
Androstenedione		16:12	50.0	50.6	101
Androsterone		18:51	500	442	88.3
Desogestrel		21:33	1010	846	84.2
Estriol		11:57	400	460	115
Mestranol		20:07	500	519	104
Norethindrone		16:21	100	101	101
Norgestrel		17:31	100	106	106
Progesterone		18:39	20.0	21.9	109
Testosterone		16:57	20.0	17.8	88.9

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form4A.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12; Report Filename: GENERIC-SPECS_PPC_LC_HM7J_080S13__Form4A_SJ2204177.html; Workgroup: WG59329; Design ID: 3092]

AXYS METHOD MLA-075 Rev 06

Form 4B
PHARMACEUTICAL CALIBRATION VERIFICATION

SGS AXYS ANALYTICAL SERVICES
2045 MILLS RD., SIDNEY, B.C., CANADA
V8L 5X2 TEL (250) 655-5800 FAX (250) 655-5811

Initial Calibration Date:	27-Apr-2017	**VER Data Filename:**	HM7J_080 S: 13
Instrument ID:	LC MS/MS	**Analysis Date:**	27-Apr-2017
LC Column ID:	C18MS	**Analysis Time:**	22:50:51

LABELED COMPOUND	LAB FLAG [1]	RETENTION TIME	EXPECTED CONC. (ng)	CONC. FOUND (ng)	RECOVERY (%)
D6-Norethindrone		16:16	501	372	74.2
D9-Progesterone		18:33	499	385	77.2
D6-Norgestrel		17:27	501	405	80.9

(1) Where applicable, custom lab flags have been used on this report.

These data are validated and reported as accurate and in accord with SGS AXYS Analytical Services Ltd. ISO17025 compliant quality assurance processes.

Signed: _____Henry Huang_____

For Axys Internal Use Only [XSL Template: FC-Form4B.xsl; Created: 15-Sep-2017 08:57:38; Application: XMLTransformer-1.16.12; Report Filename: GENERIC-SPECS_PPC_LC_HM7J_080S13__Form4B_SJ2204177.html; Workgroup: WG59329; Design ID: 3092]

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
BFR	BTBPE	SGS AXYS MLA-033	MLA-033			Y										Y							Y										
	DBDPE	SGS AXYS MLA-033	MLA-033			Y										Y							Y										
	HBB	SGS AXYS MLA-033	MLA-033			Y										Y							Y										
	PBEB	SGS AXYS MLA-033	MLA-033			Y										Y							Y										
BPA and MPE	4,4'-dihydroxy-2,2-diphenylpropane (Bisphenol A) (BPA)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-(2-ethyl-5-hydroxyhexyl) phthalate (MEHHP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-(2-ethyl-5-oxohexyl) phthalate (MEOHP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-(3-carboxypropyl) phthalate (MCPP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-2-ethylhexyl phthalate (MEHP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-benzyl phthalate (MBzP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-butyl phthalate (MBP) (n + iso)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-cyclohexyl phthalate (MCHP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-ethyl phthalate (MEP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-iso-nonyl phthalate (MiNP)	SGS AXYS MLA-059	MLA-059																			Y											
	Mono-methyl phthalate (MMP)	SGS AXYS MLA-059	MLA-059																			Y											
FTS	4:2 fluorotelomer sulfonate (4:2 FTS)	SGS AXYS MLA-081	MLA-081																													YD	
		SGS AXYS MLA-089	MLA-089												YD																		
	6:2 fluorotelomer sulfonate (6:2 FTS)	SGS AXYS MLA-081	MLA-081																													YD	
		SGS AXYS MLA-089	MLA-089												YD																		
	8:2 fluorotelomer sulfonate (8:2 FTS)	SGS AXYS MLA-081	MLA-081																													YD	
		SGS AXYS MLA-089	MLA-089												YD																		
HBCDD	alpha-hexabromocyclododecane (a-HBCDD)	SGS AXYS MLA-070	MLA-070		Y																												
	beta-hexabromocyclododecane (b-HBCDD)	SGS AXYS MLA-070	MLA-070		Y																												
	gamma-hexabromocyclododecane (g-HBCDD)	SGS AXYS MLA-070	MLA-070		Y																												
OC Pesticides	2,4'-DDD	EPA 625	MLA-007																					Y									
		EPA 8270	MLA-007					Y					Y																					
		EPA 1699	MLA-028					Y							Y										Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y								Y							Y		Y								
	2,4'-DDE	EPA 625	MLA-007																					Y									
		EPA 8270	MLA-007					Y					Y																					
		EPA 1699	MLA-028					Y							Y										Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y								Y							Y		Y								
	2,4'-DDT	EPA 625	MLA-007																					Y									
		EPA 8270	MLA-007					Y					Y																					
		EPA 1699	MLA-028					Y							Y										Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y								Y							Y		Y								
	4,4'-DDD	EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																			
		EPA 1699	MLA-028					Y							Y										Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	4,4'-DDE	EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																			
		EPA 1699	MLA-028					Y							Y										Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	4,4'-DDT	EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
Compound Class	Compound	Accredited Method ID	SGS AXYS Method	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Aldrin	EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Alpha-HCH	EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Beta-HCH	EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Chlordane, technical	EPA 625	MLA-007																					Y							Y		
		EPA 8270	MLA-007				Y	Y			Y	Y		Y	Y											Y			Y	Y		Y	Y	
		SGS AXYS MLA-007	MLA-007					Y							Y										Y							Y	
	cis-Chlordane (alpha-Chlordane)	EPA 8270	MLA-007					Y			Y		Y	Y	Y										Y			Y			Y	Y	
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	cis-Nonachlor	EPA 8270	MLA-007					Y					Y												Y								
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y								Y							Y		Y								
	Delta-HCH	EPA 608	MLA-007																						Y			Y	Y		Y	Y	
		EPA 8081	MLA-007					Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Dieldrin	EPA 608	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Endosulphan I	EPA 608	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	
	Endosulphan II	EPA 608	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																		
		EPA 1699	MLA-028					Y							Y										Y							Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y					Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y							Y	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	Endosulphan sulphate	EPA 608	MLA-007																				Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Endrin	EPA 608	MLA-007																				Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Endrin aldehyde	EPA 608	MLA-007																				Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y								Y									Y	
	Endrin ketone	EPA 8081	MLA-007					Y			Y		Y		Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y			
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Gamma-HCH (Lindane)	EPA 625	MLA-007																				Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Heptachlor	EPA 625	MLA-007																				Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Heptachlor epoxide	EPA 608	MLA-007																				Y	Y			Y	Y		Y	Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Hexachlorobenzene	EPA 1625	MLA-007																				Y	Y				Y				Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Methoxychlor	EPA 608	MLA-007																					Y				Y	Y			Y	
		EPA 8081	MLA-007				Y	Y			Y	Y	Y	Y	Y																	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Mirex	EPA 8270	MLA-007					Y			Y		Y		Y									Y				Y	Y		Y	Y	
		EPA 1699	MLA-028					Y							Y									Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y	Y							Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y						Y	Y									Y	
	Oxychlordane	EPA 8270	MLA-007					Y					Y											Y									
		EPA 1699	MLA-028					Y							Y									Y								Y	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y						Y		Y						Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y								Y						Y		Y									
	Toxaphene	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	trans-Chlordane (gamma-Chlordane)	EPA 8270	MLA-007					Y				Y		Y	Y										Y				Y			Y	Y
		EPA 1699	MLA-028					Y							Y										Y								Y
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y						Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y							Y	Y							Y		Y								Y	
	trans-Nonachlor	EPA 8270	MLA-007					Y					Y												Y								
		EPA 1699	MLA-028					Y							Y										Y								Y	
		SGS AXYS MLA-028	MLA-028		Y	Y		Y					Y		Y	Y							Y		Y						Y		Y	
		SGS AXYS MLA-007	MLA-007		Y	Y		Y								Y									Y								
PAH	1,2,6-Trimethylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1,2-Dimethylnaphthalene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1,4,6,7-Tetramethylnaphthalene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1,7-Dimethylfluorene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1,7-Dimethylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1,8-Dimethylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1-Methylchrysene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1-Methylnaphthalene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	1-Methylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2,3,5-Trimethylnaphthalene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2,3,6-Trimethylnaphthalene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2,4-Dimethyldibenzothiophene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2,6-Dimethylnaphthalene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2,6-Dimethylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2/3-Methyldibenzothiophenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2-Methylanthracene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2-Methylfluorene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	2-methylnaphthalene	EPA 1625	MLA-021																														Y
		EPA 8270	MLA-021					Y				Y													Y									
		SGS AXYS MLA-021	MLA-021			Y		Y							Y								Y										Y	
	2-Methylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	3,6-Dimethylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	3-Methylfluoranthene/ Benzo(a)fluorene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	3-Methylphenanthrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	5,9-Dimethylchrysene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	5/6-Methylchrysenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	7-Methylbenzo(a)pyrene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	9/4-Methylphenanthrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	Acenaphthene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																			
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y								Y	
	Acenaphthylene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																			
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y								Y	
	Anthracene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																			
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y								Y	
	Benz[a]anthracene	EPA 1625	MLA-021																					Y	Y			Y	Y				Y

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																	
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Benzo[a]pyrene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Benzo[b]fluoranthene	EPA 1625	MLA-021																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Benzo[e]pyrene	SGS AXYS MLA-021	MLA-021			Y										Y							Y										
	Benzo[ghi]perylene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Benzo[j/k]fluoranthenes	SGS AXYS MLA-021	MLA-021																				Y										
	Benzo[k]fluoranthene	EPA 1625	MLA-021																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-021					Y			Y			Y	Y																		
		SGS AXYS MLA-021	MLA-021					Y							Y	Y							Y		Y							Y	
	Biphenyl	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Acenaphthenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Benz(a)anthracenes/chrysenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Benzofluoranthenes/ Benzopyrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Biphenyls	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Dibenzothiophene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Fluoranthenes/Pyrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Fluorenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Naphthalenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C1-Phenanthrenes/Anthracenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Benz(a)anthracenes/Chrysenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Benzofluoranthenes/ Benzopyrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Biphenyls	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Dibenzothiophene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Fluoranthenes/Pyrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Fluorenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Naphthalenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C2-Phenanthrenes/Anthracenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C3-Benz(a)anthracenes/Chrysenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C3-Dibenzothiophene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C3-Fluoranthenes/Pyrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C3-Fluorenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C3-Naphthalenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C3-Phenanthrenes/Anthracenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C4-Benz(a)anthracenes/Chrysenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C4-Dibenzothiophene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C4-Fluoranthenes/Pyrenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C4-Naphthalenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	C4-Phenanthrenes/Anthracenes	SGS AXYS MLA-021	MLA-021			Y																	Y										
	Chrysene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Dibenz[ah]anthracene	SGS AXYS MLA-021	MLA-021			Y										Y							Y										
	Dibenzo[ah]anthracene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																	
		SGS AXYS MLA-021	MLA-021					Y							Y										Y							Y	
	Dibenzothiophene	SGS AXYS MLA-021	MLA-021			Y																	Y										
	Fluoranthene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Fluorene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Indeno[1,2,3-cd]pyrene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Naphthalene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Perylene	SGS AXYS MLA-021	MLA-021			Y										Y							Y										
	Phenanthrene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Pyrene	EPA 1625	MLA-021																					Y	Y			Y	Y			Y	
		EPA 8270	MLA-021				Y	Y			Y	Y		Y	Y																		
		SGS AXYS MLA-021	MLA-021			Y		Y							Y	Y							Y		Y							Y	
	Retene	SGS AXYS MLA-021	MLA-021			Y										Y							Y										
PBDPE	BDE 10 2,6-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 100 2,2',4,4',6-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 105 2,3,3',4,4'-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 11 3,3'-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 116 2,3,4,5,6-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 119 2,3',4,4',6-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 12 3,4-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 126 3,3',4,4',5-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 13 3,4'-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 140 2,2',3,4,4',6'-hexabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 15 4,4'-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 153 2,2',4,4',5,5'-hexabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 154 2,2',4,4',5',6-hexabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 155 2,2',4,4',6,6'-hexabromodiphenylether	EPA 1614	MLA-033										Y																	Y			

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 166 2,3,4,4',5,6-hexabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 17 2,2',4-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 181 2,2',3,4,4',5,6-heptabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 190 2,3,3',4,4',5,6-heptabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 206 2,2',3,3',4,4',5,5',6-nonabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 207 2,2',3,3',4,4',5,6,6'-nonabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 208 2,2',3,3',4,5,5',6,6'-nonabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 209 Decabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 25 2,3',4-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 28 2,4,4'-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 30 2,4,6-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 35 3,3',4-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 37 3,4,4'-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 47 2,2',4,4'-tetrabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 49 2,2',4,5'-tetrabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 66 2,3',4,4'-tetrabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 7 2,4-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 75 2,4,4',6-tetrabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 77 3,3',4,4'-tetrabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 8 2,4'-dibromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 85 2,2',3,4,4'-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE 99 2,2',4,4',5-pentabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE-183 2,2',3,4,4',5',6-heptabromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
	BDE-33 2',3,4-tribromodiphenylether	EPA 1614	MLA-033										Y																	Y			
		SGS AXYS MLA-033	MLA-033		Y	Y										Y							Y										
PCB Aroclors	PCB Aroclor 1016	EPA 1668	MLA-010				Y							Y	Y									Y							Y	Y	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Method	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y			Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1016/1242	EPA 8270	MLA-007										Y																				
	PCB Aroclor 1221	EPA 1668	MLA-010					Y						Y	Y										Y							Y	Y	
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y		Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1232	EPA 1668	MLA-010					Y						Y	Y										Y							Y	Y	
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y		Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1242	EPA 1668	MLA-010					Y						Y	Y										Y							Y	Y	
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y			Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1248	EPA 1668	MLA-010					Y						Y	Y										Y							Y	Y	
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y		Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1254	EPA 1668	MLA-010					Y						Y	Y										Y							Y	Y	
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y		Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1260	EPA 1668	MLA-010					Y						Y	Y										Y							Y	Y	
		EPA 625	MLA-007																					Y	Y			Y	Y		Y	Y	
		EPA 8270	MLA-007				Y	Y			Y	Y	Y		Y																		
		SGS AXYS MLA-010	MLA-010					Y							Y										Y							Y	
		SGS AXYS MLA-007	MLA-007			Y		Y							Y	Y							Y		Y							Y	
	PCB Aroclor 1268	SGS AXYS MLA-007	MLA-007			Y										Y							Y										
PCB congeners	PCB 1 2-Chlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 10 2,6-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 100 2,2',4,4',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 101 2,2',4,5,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 101/90/89	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 102 2,2',4,5,6'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 103 2,2',4,5',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 104 2,2',4,6,6'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 105 2,3,3',4,4'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 105/127	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 106 2,3,3',4,5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 107 2,3,3',4',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 107/109	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 108 2,3,3',4,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 109 2,3,3',4,6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 11 3,3'-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 110 2,3,3',4',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 111 2,3,3',5,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 111/117	EPA 8270	MLA-007										Y																				
	PCB 112 2,3,3',5,6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 113 2,3,3',5',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 114 2,3,4,4',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 115 2,3,4,4',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 116 2,3,4,5,6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 117 2,3,4',5,6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 118 2,3',4,4',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 118/106	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 119 2,3',4,4',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 12 3,4-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 12/13	EPA 8270	MLA-007										Y																				
	PCB 120 2,3',4,5,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 121 2,3',4,5',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 122 2,3,3',4',5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 123 2,3',4,4',5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 124 2,3',4',5,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 125 2,3',4',5',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 126 3,3',4,4',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 127 3,3',4,5,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 128 2,2',3,3',4,4'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 129 2,2',3,3',4,5-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 13 3,4'-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 130 2,2',3,3',4,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 131 2,2',3,3',4,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 131/142	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 132 2,2',3,3',4,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 132/168	EPA 8270	MLA-007										Y																				
	PCB 133 2,2',3,3',5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Method	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 134 2,2',3,3',5,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	Y	YD					YD				Y			Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 134/143	EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 135 2,2',3,3',5,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 136 2,2',3,3',6,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 137 2,2',3,4,4',5-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 138 2,2',3,4,4',5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 138/163/164	EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 139 2,2',3,4,4',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 14 3,5-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 140 2,2',3,4,4',6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 141 2,2',3,4,5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 142 2,2',3,4,5,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 143 2,2',3,4,5,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 144 2,2',3,4,5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 144/135	EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 145 2,2',3,4,6,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
	PCB 146 2,2',3,4',5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y						YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 147 2,2',3,4',5,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																			

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 148 2,2',3,4',5,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 149 2,2',3,4',5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 149/139	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 15 4,4'-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 150 2,2',3,4',6,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 151 2,2',3,5,5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 152 2,2',3,5,6,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 153 2,2',4,4',5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 154 2,2',4,4',5,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 155 2,2',4,4',6,6'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 156 2,3,3',4,4',5-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 157 2,3,3',4,4',5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 158 2,3,3',4,4',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 158/160	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 159 2,3,3',4,5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 16 2,2',3-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 16/32	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 160 2,3,3',4,5,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 161 2,3,3',4,5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 162 2,3,3',4',5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 163 2,3,3',4',5,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 164 2,3,3',4',5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 165 2,3,3',5,5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 166 2,3,4,4',5,6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 167 2,3',4,4',5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 168 2,3',4,4',5',6-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 169 3,3',4,4',5,5'-Hexachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 17 2,2',4-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 170 2,2',3,3',4,4',5-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 170/190	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 171 2,2',3,3',4,4',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 172 2,2',3,3',4,5,5'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 172/192	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 173 2,2',3,3',4,5,6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 174 2,2',3,3',4,5,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 174/181	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 175 2,2',3,3',4,5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 176 2,2',3,3',4,6,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 177 2,2',3,3',4,5',6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 178 2,2',3,3',5,5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 179 2,2',3,3',5,6,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 18 2,2',5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 180 2,2',3,4,4',5,5'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 181 2,2',3,4,4',5,6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 182 2,2',3,4,4',5,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 183 2,2',3,4,4',5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 184 2,2',3,4,4',6,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 185 2,2',3,4,5,5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 186 2,2',3,4,5,6,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 187 2,2',3,4',5,5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 187/182	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 188 2,2',3,4',5,6,6'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 189 2,3,3',4,4',5,5'-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 19 2,2',6-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 190 2,3,3',4,4',5,6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 191 2,3,3',4,4',5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 192 2,3,3',4,5,5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 193 2,3,3',4',5,5',6-Heptachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 194 2,2',3,3',4,4',5,5'-Octachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 195 2,2',3,3',4,4',5,6-Octachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 196 2,2',3,3',4,4',5,6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 196/203	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 197 2,2',3,3',4,4',6,6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 198 2,2',3,3',4,5,5',6-Octachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 199 2,2',3,3',4,5,5',6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 2 3-Chlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 20 2,3,3'-Trichlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 200 2,2',3,3',4,5,6,6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 201 2,2',3,3',4,5',6,6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 202 2,2',3,3',5,5',6,6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 203 2,2',3,4,4',5,5',6-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 204 2,2',3,4,4',5,6,6'-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 205 2,3,3',4,4',5,5',6-Octachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 206 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 207 2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 208 2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 209 Decachlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 21 2,3,4-Trichlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 22 2,3,4'-Trichlorobiphenyl	EPA 1668	MLA-010					Y			Y	Y	Y	Y	YD						YD				Y			Y	Y	Y	Y	YD	Y

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 23 2,3,5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 23/34	EPA 8270	MLA-007										Y																				
	PCB 24 2,3,6-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 24/27	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 25 2,3',4-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 26 2,3',5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 27 2,3',6-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 28 2,4,4'-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 29 2,4,5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 3 4-Chlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 30 2,4,6-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 31 2,4',5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 32 2,4',6-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 33 2,3',4'-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 33/20/21	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 34 2,3',5'-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 35 3,3',4-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 36 3,3',5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 37 3,4,4'-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 38 3,4,5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 39 3,4',5-Trichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 4 2,2'-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 4/10	EPA 8270	MLA-007										Y																				
	PCB 40 2,2',3,3'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 41 2,2',3,4-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 41/71/64/68	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 42 2,2',3,4'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 42/59	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 43 2,2',3,5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 44 2,2',3,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 45 2,2',3,6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 46 2,2',3,6'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 47 2,2',4,4'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 47/48/75	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 48 2,2',4,5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 49 2,2',4,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 49/43	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 5 2,3-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 50 2,2',4,6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 51 2,2',4,6'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 52 2,2',5,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 52/73	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 53 2,2',5,6'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 54 2,2',6,6'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 55 2,3,3',4-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 56 2,3,3',4'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 56/60	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 57 2,3,3',5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 58 2,3,3',5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 59 2,3,3',6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 6 2,3'-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 60 2,3,4,4'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 61 2,3,4,5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 62 2,3,4,6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 62/65	EPA 8270	MLA-007										Y																				
	PCB 63 2,3,4',5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 64 2,3,4',6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 65 2,3,5,6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 66 2,3',4,4'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 66/80	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 67 2,3',4,5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 68 2,3',4,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 69 2,3',4,6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 7 2,4-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 7/9	EPA 8270	MLA-007										Y																				
	PCB 70 2,3',4',5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 70/76	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 71 2,3',4',6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 72 2,3',5,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 73 2,3',5',6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 74 2,4,4',5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB 74/61	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 75 2,4,4',6-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 76 2,3',4',5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 77 3,3',4,4'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 78 3,3',4,5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 79 3,3',4,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 8 2,4'-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 8/5	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 80 3,3',5,5'-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
Compound Class	Compound	Accredited Method ID	SGS AXYS Method	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	PCB 81 3,4,4',5-Tetrachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 82 2,2',3,3',4-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 83 2,2',3,3',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 83/108	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 84 2,2',3,3',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 85 2,2',3,4,4'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 85/120	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 86 2,2',3,4,5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 87 2,2',3,4,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 87/115/116	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 88 2,2',3,4,6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 88/121	EPA 8270	MLA-007										Y																				
	PCB 89 2,2',3,4,6'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 9 2,5-Dichlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y		YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 90 2,2',3,4',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 91 2,2',3,4',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 92 2,2',3,5,5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 93 2,2',3,5,6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 94 2,2',3,5,6'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 95 2,2',3,5',6-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 95/93	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 96 2,2',3,6,6'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-007										Y																			
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 97 2,2',3,4',5'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 97/86	EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	PCB 98 2,2',3,4',6'-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
	PCB 98/102	EPA 8270	MLA-007										Y																				
	PCB 99 2,2',4,4',5-Pentachlorobiphenyl	EPA 1668	MLA-010					Y		Y	Y	Y	Y	Y	YD						YD				Y		Y	Y	Y	Y		YD	Y
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y		Y							YD	Y					YD		Y		Y							YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
		SGS AXYS MLA-901	MLA-901		Y																												
	PCB congeners, total	EPA 1668	MLA-010								Y																		Y				
	Sum - Dichlorobiphenyls (BZ-12-+ BZ-13)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Heptachlorobiphenyls (BZ-171 + BZ-173)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Heptachlorobiphenyls (BZ-180 + BZ-193)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Heptachlorobiphenyls (BZ-183 + BZ-185)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-128 + BZ-166)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-129 + BZ-138 + BZ-160 + BZ-163)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-134 + BZ-143)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-135 + BZ-151 + BZ-154)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-139 + BZ-140)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-147 + BZ-149)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-153 + BZ-168)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Hexachlorobiphenyls (BZ-156 + BZ-157)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Pentachlorobiphenyls (BZ-107 + BZ-124)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Pentachlorobiphenyls (BZ-108 + BZ-124)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Pentachlorobiphenyls (BZ-110 + BZ-115)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Pentachlorobiphenyls (BZ-83 + BZ-99)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Pentachlorobiphenyls (BZ-85 + BZ-116 + BZ-117)	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Sum - Pentachlorobiphenyls (BZ-86 + BZ-87 + BZ 97 + BZ-109 + BZ-119 + BZ-125)	EPA 1668	MLA-010												YD						YD											YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE*	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Pentachlorobiphenyls (BZ-86 + BZ-87 + BZ-97 + BZ-108 + BZ-119 +BZ-125)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Pentachlorobiphenyls (BZ-88 + BZ-91)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Pentachlorobiphenyls (BZ-90 + BZ-101 + BZ-113)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Pentachlorobiphenyls (BZ-93 + BZ-95 + BZ-98 + BZ-100 + BZ-102)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-40 + BZ-41 + BZ-71)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-44 + BZ-47 + BZ-65)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-45 + BZ-51)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-49 + BZ-69)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-50 + BZ-53)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-59 + BZ-62 + BZ-75)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Tetrachlorobiphenyls (BZ-61 + BZ-70 + BZ-74 + BZ-76)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Trichlorobiphenyls (BZ-18 + BZ-30)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Trichlorobiphenyls (BZ-20 + BZ-28)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Trichlorobiphenyls (BZ-21 + BZ-33)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Sum - Trichlorobiphenyls (BZ-26 + BZ-29)	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010											YD						YD											YD
	Total Dichlorobiphenyls	EPA 1668	MLA-010											YD						YD											YD
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y								YD		Y				YD		Y										YD
		SGS AXYS MLA-007	MLA-007			Y										Y						Y											
	Total Heptachlorobiphenyls	EPA 1668	MLA-010											YD						YD											YD
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y								YD		Y				YD		Y										YD
		SGS AXYS MLA-007	MLA-007			Y										Y						Y											
	Total Hexachlorobiphenyls	EPA 1668	MLA-010											YD						YD											YD
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y								YD		Y				YD		Y										YD
		SGS AXYS MLA-007	MLA-007			Y										Y						Y											
	Total Monochlorobiphenyls	EPA 1668	MLA-010											YD						YD											YD
		SGS AXYS MLA-010	MLA-010		Y	Y								YD		Y				YD		Y										YD
	Total Nonachlorobiphenyls	EPA 1668	MLA-010											YD						YD											YD
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y								YD		Y				YD		Y										YD
		SGS AXYS MLA-007	MLA-007			Y										Y						Y											
	Total Octachlorobiphenyls	EPA 1668	MLA-010											YD						YD											YD

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y									YD	Y					YD		Y									YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	Total PCBs	EPA 1668	MLA-010												YD						YD											YD	
		SGS AXYS MLA-010	MLA-010												YD						YD											YD	
	Total Pentachlorobiphenyls	EPA 1668	MLA-010												YD						YD											YD	
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y									YD	Y					YD		Y									YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	Total Polychlorinated biphenyls	SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	Total Tetrachlorobiphenyls	EPA 1668	MLA-010												YD						YD											YD	
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y									YD	Y					YD		Y									YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
	Total Trichlorobiphenyls	EPA 1668	MLA-010												YD						YD											YD	
		EPA 8270	MLA-007										Y																				
		SGS AXYS MLA-010	MLA-010		Y	Y									YD	Y					YD		Y									YD	
		SGS AXYS MLA-007	MLA-007			Y										Y							Y										
PCDDF	1,2,3,4,6,7,8-HpCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,4,6,7,8-HpCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,4,7,8,9-HpCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,4,7,8-HxCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,4,7,8-HxCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,6,7,8-HxCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,6,7,8-HxCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,7,8,9-HxCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,7,8,9-HxCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,7,8-PeCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	1,2,3,7,8-PeCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable									
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	2,3,4,6,7,8-HxCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	2,3,4,7,8-PeCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	2,3,7,8-TCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	2,3,7,8-TCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	OCDD	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	OCDF	EPA 1613	MLA-017										Y		YD						YD			Y	Y		Y	Y	Y	Y	Y	YD	
		EPA 8290	MLA-017				Y	Y		Y	Y	Y		Y	YD		Y		Y	Y	YD				Y			Y	Y			YD	
		SGS AXYS MLA-017	MLA-017	Y	Y	Y		Y							YD	Y	Y				YD		Y		Y							YD	
	Total HpCDD	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total HpCDF	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total HxCDD	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total HxCDF	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total PCDD	EPA 1613	MLA-017												YD						YD											YD	
		EPA 8290	MLA-017												YD						YD											YD	
		SGS AXYS MLA-017	MLA-017												YD						YD											YD	
	Total PCDD+PCDF	EPA 1613	MLA-017												YD						YD											YD	
		EPA 8290	MLA-017												YD						YD											YD	
		SGS AXYS MLA-017	MLA-017												YD						YD											YD	
	Total PCDF	EPA 1613	MLA-017												YD						YD											YD	
		EPA 8290	MLA-017												YD						YD											YD	
		SGS AXYS MLA-017	MLA-017												YD						YD											YD	
	Total PeCDD	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total PeCDF	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total TCDD	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y			Y				YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
	Total TCDF	EPA 1613	MLA-017												YD						YD			Y	Y						Y	YD	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		EPA 8290	MLA-017					Y		Y		Y		Y	YD		Y		Y	Y	YD				Y					Y		YD	
		SGS AXYS MLA-017	MLA-017					Y							YD		Y				YD				Y							YD	
PFAS	4:2 fluorotelomersulfonate (4:2 FTS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	6:2 fluorotelomersulfonate (6:2 FTS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	8:2 fluorotelomersulfonate (8:2 FTS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	N-Ethylperfluorooctanesulfonamide (N-EtFOSA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	N-Ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	N-Ethylperfluorooctanesulfonamidoethanol (N-EtFOSE)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	N-Methylperfluorooctanesulfonamide (N-MeFOSA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	N-Methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	N-Methylperfluorooctanesulfonamidoethanol (N-MeFOSE)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorobutanesulfonate (PFBS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorobutanoate (PFBA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorodecanesulfonate (PFDS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorodecanoate (PFDA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorododecanesulfonate (PFDoS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorododecanoate (PFDoA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluoroheptanesulfonate (PFHpS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluoroheptanoate (PFHpA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorohexanesulfonate (PFHxS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorohexanoate (PFHxA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorononanesulfonate (PFNS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorononanoate (PFNA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorooctanesulfonamide (PFOSA), a.k.a FOSA	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorooctanesulfonate (PFOS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorooctanoate (PFOA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluoropentanesulfonate (PFPeS)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluoropentanoate (PFPeA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
	Perfluorotetradecanoate (PFTeDA)	SGS AXYS MLA-110	MLA-110																				Y										
	Perfluorotridecanoate (PFTrDA)	SGS AXYS MLA-110	MLA-110																				Y										
	Perfluoroundecanoate (PFUnA)	SGS AXYS MLA-110	MLA-110			Y																	Y										
PFC	Perfluorobutanesulfonate (PFBS)	EPA 537 modified	MLA-041												YD																		
			MLA-043																		YD												
			MLA-060																														YD
		SGS AXYS MLA-060	MLA-060																				Y		Y	Y	Y						YD
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y					YD																		
		SGS AXYS MLA-043	MLA-043													Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																												
	Perfluorobutanoate (PFBA)	EPA 537 modified	MLA-041												YD																		
			MLA-043																		YD												
			MLA-060																														YD
		SGS AXYS MLA-060	MLA-060																				Y		Y	Y	Y						YD
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y					YD																		
		SGS AXYS MLA-043	MLA-043													Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																												
	Perfluorodecanoate (PFDA)	EPA 537 modified	MLA-041												YD																		
			MLA-043																		YD												
			MLA-060																														YD
		SGS AXYS MLA-060	MLA-060																				Y		Y	Y	Y						YD
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y					YD																		

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids									Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorododecanoate (PFDoA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluoroheptanoate (PFHpA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorohexanesulfonate (PFHxS)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorohexanoate (PFHxA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorononanoate (PFNA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorooctane sulfonamide (PFOSA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorooctanesulfonate (PFOS)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y					YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids									Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluorooctanoate (PFOA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y				YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluoropentanoate (PFPeA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y				YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
	Perfluoroundecanoate (PFUnA)	EPA 537 modified	MLA-041											YD																		
			MLA-043																	YD												
			MLA-060																												YD	
		SGS AXYS MLA-060	MLA-060																			Y		Y	Y	Y				YD	
		SGS AXYS MLA-041	MLA-041			Y		Y	Y	Y				YD																		
		SGS AXYS MLA-043	MLA-043												Y	Y	Y	Y		YD												
		SGS AXYS MLA-042	MLA-042		Y																											
PPCP	1,7-Dimethylxanthine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	10-hydroxy-amitriptyline	SGS AXYS MLA-075	MLA-075			Y																Y										
	2-hydroxy-ibuprofen	SGS AXYS MLA-075	MLA-075			Y																Y										
	4-Epianhydrochlortetracycline (EACTC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	4-Epianhydrotetracycline (EATC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	4-Epichlortetracycline (ECTC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	4-Epioxytetracycline (EOTC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	4-Epitetracycline (ETC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Acetaminophen	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Albuterol	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Alprazolam	SGS AXYS MLA-075	MLA-075			Y																Y										
	Amitriptyline	SGS AXYS MLA-075	MLA-075			Y																Y										
	Amlodipine	SGS AXYS MLA-075	MLA-075			Y																Y										
	Amphetamine	SGS AXYS MLA-075	MLA-075			Y																Y										
	Anhydrochlortetracycline (ACTC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Anhydrotetracycline (ATC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Atenolol	SGS AXYS MLA-075	MLA-075			Y																Y										
	Atorvastatin	SGS AXYS MLA-075	MLA-075			Y																Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids									Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE*	Maine DOH	ANAB	Pennsylvania DEP
	Azithromycin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Benzoylecgonine	SGS AXYS MLA-075	MLA-075			Y																Y										
	Benztropine	SGS AXYS MLA-075	MLA-075			Y																Y										
	Betamethasone	SGS AXYS MLA-075	MLA-075			Y																Y										
	Bisphenol A	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Caffeine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Carbadox	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Carbamazepine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Cefotaxime	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Chlortetracycline (CTC)	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Cimetidine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Ciprofloxacin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Clarithromycin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Clinafloxacin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Clonidine	SGS AXYS MLA-075	MLA-075			Y																Y										
	Cloxacillin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Cocaine	SGS AXYS MLA-075	MLA-075			Y																Y										
	Codeine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Cotinine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	DEET (N,N-diethyl-m-toluamide)	SGS AXYS MLA-075	MLA-075			Y																Y										
	Dehydronifedipine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Demeclocycline	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Desmethyldiltiazem	SGS AXYS MLA-075	MLA-075			Y																Y										
	Diazepam	SGS AXYS MLA-075	MLA-075			Y																Y										
	Digoxigenin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Digoxin	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Diltiazem	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Diphenhydramine	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										
	Doxycycline	EPA 1694	MLA-075											Y																Y		
		SGS AXYS MLA-075	MLA-075			Y																Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Method	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	Enalapril	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Enrofloxacin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Erythromycin	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Erythromycin anydrate	EPA 1694	MLA-075											Y																	Y		
	Flumequine	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Fluocinonide	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Fluoxetine	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Fluticasone propionate	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Furosemide	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Gemfibrozil	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Glipizide	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Glyburide	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Hydrochlorothiazide	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Hydrocodone	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Hydrocortisone	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Ibuprofen	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Isochlortetracycline (ICTC)	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Lincomycin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Lomefloxacin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Meprobamate	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Metformin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Methylprednisolone	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Metoprolol	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Miconazole	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Minocycline	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Naproxen	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Norfloxacin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Norfluoxetine	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Norgestimate	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Norverapamil	SGS AXYS MLA-075	MLA-075			Y																	Y										
	Ofloxacin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Ormetoprim	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Oxacillin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Oxolinic acid	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Oxycodone	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y										
	Oxytetracycline (OTC)	EPA 1694	MLA-075											Y																	Y		

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Paroxetine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Penicillin G	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Penicillin V	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Prednisolone	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Prednisone	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Promethazine	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Propoxyphene	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Propranolol	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Ranitidine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Roxithromycin	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sarafloxacin	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sertraline	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Simvastatin	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfachloropyridazine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfadiazine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfadimethoxine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfamerazine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfamethazine	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfamethizole	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfamethoxazole	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfanilamide	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Sulfathiazole	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Tetracycline (TC)	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Theophylline	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Thiabendazole	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Trenbolone	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Trenbolone acetate	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Triamterene	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Triclocarban	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Triclosan	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Trimethoprim	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Tylosin	EPA 1694	MLA-075											Y																	Y	
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Valsartan	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Verapamil	SGS AXYS MLA-075	MLA-075			Y																	Y									
	Virginiamycin	EPA 1694	MLA-075											Y																	Y	

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
		SGS AXYS MLA-075	MLA-075			Y																	Y									
	Warfarin	EPA 1694	MLA-075											Y																	Y		
		SGS AXYS MLA-075	MLA-075			Y																	Y									
Targeted Metabolites	11, 14, 17-eicosatrienoic acid (eicosatrienoic acid)	SGS AXYS MLM-001	MLM-001													Y																
	11, 14-eicosadienoic acid	SGS AXYS MLM-001	MLM-001													Y																
	3-hydroxytyrosine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Acetylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Acetylornithine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Alanine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	alpha-Aminoadipic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Arginine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Asparagine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Aspartate	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Asymmetric dimethylarginine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Butenylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Butyrylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	C22:5 ISOMER 1 (tentatively all-cis-4, 8, 12, 15, 19-docosapentaenoic acid)	SGS AXYS MLM-001	MLM-001													Y																
	C22:5 ISOMER 2 (all-cis-7,10,13,16,19-docosapentaenoic acid (DPA)	SGS AXYS MLM-001	MLM-001													Y																
	C22:5 ISOMER 3 (tentatively all-cis-4, 7, 10, 13, 16-docosapentaenoic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Carnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Carnosine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	chenodeoxycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	cholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Citrulline	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Creatinine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Decadienylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	decanoic acid (capric acid)	SGS AXYS MLM-001	MLM-001													Y																
	Decanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Decenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	deoxycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	docosahexaenoic acid (DHA)	SGS AXYS MLM-001	MLM-001													Y																
	docosatetraenoic acid (adrenic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Dodecanedioylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Dodecanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Dodecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Dopamine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	eicosapentaenoic acid (EPA)	SGS AXYS MLM-001	MLM-001													Y																
	Eicosatetraenoic acid (arachidonic acid)	SGS AXYS MLM-001	MLM-001													Y																
	eicosatrienoic acid (dihomo-γ-linolenic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Glutaconylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Glutamate	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Glutamine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Glutarylcarnitine (Hydroxyhexanoylcarnitine)	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Glycine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	glycochenodeoxycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	glycocholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	glycodeoxycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hexadecadienylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	hexadecanoic acid (palmitic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Hexadecanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	hexadecenoic acid (palmitoleic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Hexadecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hexanoylcarnitine (Fumarylcarnitine)	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hexenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hexose (sum isomers)	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Histamine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Histidine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE*	Maine DOH	ANAB	Pennsylvania DEP
	Hydroxyhexadecadienylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxyhexadecanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxyhexadecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxylbutyrylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxyoctadecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxyproline	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxypropionylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxysphingomyeline C14:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxysphingomyeline C16:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxysphingomyeline C22:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxysphingomyeline C22:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxysphingomyeline C24:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxytetradecadienylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxytetradecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Hydroxyvalerylcarnitine (Methylmalonylcarnitine)	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Isoleucine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Kynurenine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Leucine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lithocholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Lysine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C14:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C16:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C16:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C17:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C18:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C18:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C18:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C20:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C20:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C24:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C26:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C28:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	lysoPhosphatidylcholine acyl C28:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Methionine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Methioninesulfoxide	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Methylglutarylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Nitrotyrosine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Nonaylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	octadecadienoic acid (linoleic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Octadecadienylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	octadecanoic acid (stearic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Octadecanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	octadecatrienoic acid (γ-linolenic acid)	SGS AXYS MLM-001	MLM-001													Y																
	Octadecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Octanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Ornithine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phenylalanine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phenylethylamine	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C30:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C30:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C30:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C32:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C32:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C34:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C34:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C34:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C34:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
				CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE *	Maine DOH	ANAB	Pennsylvania DEP
	Phosphatidylcholine acyl-alkyl C36:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C36:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C36:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C36:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C36:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C36:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C38:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C38:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C38:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C38:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C38:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C38:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C40:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C40:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C40:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C40:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C40:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C40:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C42:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C42:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C42:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C42:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C42:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C42:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C44:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C44:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C44:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine acyl-alkyl C44:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C24:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C26:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C28:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C30:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C30:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C32:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C32:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C32:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C32:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C34:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C34:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C34:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C34:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C36:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C38:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C38:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C38:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C38:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C38:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C38:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C40:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C40:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y										
	Phosphatidylcholine diacyl C40:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y										

Accreditation Scope

SGS AXYS Analytical Services Ltd.
(formerly AXYS Analytical Services Ltd.)
file ref.: ACC-101 Rev. 34

				Pulp	Serum	Solids										Tissue						Urine	Water	Water, Non-Potable								
Compound Class	Compound	Accredited Method ID	SGS AXYS Metho	CALA	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE	Maine DOH	ANAB	CALA	Florida DOH	Minnesota DOH	New Jersey DEP	Virginia DGS	ANAB	CALA	CALA	California DPH	Florida DOH	Minnesota DOH	New Jersey DEP	New York DOH	Virginia DGS	Washington DE*	Maine DOH	ANAB	Pennsylvania DEP
	Phosphatidylcholine diacyl C40:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C40:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C40:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C42:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C42:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C42:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C42:4	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C42:5	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Phosphatidylcholine diacyl C42:6	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Pimelylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Proline	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Propenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Propionylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Putrescine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sarcosine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Serine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Serotonin	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Spermidine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Spermine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C16:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C16:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C18:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C18:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C20:2	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C22:3	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C24:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C24:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C26:0	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Sphingomyeline C26:1	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Symmetric dimethylarginine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Taurine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	taurochenodeoxycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	taurocholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	taurodeoxycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	taurolithocholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	tauroursodexoycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Tetradecadienylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	tetradecanoic acid (myristic acid)	SGS AXYS MLM-001	MLM-001													Y																	
	Tetradecanoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Tetradecenoylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Threonine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Tiglylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Total dimethylarginine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Tryptophan	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Tyrosine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	ursodexoycholic acid	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Valerylcarnitine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
	Valine	SGS AXYS MLM-001	MLM-001		Y											Y						Y											
TBBPA	Tetrabromobisphenol A	SGS AXYS MLA-079	MLA-079		Y																												

Note*
Analysis of pesticides and PCBs in non-potable water samples by AXYS method MLA-007, with the exception of NPDES or State permitted discharges and Stormwater applications, may fall within the scope of Washington State Department of Ecology solids matrix accreditation, subject to approval of the Ecology Project Manager.

Legend

Y	Accreditation scope
YD	Accreditation scope, including DoD scope
BFR	Brominated flame retardants (non-PBDPE)
BPA and mPE	Bisphenol A and mono-Phthalate Esters
FTS	Fluorotelomer sulfonates
HBCDD	Hexabromocyclododecane
OC Pesticides	Organochlorine Pesticides
PAH	Polycyclic Aromatic Hydrocarbons
PBDPE	Polybrominated diphenylethers
PCB	Polychlorinated Biphenyls
PCDDF	Polychlorinated dibenzodioxins/furans
PFAS	Per- and Polyfluoroalkyl Substances
PFC	Perfluorinated Compounds
PPCP	Pharmaceutical and Personal Care Products
TBBPA	Tetrabromobisphenol A
California DPH	California Department of Public Health, Lab ID 2911 (target analytes shown are those approved 2014)
Florida DOH	Florida Department of Health, Lab ID E871007, (NELAC Standard)
Pennsylvania DEP	Pennsylvania Department of Environmental Protection
Minnesota DOH	Minnesota Department of Health, Lab ID 232-999-430, (NELAC Standard)
New Jersey DEP	New Jersey Department of Environmental Protection, Lab ID CANA005, (NELAC Standard)
New York DOH	New York Department of Health, Lab ID 11674, (NELAC Standard)
Washington DE	Washington Department of Ecology, Lab ID C404
Virginia DGS	Virginia Department of General Services, Division of Consolidated Laboratory Services, Lab ID 460224, (NELAC Standard)
Maine DOH	Maine Center for Disease Control and Prevention, Department of Health and Human Services, Lab ID CN00003

CALA — Canadian Association for Laboratory Accreditation Inc., Lab ID A2637, (ISO/IEC 17025:2005 Standard)

Testing
Accreditation No. A 2637

ANAB — ANSI-ASQ National Accreditation Board, certificate ADE-1861, (ISO/IEC 17025:2005 and US DOD Standards)

ACCREDITED
ISO/IEC 17025
DOD ELAP
Certificate ADE-1861