



Chloride in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Chloride in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Chloride in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Chloride in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Specific Conductance in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Specific Conductance in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Specific Conductance in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Specific Conductance in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Sulfate in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Sulfate in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Sulfate in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Sulfate in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Total Dissolved Solids (TDS) in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Total Dissolved Solids in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Total Dissolved Solids (TDS) in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Total Dissolved Solids in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Calculated Total Dissolved Solids (TDS) in Status Network Surficial Aquifer System (SAS) Wells




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Calculated Total Dissolved Solids in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting




Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Calculated Total Dissolved Solids (TDS) in Status Network Surficial Aquifer System (SAS) Wells



Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Calculated Total Dissolved Solids in Status Network Surficial Aquifer System (SAS) Wells Modeled Using Inverse Distance Weighting



Created May 8, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.