


Chloride in Status Network Wells (All Aquifers)

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- 1.50 - 12.00 ($\leq$ median)
- 12.01 - 44.00 (median to 75th percentile)
- 44.01 - 190.00 (75th to 90th percentile)
- 190.01 - 14000.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 12.00 ($\leq$ median)
- 12.01 - 44.00 (median to 75th percentile)
- 44.01 - 190.00 (75th to 90th percentile)
- > 190.00 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Wells (All Aquifers)

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 1.50 - 16.00 ($\leq$ median)
- 16.01 - 54.00 (median to 75th percentile)
- 54.01 - 240.00 (75th to 90th percentile)
- 240.01 - 14000.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 16.00 ($\leq$ median)
- 16.01 - 54.00 (median to 75th percentile)
- 54.01 - 240.00 (75th to 90th percentile)
- > 240.00 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Wells (All Aquifers)

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Statewide Data**

- 9.73 - 400.00 ($\leq$ median)
- 400.01 - 664.00 (median to 75th percentile)
- 664.01 - 1328.60 (75th to 90th percentile)
- 1328.61 - 37998.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 400.00 ($\leq$ median)
- 400.01 - 664.00 (median to 75th percentile)
- 664.01 - 1,328.60 (75th to 90th percentile)
- $> 1,328.60$ ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Specific conductance in Status Network wells (all aquifers) categorized using summary statistics from statewide data.

For more information visit http://publicfiles.dep.state.fl.us/dear/FWRMC/Salinity_Network_Wkqp_Maps_13May2015/MAPS-Read_Me_First.pdf.


Specific Conductance in Status Network Wells (All Aquifers)

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 9.73 - 432.00 ($\leq$ median)
- 432.01 - 751.00 (median to 75th percentile)
- 751.01 - 1618.50 (75th to 90th percentile)
- 1618.51 - 37998.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 432.00 ($\leq$ median)
- 432.01 - 751.00 (median to 75th percentile)
- 751.01 - 1,618.50 (75th to 90th percentile)
- $> 1,618.50$ ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Wells (All Aquifers)

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- 0.20 - 5.70 ($\leq$ median)
- 5.71 - 26.00 (median to 75th percentile)
- 26.01 - 120.00 (75th to 90th percentile)
- 120.01 - 2000.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 5.70 ($\leq$ median)
- 5.71 - 26.00 (median to 75th percentile)
- 26.01 - 120.00 (75th to 90th percentile)
- > 120.00 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Wells (All Aquifers)

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 0.20 - 12.00 ($\leq$ median)
- 12.01 - 58.25 (median to 75th percentile)
- 58.26 - 235.00 (75th to 90th percentile)
- 235.01 - 2000.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 12.00 ($\leq$ median)
- 12.01 - 58.25 (median to 75th percentile)
- 58.26 - 235.00 (75th to 90th percentile)
- > 235.00 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers)

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- 15.00 - 226.00 ($\leq$ median)
- 226.01 - 394.00 (median to 75th percentile)
- 394.01 - 791.20 (75th to 90th percentile)
- 791.21 - 27600.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 226.00 ($\leq$ median)
- 226.01 - 394.00 (median to 75th percentile)
- 394.01 - 791.20 (75th to 90th percentile)
- > 791.20 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers)

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 15.00 - 251.50 ($\leq$ median)
- 251.51 - 460.25 (median to 75th percentile)
- 460.26 - 991.50 (75th to 90th percentile)
- 991.51 - 27600.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 251.50 ($\leq$ median)
- 251.51 - 460.25 (median to 75th percentile)
- 460.26 - 991.50 (75th to 90th percentile)
- > 991.50 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers)

Calculated Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Statewide Data

- 15.19 - 267.29 ($\leq$ median)
- 267.30 - 452.01 (median to 75th percentile)
- 452.02 - 835.36 (75th to 90th percentile)
- 835.37 - 10379.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

**Calculated Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 267.29 ($\leq$ median)
- 267.30 - 452.01 (median to 75th percentile)
- 452.02 - 835.36 (75th to 90th percentile)
- > 835.36 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers)

Calculated Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 15.19 - 301.87 ($\leq$ median)
- 301.88 - 595.43 (median to 75th percentile)
- 595.44 - 1181.56 (75th to 90th percentile)
- 1181.57 - 10379.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 12, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Wells (All Aquifers) Modeled Using Inverse Distance Weighting

Calculated Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD

- ≤ 301.87 ($\leq$ median)
- 301.88 - 595.43 (median to 75th percentile)
- 595.44 - 1,181.56 (75th to 90th percentile)
- $> 1,181.56$ ($>$ 90th percentile)

--- WMD Boundaries

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.