


Chloride in Status Network Intermediate Aquifer System Wells

Chloride Concentration (mg/L) Categorized Using Summary Statistics from Statewide Data

- 2.70 - 27.00 ($\leq$ median)
- 27.01 - 105.00 (median to 75th percentile)
- 105.01 - 534.00 (75th to 90th percentile)
- 534.01 - 4900.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Intermediate Aquifer System Wells

Chloride Concentration (mg/L) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 2.70 - 32.00 ($\leq$ median)
- 32.01 - 96.50 (median to 75th percentile)
- 96.51 - 540.00 (75th to 90th percentile)
- 540.01 - 4900.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Intermediate Aquifer System Wells

Specific Conductance (umhos/cm) Categorized Using Summary Statistics from Statewide Data

- 46.00 - 617.95 ($\leq$ median)
- 617.96 - 1059.25 (median to 75th percentile)
- 1059.26 - 2664.20 (75th to 90th percentile)
- 2664.21 - 15250.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Intermediate Aquifer System Wells

Specific Conductance (umhos/cm) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 46.00 - 622.50 ($\leq$ median)
- 622.51 - 1024.25 (median to 75th percentile)
- 1024.26 - 2966.50 (75th tp 90th percentile)
- 2966.51 - 15250.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Intermediate Aquifer System Wells

Sulfate Concentration (mg/L) Categorized Using Summary Statistics from Statewide Data

- 0.20 - 11.00 ($\leq$ median)
- 11.01 - 75.00 (median to 75th percentile)
- 75.01 - 258.00 (75th to 90th percentile)
- 258.01 - 1800.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Intermediate Aquifer System Wells

Sulfate Concentration (mg/L) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 0.20 - 33.50 ($\leq$ median)
- 33.51 - 122.25 (median to 75th percentile)
- 122.26 - 360.00 (75th to 90th percentile)
- 360.01 - 1800.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Intermediate Aquifer System Wells

Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Statewide Data

- 33.00 - 354.50 ($\leq$ median)
- 354.51 - 601.50 (median to 75th percentile)
- 601.51 - 1470.10 (75th to 90th percentile)
- 1470.11 - 8170.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Intermediate Aquifer System Wells

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 33.00 - 345.00 ($\leq$ median)
- 345.01 - 657.00 (median to 75th percentile)
- 657.01 - 1685.50 (75th to 90th percentile)
- 1685.51 - 8170.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Intermediate Aquifer System Wells

Calculated Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Statewide Data

- 87.00 - 438.70 ($\leq$ median)
- 438.71 - 726.10 (median to 75th percentile)
- 726.11 - 1752.91 (75th to 90th percentile)
- 1752.92 - 8622.90 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Intermediate Aquifer System Wells

Calculated Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 87.00 - 441.97 ($\leq$ median)
- 441.98 - 1168.10 (median to 75th percentile)
- 1168.11 - 1839.15 (75th to 90th percentile)
- 1839.16 - 8622.90 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created May 1, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.