


Chloride in Status Network Upper Floridan Aquifer Wells

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- 3.60 - 8.30 ($\leq$ median)
- 8.31 - 21.00 (median to 75th percentile)
- 21.01 - 183.00 (75th to 90th percentile)
- 183.01 - 14000.00 ($>$ 90th percentile)

SWFWMD

Florida Counties



Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

-  ≤ 8.30 ($\leq$ median)
-  8.31 - 21.00 (median to 75th percentile)
-  21.01 - 183.00 (75th to 90th percentile)
-  > 183.00 ($>$ 90th percentile)

 **WMD Boundaries**

 **Florida Counties**



Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Upper Floridan Aquifer Wells

Chloride Concentration (mg/L) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 3.60 - 12.00 ($\leq$ median)
- 12.01 - 34.00 (median to 75th percentile)
- 34.01 - 248.00 (75th to 90th percentile)
- 248.01 - 14000.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Chloride in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Chloride Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

-  ≤ 12.00 ($\leq$ median)
-  12.01 - 34.00 (median to 75th percentile)
-  34.01 - 248.00 (75th to 90th percentile)
-  > 248.00 ($>$ 90th percentile)

 **WMD Boundaries**

 **Florida Counties**



Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Upper Floridan Aquifer Wells

Specific Conductance (umhos/cm) Categorized Using Summary Statistics from Statewide Data

- 41.00 - 379.00 ($\leq$ median)
- 379.01 - 555.75 (median to 75th percentile)
- 555.76 - 1186.50 (75th to 90th percentile)
- 1186.51 - 37998.00 ($>$ 90th percentile)

SWFWMD

Florida Counties



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 379.00 ($\leq$ median)
- 379.01 - 555.75 (median to 75th percentile)
- 555.76 - 1,186.50 (75th to 90th percentile)
- $> 1,186.50$ ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Upper Floridan Aquifer Wells

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 41.00 - 433.00 ($\leq$ median)
- 433.01 - 719.00 (median to 75th percentile)
- 719.01 - 1613.00 (75th to 90th percentile)
- 1613.01 - 37998.00 ($>$ 90th percentile)

 **SWFWMD**

 **Florida Counties**



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Specific Conductance in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Specific Conductance (umhos/cm)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

-  ≤ 433.00 ($\leq$ median)
-  433.01 - 719.75 (median - 75th percentile)
-  719.75 - 1,613.00 (75th to 90th percentile)
-  $> 1,613.00$ ($>$ 90th percentile)

 **WMD Boundaries**

 **Florida Counties**



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Upper Floridan Aquifer Wells

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- 0.20 - 5.50 ($\leq$ median)
- 5.51 - 20.00 (median to 75th percentile)
- 20.01 - 150.00 (75th to 90th percentile)
- 150.01 - 2000.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 5.50 ($\leq$ median)
- 5.51 - 20.00 (median to 75th percentile)
- 20.01 - 150.00 (75th to 90th percentile)
- > 150.00 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Upper Floridan Aquifer Wells

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 0.20 - 8.15 ($\leq$ median)
- 8.16 - 47.25 (median to 75th percentile)
- 47.26 - 367.00 (75th to 90th percentile)
- 367.01 - 2000.00 ($>$ 90th percentile)

 **SWFWMD**

 **Florida Counties**



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Sulfate in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Sulfate Concentration (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 8.15 ($\leq$ median)
- 8.16 - 47.25 (median to 75th percentile)
- 47.26 - 367.00 (75th to 90th percentile)
- > 367.00 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- 30.00 - 207.00 ($\leq$ median)
- 207.01 - 324.00 (median to 75th percentile)
- 324.01 - 744.20 (75th to 90th percentile)
- 744.21 - 27600.00 ($>$ 90th percentile)

SWFWMD

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 207.00 ($\leq$ median)
- 207.01 - 324.00 (median to 75th percentile)
- 324.01 - 744.20 (75th to 90th percentile)
- > 744.20 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- 30.00 - 241.50 ($\leq$ median)
- 241.51 - 406.50 (median to 75th percentile)
- 406.51 - 993.70 (75th to 90th percentile)
- 993.71 - 27600.00 ($>$ 90th percentile)

 **SWFWMD**

 **Florida Counties**



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 241.50 ($\leq$ median)
- 241.51 - 406.50 (median to 75th percentile)
- 406.51 - 993.70 (75th to 90th percentile)
- > 993.70 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells

Calculated Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Statewide Data

- 87.00 - 271.49 ($\leq$ median)
- 271.50 - 407.48 (median to 75th percentile)
- 407.49 - 728.60 (75th to 90th percentile)
- 728.61 - 10379.00 ($>$ 90th percentile)

SWFWMD

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Calculated Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Statewide Data**

- ≤ 271.49 ($\leq$ median)
- 271.50 - 407.48 (median to 75th percentile)
- 407.49 - 728.60 (75th to 90th percentile)
- > 728.60 ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells

Calculated Total Dissolved Solids (mg/L) Categorized Using Summary Statistics from Wells Located in SWFWMD

- 87.00 - 339.70 ($\leq$ median)
- 339.71 - 593.78 (median to 75th percentile)
- 593.79 - 1000.25 (75th to 90th percentile)
- 1000.25 - 10379.00 ($>$ 90th percentile)

■ SWFWMD

□ Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.


Calculated Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting

**Calculated Total Dissolved Solids (mg/L)
Categorized Using Summary Statistics
from Wells Located in SWFWMD**

- ≤ 339.70 ($\leq$ median)
- 339.71 - 593.78 (median to 75th percentile)
- 593.79 - 1,000.25 (75th to 90th percentile)
- $> 1,000.25$ ($>$ 90th percentile)

-- WMD Boundaries

Florida Counties



Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.