

Date of Request: 09-JAN-2012
 Created By: HOLLAND_K On: 09-JAN-2012
 Modified By: BRACKETT_K On: 10-JAN-2012
 Customer: WTRSHD-MGT
 Project: GRNT-10608
 Division:
 District:
 Sampling Event: TMDL Sampling - Merritts Mill Pond SURFACE WATER

Send Coolers To:

Phone: (850) 245-8672
 2600 Blair Stone Rd.

 Tallahassee, FL 32399-2400
 Attn: Mike Nash

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: BRACKETT_K On: 10-JAN-2012
 Biology Request Reviewed By: BRACKETT_K On: 10-JAN-2012
 Sampling Kit Required: YES Ship on: 09-JAN-2012
 Sampling Kit Shipped: YES On: 12-JAN-2012
 Sampling Kit Packed By: RUSH_F
 Preservatives Needed:
 Date to Receive Samples: 23-JAN-2012
 Received By: SHAIK_A On: 03-FEB-2012

Send Final Report To:

2600 Blair Stone Rd.

 Tallahassee, FL 32399-2400
 Attn: Kathryn Holland

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Will pick up kits. Thanks!

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
BOD-INHB	Template: DEFAULT	(SM 5210 B) BOD, nitrogen-inhibited (=CBOD)
Biochemical Oxygen Demand-5 Day,N-Inhib		
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHL-CORR-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a (corrected for phaeophytin) and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Phaeophytin-a		
Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-ALK	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Alkalinity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: HNO3
W-ICP	Template: DEFAULT	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Boron		

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: HNO3
W-ICP	Template: NO TEMPLATE	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Potassium		
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		