

Florida Department of Environmental Protection

Event ID *

Request Number: RQ-2011-12-19-08

Central Laboratory Sample Submittal Form

SPRG1110

Requester: Kathryn Holland

Field Report Prepared By: Gary Maddox

Customer: WTRSHD-MGT

Collected By: Gary Maddox / Rick Hicks

Send Final Report To: Kathryn Holland

Project ID: SPG_QTR_WQ

PMAS:

Sampling Agency: FDEP / GW SPS

Lab ID *	Location WAKULLA K TUNNEL			☐ Comp ☒ Grab		Collection (begin) Date 12/22/11 Time Eastern Central		Collection (end) Date 12/22/11 Time Eastern Central		Bottle Group(s)** A	
	Field ID			Tot Res Chlorine (mg/L)		Diss Oxygen (mg/L) 1.54		Storet Station Number			
	Matrix (include type e.g. Salt, <u>Fresh</u> , etc)			Temp (C) 19.72	pH 7.56	Sample Depth ☒ m 100 ☐ ft 607		☐ Salinity (PPT) ☒ Sp Conductance (umho/cm)			NPDES Number
	Latitude ☐ dd ☐ dms			Longitude ☐ dd ☐ dms			Comments				
Lab ID *	Location WAKULLA A-K TUNNEL			☐ Comp ☒ Grab		Collection (begin) Date 12/22/11 Time Eastern Central		Collection (end) Date 12/22/11 Time Eastern Central		Bottle Group(s)** A	
	Field ID			Tot Res Chlorine (mg/L)		Diss Oxygen (mg/L) 1.35		Storet Station Number			
	Matrix (include type e.g. Salt, <u>Fresh</u> , etc)			Temp (C) 19.73	pH 7.53	Sample Depth ☒ m 100 ☐ ft 662		☐ Salinity (PPT) ☒ Sp Conductance (umho/cm)			NPDES Number
	Latitude ☐ dd ☐ dms			Longitude ☐ dd ☐ dms			Comments				
Lab ID *	Location WAKULLA A-D TUNNEL			☐ Comp ☒ Grab		Collection (begin) Date 12/22/11 Time Eastern Central		Collection (end) Date 12/22/11 Time Eastern Central		Bottle Group(s)** A	
	Field ID			Tot Res Chlorine (mg/L)		Diss Oxygen (mg/L) 1.55		Storet Station Number			
	Matrix (include type e.g. Salt, <u>Fresh</u> , etc)			Temp (C) 20.03	pH 7.55	Sample Depth ☒ m 83.2 ☐ ft 642		☐ Salinity (PPT) ☒ Sp Conductance (umho/cm)			NPDES Number
	Latitude ☐ dd ☐ dms			Longitude ☐ dd ☐ dms			Comments				
Lab ID *	Location WAKULLA D TUNNEL			☐ Comp ☒ Grab		Collection (begin) Date 12/22/11 Time Eastern Central		Collection (end) Date 12/22/11 Time Eastern Central		Bottle Group(s)** A	
	Field ID			Tot Res Chlorine (mg/L)		Diss Oxygen (mg/L) 3.13		Storet Station Number			
	Matrix (include type e.g. Salt, <u>Fresh</u> , etc)			Temp (C) 20.03	pH 7.60	Sample Depth ☒ m 85.6 ☐ ft 299		☐ Salinity (PPT) ☒ Sp Conductance (umho/cm)			NPDES Number
	Latitude ☐ dd ☐ dms			Longitude ☐ dd ☐ dms			Comments				
Relinquished By: <u>Eileen</u>		Date/Time: 12/22/11	Shipping Method: <u>Drop off</u>		Received By: <u>4:52</u>		Date/Time: 12/22/11	Relinquished By: <u>Gree</u>		Date/Time: 12/22/11	

* Shaded Areas for Lab use only.

last revised October 1, 2003

Page 1 of 2 **452**

** Please see reverse side for Bottle Group information.

Turbidity - 4 samples Bryan Werth 12-22-11 4:50pm (1,2,3,4)
 PO4- 4 samples Megan Faircloth 12-22-11 4:50pm (1,2,3,4)

From: [Topolski, Marek](#)
To: [White, Ramsey](#)
Subject: RE: sample login for galaxolide/tonalide
Date: Thursday, December 29, 2011 10:43:39

I think we can add it to an existing event. The samples we received were logged in under job ID TLH-2011-12-22-25 and TLH-2011-12-22-54. It looks like they have two different event Ids so we can add it to the second one WTRSHD-MGT-2011-12-22-02.

Thanks,

Marek Topolski
Chemist Administrator
Chemistry Section
Florida Department of Environmental Protection
2600 Bair Stone Road, MS 6510
Tallahassee FL 32399-2400
phone: 850 245 8132
fax: 850 412 0441

From: White, Ramsey
Sent: Thursday, December 29, 2011 10:23 AM
To: Topolski, Marek
Subject: RE: sample login for galaxolide/tonalide

Marek,

What is the RQ that this sample needs to be logged in under? Or does the sample need to be added to an already existing event?

Ramsey K. White
Environmental Specialist
DEP Chemistry Section
Office ph. 850-245-8199
Lab ph. 850-245-8206
fax 850-412-0497
ramsey.white@dep.state.fl.us

From: Topolski, Marek
Sent: Thursday, December 29, 2011 09:45
To: White, Ramsey
Subject: sample login for galaxolide/tonalide

Ramsey,

We need to login one extra sample for W-PCP-TQ (under BNA-WATER)
Sampled/received 12/28/2011

Sample ID: LAB QC

Thanks,

Marek Topolski
Chemist Administrator
Chemistry Section
Florida Department of Environmental Protection
2600 Bair Stone Road, MS 6510
Tallahassee FL 32399-2400
phone: 850 245 8132
fax: 850 412 0441

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	TURBIDITY					
	W-ALK					
	W-CL-IC					
	W-COLOR					
	W-SO4-IC					
	W-TDS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-ICP					
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	BG-1L	# of Bottles: 16	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-PCP-TQ					
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: A	Bottle Type:	BG-1L	# of Bottles: 16	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-SUC-AA-R					

Printed: 12/22/2011 4:55:20 PM

Date of Request: 01-NOV-2011
 Created By: HOLLAND_K On: 01-NOV-2011
 Modified By: BRACKETT_K On: 23-NOV-2011
 Customer: WTRSHD-MGT
 Project: SPG_QTR_WQ
 Division:
 District:
 Sampling Event: SPRG1110

Send Coolers To:

Phone: (850) 245-5511
 WILL PICK UP
 2600 Blair Stone Rd
 Tallahassee, FL 32399
 Attn: Gary Maddox

Send Final Report To:

2600 Blair Stone Rd.
 Tallahassee, FL 32399-2400
 Attn: Kathryn Holland

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: BRACKETT_K On: 23-NOV-2011
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 05-DEC-2011
 Sampling Kit Shipped: YES On: 28-NOV-2011
 Sampling Kit Packed By: KITCHEN_S
 Date to Receive Samples: 19-DEC-2011
 Received By: KITCHEN_S On: 22-DEC-2011

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: WILL PICK UP COOLERS. No shipping labels needed. Thank you!

Suite A (Water) With 7 Samples:

Bottle Type: P-1L	Number of Bottles: 7	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-ALK	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm or Apparent Color
Color (true)		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Boron		
Calcium		
Magnesium		
Potassium		
Sodium		
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: BG-1L	Number of Bottles: 16	Preserved With: ICE
W-PCP-TQ	Template: DEFAULT	(EPA 8270D) Personal Care Products analysis in water matrices by GC/MS/MS
Bottle Type: P-125ML	Number of Bottles: 7	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 16	Preserved With: ICE
W-SUC-AA-R	Template: DEFAULT	(DEP SOP: LC-001-2 (based on EPA 8321B)) Analysis of sucralose in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2011-12-19-08

Shipping Method: Hand Date/Time of Receipt: 12/22/11 1652

COOLER CHECK

COOLER CHECK							
Cooler ID	Cooler Temp.	Evidence Tape				No. Sample Containers in Cooler	Tracking # (fill out only if waybill copy can't be place in folder)
		Present?		*Intact?			
		Yes	No	Yes	No		
white	* 13.4 C		✓			8	
Blue	↓ 14.1 C		✓			8	
Blue	↓ 13.8 C		✓			8	
Blue	↓ 14.0 C		✓			8	

If the temperature of a cooler is above 6.0 °C (or greater than 10.0 °C for W-1-4-DIOX) or an evidence seal is damaged then identify the bottles, in the affected cooler(s), on back of form.

CONTAINER CHECK

Evidence Tape on Bottles Present: Yes _____ No ✓ *If Yes, is it intact: Yes _____ No _____

Condition of Containers:

*Caps on tight? Yes ✓ No _____ *Containers intact? Yes ✓ No _____

*Chain Of Custody/ Field Sheet(s) Included? Yes ✓ No _____

*Acid Preserved Samples: pH ≤ 2? Yes ✓ No _____ NA ✓

*Base Preserved Samples: pH ≥ 12 or 9? Yes _____ No _____ NA ✓
(W-CN, OV-CN - pH ≥ 12), (W-SULFDE-F, W-SULFIDE - pH ≥ 9)

S-VOC-MS: samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

If yes, place in freezer immediately upon receipt. Date/Time Placed in Freezer: _____

Was every sample placed in freezer within 48 hours of collection? Yes _____ No _____

*If no, were samples shipped on dry ice? Yes _____ No _____

*Preserved Samples for W-1-4-DIOX- pH<4? Yes _____ No _____ NA ✓

*Samples for W-1-4-DIOX- Samples free of chlorine? Yes _____ No _____ NA ✓

*Sample Volume Sufficient: Yes ✓ No _____

Coolers Unpacked/Checked by: lee Date: 12/22/11 NCRs (y/n)? NO

Event ID: W TRSHD-MGT-2011-12-22-02 NCR # _____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

*Samples Preserved within 48 hours? Yes _____ No _____

Date/Time samples preserved: _____

* If "No" is checked then fill out the back of this form with the details (field ID, test IDs, etc.) and generate an NCR.

✓ Samples received within hours of collection

Log-in Checklist

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evid.Tape Not Intact
			CK	BR	CK	BR	

Samples With Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples With Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

CK - Cracked, BR - Broken