



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

SPRINGS INITIATIVE MONITORING PROGRAM

SAMPLE CUSTODY RECORD

SK 3-9-12
9.33

plastic bottles → RQ-2012-03-05-13

glass bottles: RQ-2012-02-27-26

SAMPLING AGENCY		PROJECT	SAMPLER NAMES		SHIPPING METHOD: (circle or fill in)		LAB PROJECT CODE			
9995		SPRG1201	M. Nash L. Hester		DHL	Greyhound	WTRSHD-MGT SPRINGS			
					Hand Delivered by:					
					Other Method: Fedex					
STATION IDENTIFIER		SAMPLE INFORMATION					LAB IDENTIFIER			
1	9720 Station ID Silver Spring Main Station Name	Sample Date: 3/8/12	Sample Time (EST): 14:32	Matrix: (circle one) Water	Sediment	Sp. Cond: 513 μmhos/cm	pH: 7.2 SU	DO: 2.50 mg/L	Temp: 23.71 °C	Lab Sample ID
2	9721 Station ID Reception Hall Station Name spg.	Sample Date: 3/8/12	Sample Time (EST): 15:16	Matrix: (circle one) Water	Sediment	Sp. Cond: 512 μmhos/cm	pH: 7.2 SU	DO: 3.52 mg/L	Temp: 24.0 °C	Lab Sample ID
3	Station ID Station Name	Sample Date: _____	Sample Time (EST): _____	Matrix: (circle one) Water	Sediment	Sp. Cond: _____ μmhos/cm	pH: _____ SU	DO: _____ mg/L	Temp: _____ °C	Lab Sample ID
4	Station ID Station Name	Sample Date: _____	Sample Time (EST): _____	Matrix: (circle one) Water	Sediment	Sp. Cond: _____ μmhos/cm	pH: _____ SU	DO: _____ mg/L	Temp: _____ °C	Lab Sample ID
5	Station ID Station Name	Sample Date: _____	Sample Time (EST): _____	Matrix: (circle one) Water	Sediment	Sp. Cond: _____ μmhos/cm	pH: _____ SU	DO: _____ mg/L	Temp: _____ °C	Lab Sample ID

Project analytes listed on the back of this sheet. Analytes and sample containers are submitted as listed, per site, unless otherwise noted in the comment section above.

Date of Request: 09-FEB-2012
 Created By: HOLLAND_K On: 09-FEB-2012
 Modified By: BRACKETT_K On: 09-FEB-2012
 Customer: WTRSHD-MGT
 Project: SPG_QTR_WQ
 Division:
 District:
 Sampling Event: SPRG1201

Send Coolers To:

Phone: (561) 876 6042
 Alachua County Environmental Protection Department
 408 W. University, Suite 106
 Gainesville, FL 32601
 Attn: Patrick Madden, FDEP

Send Final Report To:

2600 Blair Stone Rd.

 Tallahassee, FL 32399-2400
 Attn: Kathryn Holland

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: BRACKETT_K On: 09-FEB-2012
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 13-FEB-2012
 Sampling Kit Shipped: YES On: 14-FEB-2012
 Sampling Kit Packed By: KITCHEN_S
 Date to Receive Samples: 27-FEB-2012
 Received By: CRANE_C On: 02-MAR-2012

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Include 10 extra 1L amber bottles labeled for W-SUC-AA-R - spares. Make sure address on packing list is used. Thank you!

Suite A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-ALK	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm or Apparent Color
Color (true)		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Boron		
Calcium		
Magnesium		
Potassium		
Sodium		
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 10	Preserved With: ICE
W-SUC-AA-R	Template: DEFAULT	(DEP SOP: LC-001-2 (based on EPA 8321B)) Analysis of sucralose in water matrices by HPLC/MS/MS

Log-in Checklist

2012-03-05-13
RQ- 2012-02-27-26

Shipping Method: Fedex Date/Time of Receipt: 3-9-12/9:33

COOLER CHECK

Cooler ID	Cooler Temp.	Evidence Tape				No. Sample Containers in Cooler	Tracking # (fill out only if waybill copy can't be place in folder)
		Present?		*Intact?			
		Yes	No	Yes	No		
Red	1.9		✓			14	

If the temperature of a cooler is above 6.0 °C (or greater than 10.0 °C for W-1-4-DIOX) or an evidence seal is damaged then identify the bottles, in the affected cooler(s), on back of form.

CONTAINER CHECK

Evidence Tape on Bottles Present: Yes ☐ No ☒ *If Yes, is it intact: Yes ☐ No ☐

Condition of Containers:

*Caps on tight? Yes ☒ No ☐ *Containers intact? Yes ☒ No ☐

*Chain Of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

*Acid Preserved Samples: pH ≤ 2 ? Yes ☒ No ☐ NA ☐

*Base Preserved Samples: pH ≥ 12 or 9? Yes ☐ No ☐ NA ☒
(W-CN, OV-CN - pH ≥ 12), (W-SULFDE-F, W-SULFIDE - pH ≥ 9)

S-VOC-MS: samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes ☐ No ☒

If yes, place in freezer immediately upon receipt. Date/Time Placed in Freezer: _____

Was every sample placed in freezer within 48 hours of collection? Yes ☐ No ☐

*If no, were samples shipped on dry ice? Yes ☐ No ☐

*Preserved Samples for W-1-4-DIOX- pH<4? Yes ☐ No ☐ NA ☒

*Samples for W-1-4-DIOX- Samples free of chlorine? Yes ☐ No ☐ NA ☒

*Sample Volume Sufficient: Yes ☒ No ☐

Coolers Unpacked/Checked by: SK Date: 3-9-12 NCRs (y/n)? N

Event ID: W TRSHD-MGT-2012-03-09-01 / WTRSHD-MGT-2012-03-09-02 NCR# _____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

*Samples Preserved within 48 hours? Yes ☐ No ☐

Date/Time samples preserved: _____

* If "No" is checked then fill out the back of this form with the details (field ID, test IDs, etc.) and generate an NCR.

Package Airbill 8768 6113 6997

1 From This party: **Package Airbill** 8768 6113 6997

Date **3/8/10** Tracking Number **876861136997**

Sender's Name **Laura J. Carter** Phone **904 240-8088**

Company **FLORIDA DEPARTMENT OF AGRICULTURE**

Address **2500 BLAIRSTONE RD** Dept./Floor/Suite/Room

City **Tallahassee** State **FL** ZIP **32319**

2 Your Internal Billing Reference

3 To Recipient's Name

Company **FLORIDA DEPARTMENT OF AGRICULTURE**

Address **2500 BLAIRSTONE RD** Dept./Floor/Suite/Room

City **TALLAHASSEE** State **FL** ZIP **32319-6342**

4 Express Package Service

NOTE: Service order for

Next Business Day

☐ FedEx First Overnight

☒ FedEx Priority Overnight

☐ FedEx Standard Overnight

5 Packaging

☐ FedEx Envelope

☐ FedEx Padded Envelope

6 Special Handling and Delivery Signature

☒ SATURDAY Delivery

☐ No Signature Required

☐ Direct Signature

☐ Indirect Signature

Does this shipment contain dangerous goods?

☐ No ☐ Yes

7 Payment Bill to:

Sender ☐ Recipient ☒ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages **1** Total Weight **6.3** lbs

Our liability is limited to \$100 unless you declare a higher value. See the current FedEx Service Guide for details.



0442085090

Form 3750 (Rev. 10/09) FedEx 1800.463.3339