

ST. JOHNS RIVER WATER MANAGEMENT DISTRICT
HYDROLOGIC DATA SERVICES
STATION DESCRIPTION
(L-1018) Crooked River Preserve

Updated on: 12/04/2009

Description prepared by: R Breed

Station established on: 04/2009

Description of station: 4" PVC non-flowing ground water monitoring well

Hydron number: 30442915

History of Location: Telemetry installed 7/23/2009

History of Equipment: Manual water level readings quarterly. 7/23/2009, installed 105S Shaft Encoder, typical tape, weight, and float arrangement-recording hourly data through radio and modem using radio telemetry network.

Manual WL Requirement:

Electric Tape or
Steel Tape & Chalk:

Ground water:

Aquifer code: SF
M.P. elevation: 109.58
M.P. location: Top of Shelter Floor
Depth of well: 18'
Depth of casing: 18'

ST. JOHNS RIVER WATER MANAGEMENT DISTRICT
HYDROLOGIC DATA SERVICES
STATION DESCRIPTION
L-1018 Crooked River Preserve

Updated on: 04/07/2009

Description prepared by: R Breed

Station established on: 04/2009

Description of station: 4" PVC ground water monitoring well

Hydron number: 30442915

History of Location:

History of Equipment: Manual water level readings quarterly. Installed CR800 logger powered by a 20-watt solar panel and 2 gell cell batteries. A 105S Encoder is used to measure hourly WL readings.

Manual WL Requirement:

Electric Tape:

Steel Tape & Chalk:

Ground water:

Aquifer code: SF

M.P. elevation: 500.00 Assumed

M.P. location: Top of 4" PVC Casing

Depth of well: 18'

Depth of casing: 18'

WELL COMPLETION REPORT (Please complete in black ink or type.)Permit # L-1018 CURT WUP # _____ DID # _____Permit is for multiple wells indicate the number of wells drilled _____
Indicate remaining wells to be cancelled _____.

WATER WELL CONTRACTOR'S (All wells drilled need an individual completion report)

Signature Rodgers, Humphrey License # 2879


I certify that the information provided in this report is accurate and true.

Amount	No. of Bags	From (Flt)	To (Flt)
Portland Cement	4	0.0	9.0'
Bentonite	1	9.0	11.0'

WELL LOCATION: Site Address Chickadee Blvd Pres W. (County) LAKE_____ 1/4 of _____ 1/4 of Section 6 Twp: 23S Rge: 26ELatitude 283030 Longitude 814503

DATE STAMP

Sketch of well location on property



Give distances from septic tank and house or other reference points

Official Use Only

CHEMICAL ANALYSIS WHEN REQUIRED

_____ ppm Sulfate: _____ ppm

pH: _____ ppm

Lab Test [] Field Test Kit

Pump Type

Centrifugal [] Jet [] Submersible [] Turbine

Horsepower _____ Capacity _____ G.P.M. _____

Well Depth _____ Ft Intake Depth _____ Ft

OWNER'S NAME STRUMDCOMPLETION DATE 10-28-08 Florida Unique I.D. _____WELL USE: DEP/Public _____ Irrigation _____ Domestic _____ Monitor X


HRS Limited _____ 62-524 _____ Other _____

DRILL METHOD ☒ Rotary [] Cable Tool [] Combination

[] Jet [] Auger Other _____

Measured Static Water Level _____		Measured Pumping Water Level _____	
After _____ Hours at _____ G.P.M. Measuring Pt. (Describe): _____			
Which is _____ Ft [] Above [] Below Land Surface			
Casing: [] Black Steel [] Galv. ☒ PVC Other _____			
[] Open Hole	Depth (Ft)		DRILL CUTTINGS LOG Examine cuttings every 20 ft. or at formation changes. Note cavities, depth to producing zones. Color Grain Size Type of Material
☒ Screen	From	To	
Casing Diameter & Depth (Ft)	From	To	
Diameter <u>4"</u>	0.0		TAN, LT. BROWN
From <u>0.0</u>			FINE TO MED SAND
To <u>13.0'</u>		18.0	
SCREEN			
Diameter <u>4"</u>			
From <u>13.0'</u>			
To <u>18.0'</u>			
Liner [] or Casing []			
Diameter _____			
From _____			
To _____			

Driller's Name:
(print or type)EDDIE PALMER



Project: CROOKED RIVER

Project No: 5111

Well Completed: 10-29-08

SJRWMD

Well Number: L-1018

Not To Scale