

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SPRINGS SAMPLING FIELD SHEET

Entered
3-4-09
m

2009
RQ-02-09-13

Location Information

STATION ID: 9706 DATE: 2/19/09 TIME (EST): 13:58 (24 hr)
(MM/DD/YYYY) (Final field measurements; start of sampling)

SPRING NAME: Homosassa #3 VENT ID: _____

WEATHER CONDITIONS (Circle One) Clear Partly Cloudy Cloudy Rain

Water Quality Measurements

Secchi Depth: _____ (meters) Secchi Visible on Bottom Yes No (Circle One)

Stage (if available): _____ (Feet)

Estimated depth in vent from which laboratory samples were collected: _____ (meters)

Analytes collected for this site are as listed per the container inventory, including QA/QC samples Yes No

Field Measurements (if field measurement result has to be qualified, enter F next to the value below):

Estimated Depth (meters)	Meter Id	Measurement #	pH (s.u.)	D.O. (mg/L)	% D.O.	Temperature (°C)	Conductivity (uS/cm)
	<u>QD020228</u>	<u>5</u>	<u>7.6</u>	<u>3.83</u>	<u>45.2</u>	<u>23.1</u>	<u>2990</u>
	<u>Q+020227</u>						

Sample Preservation

Was a new 0.45-micron capsule filter used to collect the final metals and nutrients/anions samples? Yes No (Circle One)

Were all appropriate samples preserved within 15 minutes? Yes No

Were total nutrient samples preserved with sulfuric acid? Yes No Total volume added 1 (mL) Final pH 12 (s.u.)

Were filtered nutrient samples preserved with sulfuric acid? Yes No Total volume added 1 (mL) Final pH 12 (s.u.)

Were total metal samples preserved with nitric acid? Yes No Total volume added 1 (mL) Final pH 12 (s.u.)

Were filtered metal samples preserved with nitric acid? Yes No Total volume added 1 (mL) Final pH 10 (s.u.)

(If additional bottles for the nutrient or metal samples were preserved, note volume of acid added and final pH for each one in the Comments)

Were all appropriate samples, in accordance with the container inventory, put on wet ice at 4°C? Yes No

COMMENTS:

Opened new Nitric
Acid box lot # NA-903502
- Sulfur smell

Contains
Conc.
Sulfuric Acid
SA-903501
EXP:
2/04/10
Warning!
See MSDS

Contains
Conc.
Nitric Acid
NA-903502
EXP:
2/04/10
Warning!
See MSDS

QA/QC TAKEN? Yes

TIME COLLECTED 13:55

(Circle One)

EQUIPMENT BLANK

FIELD BLANK

Blanks collected in accordance with
Springs Initiative Monitoring SOP

Samplers Signatures (all team members present)

Laura [Signature] [Signature]

13:55
QA/QC BLANK 8 2/19/09
SPR08001

19 2009
HOMOSSASSA #3
SPR08001 1ST MAG. SPRING
13:58

STATION ID: 9706DATE: 2/19/09TIME (EST): 13:58

CHEMICAL STABILITY MONITORING

purged from 11:13 to 12:30 also

#	TIME (00:00)	pH (s.u.)	TEMP. (°C)	SP. COND (uS/cm)	DO (mg/L)	% SAT DO (%)	COMMENTS
1	12:57	7.55	22.93	3010	3.73	43.4	UH Began purging @ 13:46
2	13:52	7.57	23.03	3000	3.81	45.0	
3	13:54	7.57	23.05	3000	3.84	45.3	
4	13:56	7.57	23.09	2990	3.84	45.4	
5	13:58	7.58	23.09	2990	3.83	45.2	
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							

Meter Id: QD02228 - Q102027Field Measurements Analyzed By: UH (initials)Field Measurements Recorded By: UH (initials)

The final three measurements will be evaluated for each of the field parameters listed above (only the values in mg/L for DO) to ensure that representative measurements have been collected for a site. The lowest and highest values for the three measurements must be within 20% when calculating the relative percent difference (RPD). If these values are not within 20%, the final field measurement value will be qualified as being estimated with an F value qualifier.

$$\text{RPD} = \frac{(\text{Highest Value} - \text{Lowest Value})}{(\text{Mean Value of Highest and Lowest Values})} \times 100\%$$