

**STATE OF FLORIDA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
**SPRINGS SAMPLING FIELD SHEET**

**Station Information**

STATION ID: \_\_\_\_\_ DATE: 2/20/13 TIME (EST): 13:30 (24 hr)  
(MM/DD/YYYY) (Final field measurements; start of sampling)

SPRING NAME: De Leon VENT ID: \_\_\_\_\_

WEATHER CONDITIONS (Circle One) Clear Partly Cloudy Cloudy Rain

**Water Quality Measurements**

Secchi Depth: N/A (meters) Secchi Visible on Bottom Yes No (Circle One) N/A

Stage (if available): N/A (Feet)

Estimated depth in vent from which laboratory samples were collected: N/A (meters)

Analytes collected for this site are as listed per the container inventory, including QA/QC samples Yes No

Field Measurements (if field measurement result has to be qualified, enter F next to the value below):

| Estimated Depth (meters) | Meter Id      | Measurement # | pH (s.u.)   | D.O. (mg/L) | % D.O.      | Temperature (°C) | Conductivity (uS/cm) |
|--------------------------|---------------|---------------|-------------|-------------|-------------|------------------|----------------------|
| <u>N/A</u>               | <u>107901</u> | <u>16</u>     | <u>7.29</u> | <u>1.32</u> | <u>15.4</u> | <u>23.03</u>     | <u>644</u>           |

**Sample Preservation**

Was a new 0.45-micron capsule filter used to collect the final metals and nutrients/anions samples? Yes No (Circle One)

Were all appropriate samples preserved within 15 minutes? Yes No

Were total nutrient samples preserved with sulfuric acid? Yes No Total volume added 2 (mL) Final pH <2 (s.u.)

Were filtered nutrient samples preserved with sulfuric acid? Yes No Total volume added 2 (mL) Final pH <2 (s.u.)

Were total metal samples preserved with nitric acid? Yes No Total volume added 2 (mL) Final pH <2 (s.u.)

Were filtered metal samples preserved with nitric acid? Yes No Total volume added 2 (mL) Final pH <2 (s.u.)

(If additional bottles for the nutrient or metal samples were preserved, note volume of acid added and final pH for each one in the Comments)

Were all appropriate samples, in accordance with the container inventory, put on wet ice at 4°C? Yes No

**COMMENTS:** \_\_\_\_\_

**RQ-2013-02-18-25**

**SPRG1301**

**QA/QC TAKEN?** NO

TIME COLLECTED \_\_\_\_\_

(Circle One)

EQUIPMENT BLANK

FIELD BLANK

Blanks collected in accordance with  
Springs Initiative Monitoring SOP

**Samplers Signatures (all team members present):**

E. Wade

Edgar Wheel

M. Eckles



DE LEON SPRINGS

SPRG1301 2ND MAG. SPRING

STATION ID: \_\_\_\_\_

DATE: 2/20/13TIME (EST): 13:30

## CHEMICAL STABILITY MONITORING

| #  | TIME<br>(00:00) | pH<br>(s.u.) | TEMP.<br>(°C) | SP.<br>COND<br>(uS/cm) | DO<br>(mg/L) | % SAT DO<br>(%) | COMMENTS |
|----|-----------------|--------------|---------------|------------------------|--------------|-----------------|----------|
| 1  | 13:22           | 7.39         | 22.99         | 644                    | 1.28         | 14.8            |          |
| 2  | 13:23           | 7.39         | 22.99         | 645                    | 1.25         | 14.6            |          |
| 3  | 13:23           | 7.38         | 22.99         | 645                    | 1.25         | 14.5            |          |
| 4  | 13:24           | 7.35         | 23.01         | 644                    | 1.28         | 15.0            |          |
| 5  | 13:24           | 7.33         | 23.02         | 644                    | 1.30         | 15.3            |          |
| 6  | 13:25           | 7.33         | 23.02         | 645                    | 1.35         | 15.9            |          |
| 7  | 13:25           | 7.32         | 23.02         | 645                    | 1.39         | 16.2            |          |
| 8  | 13:26           | 7.32         | 23.00         | 645                    | 1.41         | 16.5            |          |
| 9  | 13:26           | 7.31         | 22.99         | 644                    | 1.39         | 16.1            |          |
| 10 | 13:27           | 7.31         | 22.98         | 645                    | 1.34         | 15.7            |          |
| 11 | 13:27           | 7.30         | 22.98         | 644                    | 1.34         | 15.8            |          |
| 12 | 13:28           | 7.30         | 22.98         | 645                    | 1.34         | 15.5            |          |
| 13 | 13:28           | 7.30         | 22.99         | 644                    | 1.31         | 15.3            |          |
| 14 | 13:29           | 7.29         | 23.01         | 644                    | 1.31         | 15.3            |          |
| 15 | 13:29           | 7.29         | 23.01         | 644                    | 1.32         | 15.4            |          |

Meter Id: 101901Field Measurements Analyzed By: EGW (initials)Field Measurements Recorded By: EGW (initials)

The final three measurements will be evaluated for each of the field parameters listed above (only the values in mg/L for DO) to ensure that representative measurements have been collected for a site. The lowest and highest values for the three measurements must be within 20% when calculating the relative percent difference (RPD). If these values are not within 20%, the final field measurement value will be qualified as being estimated with an F value qualifier.

$$RPD = \frac{(\text{Highest Value} - \text{Lowest Value})}{(\text{Mean Value of Highest and Lowest Values})} \times 100\%$$