



# FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION GROUND WATER MANAGEMENT

## SPRINGS SAMPLING FIELD SHEET

### STATION INFORMATION

STATION ID QAQC Blank 1 DATE 4/30/13 TIME(EST) 8:00 (24HR)

SPRING NAME \_\_\_\_\_ WEATHER: CLEAR PARTLY-CLOUDY CLOUDY RAIN

### WATER QUALITY MEASUREMENTS

Analytes collected for this site are as listed per the container inventory, including any QA/QC samples YES NO

### CHEMICAL STABILITY MONITORING

| Time | Temperature (°C) | Conductivity (µs/cm) | DO (% sat) | DO (mg/l) | p H (su) |
|------|------------------|----------------------|------------|-----------|----------|
|      |                  |                      |            |           |          |
|      |                  |                      |            |           |          |
|      |                  |                      |            |           |          |

Stability Criteria: Temp  $\pm 0.2^{\circ}\text{C}$  Sp Cond  $\pm 5\%$  of reading p H  $\pm 0.2$  SU DO  $\leq 20\%$  or 0.2 mg/l Turbidity  $\leq 20\%$  or 5 NTUs

### FINAL FIELD READING

| Meter ID | Temperature (°C) | Conductivity (µs/cm) | D.O. (% sat) | D.O. (mg/l) | p H (su) |
|----------|------------------|----------------------|--------------|-------------|----------|
|          |                  |                      |              |             |          |
|          |                  |                      |              |             |          |
|          |                  |                      |              |             |          |

### SAMPLE PRESERVATION

Were all samples collected using the appropriate 0.45-micron filter (when applicable) & Preserved with the appropriate type and amount of acid (sulfuric for nutrients & nitric for metals)?

☒ YES ☐ NO

Nitric Acid Lot # NA-2153020 Sulfuric Acid Lot # SA-2153010

Filter Lot # 73050004

Were all collected samples properly preserved and stored on wet ice at 4°C within 15 minutes?

☒ YES ☐ NO

### RQ LABEL

RQ-2013-04-29-35  
SPRG1304

### SITE LABEL

(site ID)

QA/QC Taken? ☒ YES ☐ NO

TIME(EST) \_\_\_\_\_ (24HR)

BLANK TYPE ☒ EQUIPMENT ☐ FIELD

PERISTALTIC PUMP ID # \_\_\_\_\_

QA/QC LABEL  
(if applicable)



QAQC BLANK 1

SPRG1304

### COMMENTS

SPRG 1304 - Initial Equipment Blank

### SAMPLER NAMES & SIGNATURES (All team members present)

Edgar Wade

*Edgar Wade*

Raul Blair

*Raul Blair*