



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION GROUND WATER MANAGEMENT

SURFACE WATER SAMPLING FIELD SHEET

STATION INFORMATION

STATION ID SR-SW-Yearling House DATE 5/1/13 TIME(EST) 12:25 (24HR)
WATERBODY NAME Silver River WEATHER: CLEAR PARTLY-CLOUDY ☒ CLOUDY RAIN

WATER CHARACTERISTICS

WATER DEPTH (meters) 2 SECCHI DEPTH (meters) 2 (bottom visible) WATERBODY TYPE River
WATERBODY FLOW CONDITION: No Flow ☒ Normal Flow Within Banks High Flow Outside Of Banks

WATER QUALITY MEASUREMENTS

Analytes collected for this site are as listed per the container inventory, including any QA/QC samples ☒ YES NO

SW FIELD READING (SW Collection Depth = 0.3 meters) *All SW samples collected via direct grab with sample bottles

Meter ID	Temperature (°C)	Conductivity (µs/cm)	D.O. (% sat)	D.O. (mg/l)	pH (su)
101901	23.23	467	51.5	4.40	7.18

Stability Criteria: Temp $\pm 0.2^{\circ}\text{C}$ Sp Cond $\pm 5\%$ of reading pH ± 0.2 SU DO $\leq 20\%$ or 0.2 mg/l Turbidity $\leq 20\%$ or 5 NTUs

SAMPLE PRESERVATION

Were all samples collected using the appropriate 0.45-micron filter (when applicable) & Preserved with the appropriate type and amount of acid (sulfuric for nutrients & nitric for metals)? ☒ YES NO

Nitric Acid Lot # NA-2153020 Sulfuric Acid Lot # SA-2153010 Filter Lot # 73050004

Were all collected samples properly preserved and stored on wet ice at 4°C within 15 minutes? ☒ YES NO

RQ LABEL (RQ number) <u>RQ - 2013-04-29-37</u>	SITE LABEL (site ID) <u>SR-SW-Yearling House</u>
QA/QC Taken? YES ☒ NO TIME(EST) _____ (24HR) BLANK TYPE EQUIPMENT FIELD PERISTALTIC PUMP ID # <u>1</u>	QA/QC LABEL (QA/QC ID) (if applicable)

COMMENTS

SAMPLER NAMES & SIGNATURES (All team members present)

Edgar Wade
Paul Blair