



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION GROUND WATER MANAGEMENT

SPRINGS - SAMPLING FIELD SHEET

STATION INFORMATION

SPRING NAME	<u>Wakulla Springs Tunnel</u>	STATION ID	<u>C</u>	DATE	<u>10-29-13</u>	TIME(EST)	<u>15:46</u> (24HR)
SAMPLE DEPTH(meters)	<u>N/A</u>	BOTTOM VISIBLE?	YES NO	WEATHER:	<u>CLEAR</u>	PARTLY-CLOUDY	CLOUDY RAIN

WATER QUALITY MEASUREMENTS

Analytes collected for this site are as listed per the container inventory, including any QA/QC samples						<u>YES</u>	NO
CHEMICAL STABILITY MONITORING							
Time	Temperature (°C)	Conductivity (µs/cm)	DO (% sat)	DO (mg/l)	pH (su)		
<u>15:18</u>	<u>21.2</u>	<u>339</u>	<u>26.2</u>	<u>2.32</u>	<u>7.4</u>		
<u>15:30</u>	<u>21.3</u>	<u>339</u>	<u>22.6</u>	<u>2.00</u>	<u>7.4</u>		
<u>15:42</u>	<u>21.3</u>	<u>339</u>	<u>21.5</u>	<u>1.91</u>	<u>7.4</u>		
Stability Criteria: Temp $\pm 0.2^{\circ}\text{C}$ Sp Cond $\pm 5\%$ of reading pH ± 0.2 SU DO $\leq 20\%$ or 0.2 mg/l Turbidity $\leq 20\%$ or 5 NTUs							
FINAL FIELD READING <u>15:46</u>							
Meter ID	Temperature (°C)	Conductivity (µs/cm)	D.O. (% sat)	D.O. (mg/l)	pH (su)		
<u>YSI 600XLm #11</u>	<u>21.2</u>	<u>339</u>	<u>21.5</u>	<u>1.91</u>	<u>7.4</u>		
<u>Logger #8</u>							

SAMPLE PRESERVATION

Were all samples collected using the appropriate 0.45-micron filter (when applicable) & reserved with the appropriate type and amount of acid (sulfuric for nutrients & nitric for metals)?			<u>YES</u>	NO			
Nitric Acid Lot #	<u>3137010</u>	Sulfuric Acid Lot #	<u>3137020</u>	Filter Lot #	<u>73050004</u>		
Were all collected samples properly preserved and stored on wet ice at 4°C within 15 minutes?					<u>YES</u>	NO	

RQ LABEL (RQ number)	SITE LABEL (site ID)
<u>RQ-2013-10-28-87</u>	
QA/QC Taken? YES <u>NO</u>	QA/QC LABEL (QA/QC ID)
TIME(EST) _____ (24HR)	(if applicable)
BLANK TYPE EQUIPMENT FIELD	
PERISTALTIC PUMP ID # _____	

COMMENTS

<u>purge start - 15:07</u>
<u>purge rate - 0.25 gpm</u>

SAMPLER NAMES & SIGNATURES (All team members present)

<u>Paul Blair</u>	<u>[Signature]</u>
<u>N.A. Eckles</u>	<u>[Signature]</u>