



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION GROUND WATER MANAGEMENT

SPRINGS - SAMPLING FIELD SHEET

STATION INFORMATION

SPRING NAME	DEEP 2	STATION ID		DATE	4/17/14	TIME(EST)	11:40	(24HR)
SAMPLE DEPTH(meters)		BOTTOM VISIBLE?	YES NO	WEATHER:	CLEAR	PARTLY-CLOUDY	CLOUDY	RAIN

WATER QUALITY MEASUREMENTS

Analytes collected for this site are as listed per the container inventory, including any QA/QC samples						YES	NO
CHEMICAL STABILITY MONITORING							
Time	Temperature (°C)	Conductivity (µs/cm)	DO (% sat)	DO (mg/l)	pH (su)		
Stability Criteria: Temp ± 0.2°C Sp Cond ± 5% of reading pH ± 0.2 SU DO ≤ 20% or 0.2 mg/l Turbidity ≤ 20% or 5 NTUs							

FINAL FIELD READING

Meter ID	Temperature (°C)	Conductivity (µs/cm)	D.O. (% sat)	D.O. (mg/l)	pH (su)

SAMPLE PRESERVATION

Were all samples collected using the appropriate 0.45-micron filter (when applicable) & Preserved with the appropriate type and amount of acid (sulfuric for nutrients & nitric for metals)?			YES	NO	
Nitric Acid Lot #	1113040	Sulfuric Acid Lot #	120591	Filter Lot #	85092C
Were all collected samples properly preserved and stored on wet ice at 4°C within 15 minutes?			YES	NO	

RQ LABEL (RQ number)	SITE LABEL (site ID)
RQ-2014-03-10-29	DEEP 2
QA/QC Taken? YES NO	QA/QC LABEL (QA/QC ID)
TIME(EST) (24HR)	
BLANK TYPE EQUIPMENT FIELD	
PERISTALTIC PUMP ID # 1	

COMMENTS

no field data due to small sample volume

SAMPLER NAMES & SIGNATURES (All team members present)

Edger Wade	Gary Maddox
Edger Wade	