



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION GROUND WATER MANAGEMENT

SPRINGS - SAMPLING FIELD SHEET

STATION INFORMATION

SPRING NAME	<u>Homosassa</u>	STATION ID	<u>H1</u>	DATE	<u>10/7/14</u>	TIME(EST)	<u>16:50</u> (24HR)
SAMPLE DEPTH(meters)	<u>1.6</u>	BOTTOM VISIBLE?	☒ YES ☐ NO	WEATHER:	☐ CLEAR ☒ PARTLY-CLOUDY ☐ CLOUDY ☐ RAIN		

WATER QUALITY MEASUREMENTS

Analytes collected for this site are as listed per the container inventory, including any QA/QC samples						☒ YES ☐ NO
CHEMICAL STABILITY MONITORING						
Time	Temperature (°C)	Conductivity (µs/cm)	DO (% sat)	DO (mg/l)	pH (su)	
Stability Criteria: Temp ± 0.2°C Sp Cond ± 5% of reading pH ± 0.2 SU DO ≤ 20% or 0.2 mg/l Turbidity ≤ 20% or 5 NTUs						

FINAL FIELD READING

Meter ID	Temperature (°C)	Conductivity (µs/cm)	D.O. (% sat)	D.O. (mg/l)	pH (su)
<u>118153</u>	<u>23.22</u>	<u>2910</u>	<u>50.3</u>	<u>4.27</u>	<u>7.69</u>

SAMPLE PRESERVATION

Were all samples collected using the appropriate 0.45-micron filter (when applicable) & Preserved with the appropriate type and amount of acid (sulfuric for nutrients & nitric for metals)?			☒ YES ☐ NO		
Nitric Acid Lot #	<u>1113100</u>	Sulfuric Acid Lot #	<u>13511</u>	Filter Lot #	<u>85092C</u>
Were all collected samples properly preserved and stored on wet ice at 4°C within 15 minutes?					☒ YES ☐ NO

RQ LABEL (RQ number)	SITE LABEL (site ID)
<u>RQ-2014-10-06-75</u>	<u>H1</u>
QA/QC Taken? YES ☐ NO ☒	QA/QC LABEL (QA/QC ID)
TIME(EST) _____ (24HR)	(if applicable)
BLANK TYPE EQUIPMENT FIELD	
PERISTALTIC PUMP ID # <u>1</u>	

COMMENTS

SAMPLER NAMES & SIGNATURES (All team members present)

<u>Edgar Wade</u>	<u>Gary Maddox</u>
	<u>Ry2 Maddy</u>