

1571 Alloy Lane
Ozark Underground Laboratory, Inc.
Ozark, MO 65753 (417) 785-4289 fax (417) 785-4298
email: info@ozulab.com
SALES: sales@ozulab.com

SAMPLE COLLECTION DATA SHEET for FLUORESCENCE ANALYSIS

Project: DOWNSTREAM MADISON BLUE SPRING TRACE Week No: 3/4 Sample Collected By: KTS Staff
 Samples Shipped By: Patricia Boushara

Samples Shipped By: Peter Butts/KES
Samples Collected By: KES Staff

Date Samples Shipped: 6/8/04 Date Samples Received: 6/15/04 Time Samples Received: 13:15
 Samples Received By: L. H. H. H. Return Cooler? Yes ☐ No ☒
 Bill Rec: SEWARD

Analyze for: Fluorescein ☒ Eosine ☐ Rhodamine WT ☐ Other ☐ Shim cooler to: _____
 Analyze to: KES _____
 Return Cooler? Yes ☐ No ☒

Ship cooler box

Please indicate stations where dye was visible in the field
for field technician use - use black ink only

[illegible]

COMMENTS

HEALTH/ENVIRONMENTAL SERVICES INC. No X Charts for samples on this page proofed by OUL

THE NEW YORK PUBLIC LIBRARY

SERVICES INC.

5779 NE County Rd. 340

High Springs, FL 32647

High Springs, FL 32643
(386) 454-1956 • FAX (386) 454-1957

Charts for samples on this page proofed by OUL
Page 5 of 5 OUL 5 of 5

Pharmaceutical Innovation, Inc. Rev. 8/99