

Chemical Analysis Report

WQAP-2019-12-17-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - CEROC**
Request ID: **RQ-2019-10-14-56**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
3319 Maguire Blvd.
Suite 232
Orlando, FL 32803
Attn: Michael Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 08-JAN-2020 10:51

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the "T" in "Tate".

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Cypress Lake at NW of Center

Collection Date/Time: 12/16/2019 09:50

Field ID: HAB_121619_CypressCenter

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144554	EPA 8321B	Anatoxin-a**	0.25	U	ug/L	P375958	
		Cylindrospermopsin**	0.25	U	ug/L	P375958	
		Desmethyl microcystin LR**	0.25	U	ug/L	P375958	
		Microcystin LA**	0.25	U	ug/L	P375958	
		Microcystin LF**	0.25	U	ug/L	P375958	
		Microcystin LR**	0.25	U	ug/L	P375958	
		Microcystin LW**	0.25	U	ug/L	P375958	
		Microcystin LY**	0.25	U	ug/L	P375958	
		Microcystin RR**	0.25	U	ug/L	P375958	
		Microcystin WR**	0.25	U	ug/L	P375958	
		Microcystin YR**	0.25	U	ug/L	P375958	
2144560	EPA 350.1 Rev. 2.0	Ammonia-N	0.01		mg N/L	P376351	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.72		mg N/L	P376079	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P376243	
	EPA 365.1 Rev. 2.0	Total-P	0.016		mg P/L	P376084	
2144562	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P375996	

Sample Location: Cypress Lake Boat Ramp at NW Shore

Collection Date/Time: 12/16/2019 09:34

Field ID: HAB_121619_CypressRamp

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144555	EPA 8321B	Anatoxin-a**	0.25	U	ug/L	P375958	
		Cylindrospermopsin**	0.25	U	ug/L	P375958	
		Desmethyl microcystin LR**	0.93	I	ug/L	P375958	
		Microcystin LA**	3.6		ug/L	P375958	
		Microcystin LF**	0.25	U	ug/L	P375958	
		Microcystin LR**	18		ug/L	P375958	
		Microcystin LW**	0.25	U	ug/L	P375958	
		Microcystin LY**	0.25	U	ug/L	P375958	
		Microcystin RR**	4.5		ug/L	P375958	
		Microcystin WR**	0.29	I	ug/L	P375958	
		Microcystin YR**	0.93	I	ug/L	P375958	
2144561	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P376351	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.94		mg N/L	P376079	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.011		mg N/L	P376243	
	EPA 365.1 Rev. 2.0	Total-P	0.024		mg P/L	P376084	
2144563	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P375996	

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P376351

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P376079

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P376243

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P376084

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P375996

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P375958

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.25	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin LA	0.25	U	ug/L
Microcystin LF	0.25	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.25	U	ug/L
Microcystin RR	0.25	U	ug/L
Microcystin WR	0.25	U	ug/L
Microcystin YR	0.25	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P376351

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P376079

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	110		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P376243

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P376084

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P375996

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.8		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P375958

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	112		P	40 - 140
Cylindrospermopsin	112		P	40 - 140
Desmethyl microcystin LR	104		P	40 - 140
Microcystin LA	96.8		P	40 - 140
Microcystin LF	98.3		P	40 - 140
Microcystin LR	95.0		P	40 - 140
Microcystin LW	95.2		P	40 - 140
Microcystin LY	96.8		P	40 - 140
Microcystin RR	101		P	40 - 140
Microcystin WR	84.1		P	40 - 140
Microcystin YR	94.1		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P376351

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2144676	Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P376079

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2144560	Kjeldahl Nitrogen	108	107	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P376243

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2144544	NO2NO3-N	98.5	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P376084

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2144527	Total-P	106	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P375996

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2144562	O-Phosphate-P	95.0	96.1	P/P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P375958

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2144501	Anatoxin-a	94.2	98.2	P/P	40 - 140
2144501	Cylindrospermopsin	81.5	81.6	P/P	40 - 140
2144501	Desmethyl microcystin LR	93.2	98.9	P/P	40 - 140
2144501	Microcystin LA	83.2	85.2	P/P	40 - 140
2144501	Microcystin LF	80.4	86.9	P/P	40 - 140
2144501	Microcystin LR	88.4	96.7	P/P	40 - 140
2144501	Microcystin LW	83.3	81.8	P/P	40 - 140
2144501	Microcystin LY	84.8	88.7	P/P	40 - 140
2144501	Microcystin RR	87.0	92.5	P/P	40 - 140
2144501	Microcystin WR	79.8	85.0	P/P	40 - 140
2144501	Microcystin YR	92.7	95.2	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P376351

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144676	Ammonia-N	0.906	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P376079

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144560	Kjeldahl Nitrogen	0.904	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P376243

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144544	NO2NO3-N	0.509	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P376084

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144527	Total-P	2.14	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P375996

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144562	O-Phosphate-P	1.15	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P375958

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144501	Anatoxin-a	4.23	Spike	P	0 - 30
2144501	Cylindrospermopsin	0.0674	Spike	P	0 - 30
2144501	Desmethyl microcystin LR	5.94	Spike	P	0 - 30
2144501	Microcystin LA	2.36	Spike	P	0 - 30
2144501	Microcystin LF	7.75	Spike	P	0 - 30
2144501	Microcystin LR	8.97	Spike	P	0 - 30
2144501	Microcystin LW	1.82	Spike	P	0 - 30
2144501	Microcystin LY	4.45	Spike	P	0 - 30
2144501	Microcystin RR	6.13	Spike	P	0 - 30
2144501	Microcystin WR	6.33	Spike	P	0 - 30
2144501	Microcystin YR	2.74	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2144554

Field Sample ID: HAB_121619_CypressCenter

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	88.8	P	30 - 165

Lab Sample ID: 2144555

Field Sample ID: HAB_121619_CypressRamp

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	84.8	P	30 - 165

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A96398

Included Lab Sample IDs: 2144562, 2144563

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.9	96.7	P/P	90 - 110
O-Phosphate-P	97.9	97.0	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A96474

Included Lab Sample IDs: 2144554, 2144555

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	87.5	83.6	P/P	50 - 160
Cylindrospermopsin	96.2	96.2	P/P	60 - 160
Desmethyl microcystin LR	91.6	91.1	P/P	50 - 160
Microcystin LA	88.6	85.7	P/P	50 - 160
Microcystin LF	86.6	86.1	P/P	60 - 160
Microcystin LR	83.9	81.9	P/P	60 - 160
Microcystin LW	85.1	83.8	P/P	50 - 160
Microcystin LY	85.5	84.9	P/P	60 - 160
Microcystin RR	87.4	85.4	P/P	60 - 160
Microcystin WR	83.1	74.2	P/P	60 - 160
Microcystin YR	84.1	83.6	P/P	60 - 160

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A96486

Included Lab Sample IDs: 2144560, 2144561

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.2	97.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A96500

Included Lab Sample IDs: 2144560, 2144561

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	104	P/P	90 - 110
Kjeldahl Nitrogen	103	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A96503

Included Lab Sample IDs: 2144560, 2144561

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110
NO2NO3-N	101	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A96549

Included Lab Sample IDs: 2144560, 2144561

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

Quality Assurance Report

Calibration Verification

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS	MS		
EPA 350.1 Rev. 2.0	Ammonia-N	100	100	101		0.906
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	110	108	107		0.904
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	98.5	98.0		0.509
EPA 365.1 Rev. 2.0	Total-P	106	106	102		2.14
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.8	95.0	96.1		1.15
EPA 8321B	Anatoxin-a	112	94.2	98.2		4.23
	Cylindrospermopsin	112	81.5	81.6		0.0674
	Desmethyl microcystin LR	104	93.2	98.9		5.94
	Microcystin LA	96.8	83.2	85.2		2.36
	Microcystin LF	98.3	80.4	86.9		7.75
	Microcystin LR	95.0	88.4	96.7		8.97
	Microcystin LW	95.2	83.3	81.8		1.82
	Microcystin LY	96.8	84.8	88.7		4.45
	Microcystin RR	101	87.0	92.5		6.13
	Microcystin WR	84.1	79.8	85.0		6.33
	Microcystin YR	94.1	92.7	95.2		2.74

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2144560, 2144561
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2144560, 2144561
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2144560, 2144561
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2144560, 2144561
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2144562, 2144563
EPA 8321B / E31780	Microcystins in water matrices by HPLC/MS/MS	2144554, 2144555

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	12/17/2019			12/23/2019 13:30	Ping Hua	2144560
	12/17/2019			12/23/2019 13:32	Ping Hua	2144561
EPA 351.2 Rev. 2.0	12/17/2019	12/18/2019 10:14	Sima Feizi	12/19/2019 18:23	Jhamieka S. Greenwood	2144560
	12/17/2019	12/18/2019 10:14	Sima Feizi	12/19/2019 18:39	Jhamieka S. Greenwood	2144561
EPA 353.2 Rev. 2.0	12/17/2019			12/20/2019 11:43	Beverly Y. Sanders	2144561
	12/17/2019			12/20/2019 13:07	Beverly Y. Sanders	2144560
EPA 365.1 Rev. 2.0	12/17/2019	12/18/2019 14:20	Lipi Saha	12/19/2019 16:36	Benjamin T. Nordmann	2144560
	12/17/2019	12/18/2019 14:20	Lipi Saha	12/19/2019 16:37	Benjamin T. Nordmann	2144561
EPA 365.1 Rev. 2.0 dissolved	12/17/2019			12/17/2019 15:29	Samantha Davila	2144562
	12/17/2019			12/17/2019 15:54	Samantha Davila	2144563
EPA 8321B	12/17/2019	12/19/2019 09:00	Juyoung Kim	12/19/2019 14:08	Juyoung Kim	2144554
	12/17/2019	12/19/2019 09:00	Juyoung Kim	12/19/2019 14:24	Juyoung Kim	2144555