

Log-in Checklist

RQ- 2019-04-15-38

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 4/17/19 @ 9:50

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.4				6		✓			9751 8778 3308

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above standard temperature without customer notification/confirmation.**

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No ✓

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No ✓ Init: KK

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: KK

Coolers Unpacked/Checked by: KK Date: 4/17/19

NCRs (Y/N)? N

Event ID: Algal Bloom Response - As needed
WQAP-2019-04-17-01 (BLOOM-RESP)

NCR #

Page 1 of 2, 03/ Date Received: 17-APR-2019 09:50

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	
pH Paper 0.0 – 3.0 Lot #	220416A EXP:7/30/20
pH Paper 0 – 13 Lot #	222516 EXP:9/15/2019
Chlorine Test Strips Lot #	091417V EXP:9/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Algal Bloom Response - As needed

last revised Jan 25, 2018

Customer: WQAP

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: BLOOM-RESP

Collected By: Mike Linger / Lawrence Drennan

Sampling Agency: FDEP

CF-RO

Location		Algae Bloom Sampling Kit Lake Reinhard 4/16/19		Collection (comp begin or grab) Date 4/16/19 Time 9:58		Composite end Date		Bottle Group(s) (See pg 2)	
Field				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen mg/L Total Res. Chlorine % sat			
WIN/				Temp (C) 24.8		Sample Depth 0.3		Sp. Conductance (umho/cm) 330.1	
Latitude				Salinity (ppt)		pH		Comments	
Location		Mike Linger / Mike Drennan RQ-2019-04-15-38		Collection (comp begin or grab) Date		Composite end Date		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen mg/L Total Res. Chlorine % sat			
WIN/STORET #				Temp (C)		Sample Depth		Sp. Conductance (umho/cm)	
Latitude				Salinity (ppt)		pH		Comments	
Location				Collection (comp begin or grab) Date		Composite end Date		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen mg/L Total Res. Chlorine % sat			
WIN/STORET #				Temp (C)		Sample Depth		Sp. Conductance (umho/cm)	
Latitude				Salinity (ppt)		pH		Comments	
Location				Collection (comp begin or grab) Date		Composite end Date		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen mg/L Total Res. Chlorine % sat			
WIN/STORET #				Temp (C)		Sample Depth		Sp. Conductance (umho/cm)	
Latitude				Salinity (ppt)		pH		Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				KK	4.17.19 / 9:50

Group: A	Bottle Type: BLOOM-ID	PT-50ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-MCYST-AA	BG-250ML-WDMT H	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: DTY-QN-C PKD-QN-C	BP-1L	# of Bottles: 1	Preservative:	Lugols	Enter Number of Bottles Sent to Lab

↳ not preserved with Lugols
MKC

Date of Request: 28-MAR-2019
 Created By: LINGER_M On: 28-MAR-2019
 Modified By: JASROTIA_P On: 29-MAR-2019
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: CEROC
 Sampling Event: Algal Bloom Response - As needed

Send Coolers To:

Phone: 407-897-4180
 3319 Maguire Blvd
 Suite 232
 Orlando, FL 32803
 Attn: Mike Linger

Program Module Number:

Priority: 1

Event Status: S

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 29-MAR-2019

Biology Request Reviewed By: JASROTIA_P On: 29-MAR-2019

Sampling Kit Required: YES Ship on: 05-APR-2019

Sampling Kit Shipped: YES On: 01-APR-2019

Sampling Kit Packed By: SHAIK_A

Preservatives Needed: NO

Date to Receive Samples: 15-APR-2019

Received By:

Send Final Report To:

3319 Maguire Blvd
 Suite 232
 Orlando, FL 32806
 Attn: Mike Linger

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B/C - separate event, priority 1
 Bottle Group D- separate event, priority 12

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing.

Bottle Group C - Priority 1
 Water quality testing - nutrients and chlorophyll

Bottle Group D - Priority 12
 For algal full ID.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 1 Samples:

Bottle Type: PT-50ML Number of Bottles: 1 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-250ML-WDMTH Number of Bottles: 1 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Cooler Packing Worksheet for Request: RQ-2019-04-15-38

Algal Bloom Response - As needed

Ship Cooler On: 4/5/2019

Customer/Project: WQAP/BLOOM-RESP

Assigned To: SHAIK_A

Requester: Michael Linger

Priority: 1

407-897-4180
3319 Maguire Blvd
Suite 232
Orlando, FL 32803
Attn: Mike Linger

Comments:

No preservatives needed.

Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B/C - separate event, priority 1

Bottle Group D- separate event, priority 12

Bottle Group A - Priority 1

For algal dominant taxon.

Bottle Group B - Priority 1

For toxin testing.

Bottle Group C - Priority 1

Water quality testing - nutrients and chlorophyll

Bottle Group D - Priority 12

For algal full ID.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Requested Analyses:

Bottle Group: A

of Sites: 1

Container ID: PT-50ML

Qty: 1 Preservation: ICE

Lot # 03775003

Description: Plastic Tube 50 mL

Analysis

BLOOM-ID

Description

Assessment of dominant algal taxa in bloom or mat sample

Bottle Group: B**# of Sites: 1**

Container ID: BG-250ML-WDMTH Qty: 1 Preservation: ICE

Lot # 00072289

Description: Wide Mouth Amber Glass Bottle 250 ml

Analysis

W-MCYST-AA

Description

Microcystins in water matrices by HPLC/MS/MS

Bottle Group: C**# of Sites: 1**

Container ID: BP-1L Qty: 1 Preservation: ICE

Lot # 1248230

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 1 Preservation: ICE And H2SO4

Lot # 00073207

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: FILTER-ICE

Lot # 00072954

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: D**# of Sites: 1**

Container ID: BP-1L Qty: 1 Preservation: Lugols

Lot # 1248230

Description: Brown Plastic Bottle 1L

Analysis**Description**

DTY-QN-C
PKD-QN-C

No. of diatom taxa of quantitative phytoplankton sample.
No. of wet taxa of quantitative phytoplankton sample.

Cooler Packed By: ABJ

Number of Coolers: 1

Date: 4-1-19

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2019-04-15-38