

Chemical Analysis Report

WQAP-2019-09-27-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Algal Bloom Response - As needed**
Request ID: **RQ-2019-08-19-60**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
2295 Victoria AVE
Suite 364
Fort Myers, FL 33901
Attn: Kirby Wolfe

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 10-OCT-2019 11:37

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first few letters.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Trafford

Collection Date/Time: 09/26/2019 12:30

Field ID: Lake Trafford

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2123070	EPA 8321B	Anatoxin-a**	0.25	U	ug/L	P371437	
		Cylindrospermopsin**	0.26	I	ug/L	P371437	
		Microcystin LA**	0.25	U	ug/L	P371437	
		Microcystin LF**	0.25	U	ug/L	P371437	
		Microcystin LR**	0.25	U	ug/L	P371437	
		Microcystin LY**	0.25	U	ug/L	P371437	
		Microcystin RR**	0.25	U	ug/L	P371437	
		Microcystin YR**	0.25	U	ug/L	P371437	
2123071	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P371969	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.0		mg N/L	P371621	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P371650	
	EPA 365.1 Rev. 2.0	Total-P	0.080		mg P/L	P371637	
2123072	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P371490	

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371969

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371621

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371650

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371637

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371490

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P371437

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.25	U	ug/L
Microcystin LA	0.25	U	ug/L
Microcystin LF	0.25	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LY	0.25	U	ug/L
Microcystin RR	0.25	U	ug/L
Microcystin YR	0.25	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P371969

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P371621

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.8		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P371650

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P371637

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P371490

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.7		P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P371437

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	121		P	40 - 140
Cylindrospermopsin	99.3		P	40 - 140
Microcystin LA	98.6		P	40 - 140
Microcystin LF	101		P	40 - 140
Microcystin LR	90.1		P	40 - 140
Microcystin LY	96.4		P	40 - 140
Microcystin RR	99.9		P	40 - 140
Microcystin YR	95.5		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P371969

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123149	Ammonia-N	99.1	99.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P371621

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123074	Kjeldahl Nitrogen	94.8	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P371650

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123041	NO2NO3-N	104	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P371637

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123041	Total-P	99.6	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P371490

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123035	O-Phosphate-P	97.9	99.6	P/P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P371437

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123135	Anatoxin-a	102	76.6	P/P	40 - 140
2123135	Cylindrospermopsin	79.2	72.5	P/P	40 - 140
2123135	Microcystin LA	86.8	70.5	P/P	40 - 140
2123135	Microcystin LF	82.9	77.4	P/P	40 - 140
2123135	Microcystin LR	84.6	80.3	P/P	40 - 140
2123135	Microcystin LY	85.1	81.1	P/P	40 - 140
2123135	Microcystin RR	96.7	89.9	P/P	40 - 140
2123135	Microcystin YR	84.5	80.9	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P371969

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123149	Ammonia-N	0.204	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P371621

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123074	Kjeldahl Nitrogen	7.09	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P371650

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123041	NO2NO3-N	0.810	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P371637

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123041	Total-P	0.517	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P371490

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123035	O-Phosphate-P	0.884	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P371437

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123135	Anatoxin-a	28.1	Spike	P	0 - 30
2123135	Cylindrospermopsin	8.81	Spike	P	0 - 30
2123135	Microcystin LA	20.6	Spike	P	0 - 30
2123135	Microcystin LF	6.76	Spike	P	0 - 30
2123135	Microcystin LR	5.21	Spike	P	0 - 30
2123135	Microcystin LY	4.80	Spike	P	0 - 30
2123135	Microcystin RR	7.31	Spike	P	0 - 30
2123135	Microcystin YR	4.37	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2123070
Field Sample ID: Lake Trafford

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	121	P	30 - 165

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A94560

Included Lab Sample IDs: 2123072

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.2	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A94621

Included Lab Sample IDs: 2123070

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	99.8	96.9	P/P	50 - 160
Cylindrospermopsin	98.3	96.3	P/P	60 - 160
Microcystin LA	93.6	89.1	P/P	50 - 160
Microcystin LF	98.5	112	P/P	60 - 160
Microcystin LR	94.6	91.7	P/P	60 - 160
Microcystin LY	98.0	100	P/P	60 - 160
Microcystin RR	109	104	P/P	60 - 160
Microcystin YR	90.6	91.1	P/P	60 - 160

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A94627

Included Lab Sample IDs: 2123071

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94656

Included Lab Sample IDs: 2123071

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94665

Included Lab Sample IDs: 2123071

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	95.0	97.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94750

Included Lab Sample IDs: 2123071

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.8	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 350.1 Rev. 2.0	Ammonia-N	97.6	99.1	99.5			0.204
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.8	94.8	106			7.09
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	104	104	105			0.810
EPA 365.1 Rev. 2.0	Total-P	97.0	99.6	100			0.517
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.7	97.9	99.6			0.884
EPA 8321B	Anatoxin-a	121	102	76.6			28.1
	Cylindrospermopsin	99.3	79.2	72.5			8.81
	Microcystin LA	98.6	70.5	86.8			20.6
	Microcystin LF	101	77.4	82.9			6.76
	Microcystin LR	90.1	80.3	84.6			5.21
	Microcystin LY	96.4	81.1	85.1			4.80
	Microcystin RR	99.9	89.9	96.7			7.31
	Microcystin YR	95.5	80.9	84.5			4.37

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2123071
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2123071
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2123071
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2123071
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2123072
EPA 8321B / E31780	Microcystins in water matrices by HPLC/MS/MS	2123070

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	09/27/2019			10/04/2019 12:26	Ping Hua	2123071
EPA 351.2 Rev. 2.0	09/27/2019	10/01/2019 11:12	Sima Feizi	10/02/2019 15:05	Julia Storbeck	2123071
EPA 353.2 Rev. 2.0	09/27/2019			10/01/2019 11:43	Beverly Y. Sanders	2123071
EPA 365.1 Rev. 2.0	09/27/2019	10/01/2019 12:41	Vijayalakshmi Reddy	10/02/2019 11:42	Lipi Saha	2123071
EPA 365.1 Rev. 2.0 dissolved	09/27/2019			09/27/2019 16:53	Virginia P. Brown	2123072
EPA 8321B	09/27/2019	10/01/2019 09:00	Juyoung Kim	10/01/2019 10:40	Juyoung Kim	2123070