

Chemical Analysis Report

WQAP-2019-10-02-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response**
Request ID: **RQ-2019-09-23-57**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Julie Espy

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 10-OCT-2019 15:22



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Elevenmile Creek downstream of Mobile Hwy Collection Date/Time: 10/01/2019 11:15

Field ID: ELEVENMILE CREEK

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2123878	EPA 8321B	Anatoxin-a**	0.25	U	ug/L	P371684	
		Cylindrospermopsin**	0.25	U	ug/L	P371684	
		Microcystin LA**	0.25	U	ug/L	P371684	
		Microcystin LF**	0.25	U	ug/L	P371684	
		Microcystin LR**	0.25	U	ug/L	P371684	
		Microcystin LY**	0.25	U	ug/L	P371684	
		Microcystin RR**	0.25	U	ug/L	P371684	
		Microcystin YR**	0.25	U	ug/L	P371684	
2123879	EPA 350.1 Rev. 2.0	Ammonia-N	0.084		mg N/L	P372058	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.19	I	mg N/L	P371812	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.69		mg N/L	P371785	
	EPA 365.1 Rev. 2.0	Total-P	0.005		mg P/L	P371825	
2123880	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P371781	

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372058

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371812

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371785

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371825

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371781

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P371684

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.25	U	ug/L
Microcystin LA	0.25	U	ug/L
Microcystin LF	0.25	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LY	0.25	U	ug/L
Microcystin RR	0.25	U	ug/L
Microcystin YR	0.25	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P372058

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P371812

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P371785

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P371825

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P371781

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.2		P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P371684

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	122		P	40 - 140
Cylindrospermopsin	100		P	40 - 140
Microcystin LA	104		P	40 - 140
Microcystin LF	99.7		P	40 - 140
Microcystin LR	96.2		P	40 - 140
Microcystin LY	103		P	40 - 140
Microcystin RR	109		P	40 - 140
Microcystin YR	94.6		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372058

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123926	Ammonia-N	96.1	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371812

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123914	Kjeldahl Nitrogen	105	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371785

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123926	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371825

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123856	Total-P	95.7	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371781

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123880	O-Phosphate-P	93.5	94.6	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P371684

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123878	Anatoxin-a	107	109	P/P	40 - 140
2123878	Cylindrospermopsin	91.6	92.8	P/P	40 - 140
2123878	Microcystin LA	93.5	92.2	P/P	40 - 140
2123878	Microcystin LF	101	77.1	P/P	40 - 140
2123878	Microcystin LR	89.1	88.9	P/P	40 - 140
2123878	Microcystin LY	101	96.1	P/P	40 - 140
2123878	Microcystin RR	101	102	P/P	40 - 140
2123878	Microcystin YR	90.8	92.9	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372058

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123926	Ammonia-N	1.86	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371812

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123914	Kjeldahl Nitrogen	2.38	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371785

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123926	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371825

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123856	Total-P	0.385	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371781

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123880	O-Phosphate-P	1.12	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P371684

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123878	Anatoxin-a	1.56	Spike	P	0 - 30
2123878	Cylindrospermopsin	1.35	Spike	P	0 - 30
2123878	Microcystin LA	1.46	Spike	P	0 - 30
2123878	Microcystin LF	26.8	Spike	P	0 - 30
2123878	Microcystin LR	0.198	Spike	P	0 - 30
2123878	Microcystin LY	5.38	Spike	P	0 - 30
2123878	Microcystin RR	1.53	Spike	P	0 - 30
2123878	Microcystin YR	2.35	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2123878

Field Sample ID: ELEVENMILE CREEK

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	92.8	P	30 - 165

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A94681

Included Lab Sample IDs: 2123880

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.6	98.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A94685

Included Lab Sample IDs: 2123879

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	101	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A94692

Included Lab Sample IDs: 2123878

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	106	100	P/P	50 - 160
Cylindrospermopsin	102	97.2	P/P	60 - 160
Microcystin LA	103	93.1	P/P	50 - 160
Microcystin LF	99.6	99.3	P/P	60 - 160
Microcystin LR	102	85.9	P/P	60 - 160
Microcystin LY	106	92.5	P/P	60 - 160
Microcystin RR	107	108	P/P	60 - 160
Microcystin YR	97.7	85.2	P/P	60 - 160

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94726

Included Lab Sample IDs: 2123879

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94749

Included Lab Sample IDs: 2123879

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.6	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94775

Included Lab Sample IDs: 2123879

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 350.1 Rev. 2.0	Ammonia-N	99.0	96.1	98.0			1.86
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	105	101			2.38
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	102	102			0.0
EPA 365.1 Rev. 2.0	Total-P	101	95.7	96.4			0.385
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.2	93.5	94.6			1.12
EPA 8321B	Anatoxin-a	122	107	109			1.56
	Cylindrospermopsin	100	91.6	92.8			1.35
	Microcystin LA	104	93.5	92.2			1.46
	Microcystin LF	99.7	101	77.1			26.8
	Microcystin LR	96.2	89.1	88.9			0.198
	Microcystin LY	103	101	96.1			5.38
	Microcystin RR	109	101	102			1.53
	Microcystin YR	94.6	90.8	92.9			2.35

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2123879
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2123879
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2123879
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2123879
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2123880
EPA 8321B / E31780	Microcystins in water matrices by HPLC/MS/MS	2123878

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	10/02/2019			10/07/2019 13:58	Ping Hua	2123879
EPA 351.2 Rev. 2.0	10/02/2019	10/03/2019 11:34	Sima Feizi	10/04/2019 21:51	Julia Storbeck	2123879
EPA 353.2 Rev. 2.0	10/02/2019			10/03/2019 09:12	Beverly Y. Sanders	2123879
EPA 365.1 Rev. 2.0	10/02/2019	10/03/2019 12:34	Vijayalakshmi Reddy	10/04/2019 11:56	Lipi Saha	2123879
EPA 365.1 Rev. 2.0 dissolved	10/02/2019			10/02/2019 15:44	Virginia P. Brown	2123880
EPA 8321B	10/02/2019	10/03/2019 09:00	Juyoung Kim	10/03/2019 10:45	Juyoung Kim	2123878