

RQ- ~~2019~~ ⁸ - 10 - 15 - 28

Log-in Checklist

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 06-12-2018 / 10:00

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.7C				6		X			4751 8777 7254

* HNO₃ and Formalin persevered samples do NOT have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.

**Chain of Custody/ Field Sheet(s) Included? Yes X No

Micro-Biology Overflow Chain of Custody/ FieldSheet(s) Included? Yes No X

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes X No **Containers intact? Yes X No

**Sufficient Sample Volume: Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: ABS

Chlorine detected? (One container checked per Field ID) Yes No Init: ABS

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No NA Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No X NA Init: ABS

Coolers Unpacked/Checked by: ABS Date: 06-12-2019 NCRs (Y/N)?

Event ID: SW-DIST-2019-06-12-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC 03 2018 EXP:04/29/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	220416A EXP:07/30/2020
pH Paper 0 – 13 Lot #	215517 exp:jun 1 2020
Chlorine Test Strips Lot #	8212 2021 / 05

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No **X**

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Algal Bloom Response - As needed

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Matthew Bearden

Field Report Prepared By:

Project ID: BLOOM-RESP

Collected By:

Sampling Agency:

Location Click here to enter text		☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>6-11-19</u> Time <u>1430</u>		☒ Eastern ☒ Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field FLINT CREEK 		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>9.92</u>		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A/B/C/D	
WIN: Site Name: Flint Creek @ Knights Griffin Algae Bloom		Temp (C) <u>28.99</u>		pH <u>9.79</u>		Sample Depth <u>0.3</u>		Sp. Conductance (umho/cm) <u>208</u>			
Latitude ☐ dd ☐ dms		Salinity (ppt) <u>0.10</u>		Comments							

Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
WIN/STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
WIN/STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
WIN/STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By: <u>J. Ashton</u>	Date/Time <u>6-11-19 1600</u>	Shipping Method <u>FLS EP</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>[Signature]</u>	Date/Time <u>6-12-19 10:00</u>
--------------------------------------	----------------------------------	----------------------------------	--	------------------------------------	-----------------------------------

Group: A	Bottle Type:	PT-50ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
BLOOM-ID							
Group: B	Bottle Type:	BG-WD250	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
W-MCYST-AA							
Group: C	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W							
Group: C	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
Group: C	Bottle Type:	P-125ML	# of Bottles: 4	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F							
Group: D	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	Lugols	Enter Number of Bottles Sent to Lab	1
DTY-QN-C							
PKD-QN-C							

(7-6-05 V2)

WATERBODY NAME: Flint Creek		DATE (M/D/Y): 1/30		TIME (AM) (PM): 1430		Case ID#	
LOCATION: Hillsborough		COUNTY: Plant City		NEAREST TOWN/CITY:			
Visit Type:		Samples collected:		Samples submitted to:		Photos Taken:	
Initial		yes ☒ no ☐		yes ☒ no ☐		yes ☒ no ☐	
Recon		Sample collection method:		Grab Composite:		Depth integrated composite:	
Sampling		Single Grab:		yes ☒ no ☐		yes ☐ no ☐	
Follow-up		Aqueous:		Surface Scum:		Benthic mat:	
		yes ☒ no ☐		yes ☐ no ☐		yes ☐ no ☐	
		Nutrients:		Chl-a:		AGP:	
		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐	
		Algal ID & enumeration:		Turbidity:		Toxin:	
		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐	
		Estimated size of bloom:		Stream/River/Canal		Specify	
		Impounded:		yes ☒ no ☐		yes ☐ no ☐	
		Lake/Estuary typical		yes ☒ no ☐		yes ☐ no ☐	
		Inflows:		yes ☒ no ☐		yes ☐ no ☐	
		Outflows:		yes ☒ no ☐		yes ☐ no ☐	
		m deep		m/s		m/s	
		Typical Transect		0.3 m deep		1.2 m deep	
		Stream/River/Canal		10 m wide		0.3 m deep	
		Left bank		Middle		Right bank	
		Water velocity		m/s		m/s	
		Canopy Cover:		Open:		Lightly Shaded (1-45%):	
		yes ☒ no ☐		yes ☐ no ☐		yes ☐ no ☐	
		Moderately Shaded (46-80%):		Heavily Shaded:		Yes ☐ No ☐	

Description of Bloom/		Latitude		Longitude		Degrees		Minutes		Seconds	
		28.07625		-82.26318							
Present Weather conditions		Throughtout Stream		Origin of Bloom Thonoto Sassa Lake		Last rain event		6/11/19		Rainfall amount	
Print a map from GIS (top) or internet mapping service (e.g., Mapquest, Google Map)											
Sketch bloom area on the attached map. Indicate wind direction.											

WATER QUALITY		Depth (m):		Temp. (°C):		pH (SU):		D.O. (mM):		Cond. (µmho/cm)		DO%:		Secchi (m):	
		0.3		28.44		9.74		9.42		208		129.0		1.6	
		Top		Mid-depth		Bottom									
System Type:		Stream:		1st - 2nd order		3rd - 4th order		5th - 6th order		7th order or greater		Lake:		Welland:	
Water Odors (check box):		Normal:		Sewage:		Petroleum:		Chemical:		Other:					
		yes ☒ no ☐		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐					
Water Surface (check box):		Clear:		Scum:		Globs:		Slick:							
		yes ☒ no ☐		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐							
Water Clarity (check box):		Clear:		Slightly		Turbid:		Opaque:							
		yes ☐ no ☐		yes ☐ no ☐		yes ☒ no ☐		yes ☐ no ☐							
Bloom Color (check box):		Green:		Red:		Brown:		Other:							
		yes ☒ no ☐		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐							
Abundance:		Absent		Rare		Common		Abundant							
		yes ☒ no ☐		yes ☐ no ☐		yes ☒ no ☐		yes ☒ no ☐							
Iron/sulfur Bacteria		Aquatic Macrophytes		Fish		Periphyton									
		yes ☒ no ☐		yes ☐ no ☐		yes ☐ no ☐		yes ☐ no ☐							
Notes		Not coming from Baker's Lake		Algae present in Thonoto Sassa Lake											

Contains 1.1 H2SO4
Lot No. SA9010030
Expires 04/10/20
See Safety Data Sheet (SDS)

Sulfuric Acid 451%
Contains 1.1 H2SO4
Lot No. SA9010030
Expires 04/10/20
See Safety Data Sheet (SDS)

DEF SWROC

Dr. [Signature]

Printed: 6/12/2019 11:01:58

Page 1 of 2

Date of Request: 24-SEP-2018
 Created By: BEARDEN_M On: 24-SEP-2018
 Modified By: SWANSON_C On: 28-SEP-2018
 Customer: SW-DIST
 Project: BLOOM-RESP
 Division:
 District: Southwest District
 Sampling Event: Algal Bloom Response - As needed

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 26-SEP-2018
 Biology Request Reviewed By: SWANSON_C On: 28-SEP-2018
 Sampling Kit Required: YES Ship on: 05-OCT-2018
 Sampling Kit Shipped: YES On: 29-SEP-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 15-OCT-2018
 Received By: SHAIK_A On: 12-JUN-2019

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Analyze toxin upon receipt after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B - separate event, priority 1
 Bottle Groups C/D - separate event, C - priority 3, D - priority 12

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing.

Bottle Group C - Priority 3
 Water quality testing

Bottle Group D - Priority 12
 For algal full ID.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Bottle Group A (Biological) With 6 Samples:

Bottle Type: PT-50ML Number of Bottles: 6 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 4 Samples:

Bottle Type: BG-WD250 Number of Bottles: 4 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 4 Samples:

Bottle Type: BP-1L Number of Bottles: 4 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

Printed: 6/12/2019 11:01:58

Bottle Group C (Water) With 4 Samples:

Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 4 Samples:

Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.