

Chemical Analysis Report

WQAP-2019-07-16-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - as needed**
Request ID: **RQ-2019-06-10-39**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637
Attn: Matthew Bearden

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 25-JUL-2019 16:40

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

**Sample Location: River Pointe Canal- Near Manatee River
follow-up**

Collection Date/Time: 07/15/2019 14:10

Field ID: River Pointe Canal

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2102955	EPA 8321B	Anatoxin-a**	0.25	U	ug/L	P367329	
		Cylindrospermopsin**	0.25	U	ug/L	P367329	
		Microcystin LA**	0.25	U	ug/L	P367329	
		Microcystin LF**	0.25	U	ug/L	P367329	
		Microcystin LR**	0.25	U	ug/L	P367329	
		Microcystin LY**	0.25	U	ug/L	P367329	
		Microcystin RR**	0.25	U	ug/L	P367329	
		Microcystin YR**	0.25	U	ug/L	P367329	

**Sample Location: River Pointe Canal- Near Manatee River
follow-up**

Collection Date/Time: 07/15/2019 14:10

Field ID: River Pointe Canal

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2102956	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P367628	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P367624	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P367618	
	EPA 365.1 Rev. 2.0	Total-P	0.31		mg P/L	P367691	
2102957	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.20		mg P/L	P367355	

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P367628

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P367624

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P367618

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P367691

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P367355

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P367329

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.25	U	ug/L
Microcystin LA	0.25	U	ug/L
Microcystin LF	0.25	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LY	0.25	U	ug/L
Microcystin RR	0.25	U	ug/L
Microcystin YR	0.25	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P367628

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	109		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P367624

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P367618

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P367691

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P367355

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	95.0		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P367329

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	109		P	40 - 140
Cylindrospermopsin	97.7		P	40 - 140
Microcystin LA	104		P	40 - 140
Microcystin LF	108		P	40 - 140
Microcystin LR	103		P	40 - 140
Microcystin LY	110		P	40 - 140
Microcystin RR	106		P	40 - 140
Microcystin YR	94.4		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P367628

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2102023	Ammonia-N	106	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P367624

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2102779	Kjeldahl Nitrogen	99.1	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P367618

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2102772	NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P367691

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2102956	Total-P	95.6	98.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P367355

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2103288	O-Phosphate-P	91.2	93.6	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P367329

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2102955	Anatoxin-a	83.2	95.7	P/P	40 - 140
2102955	Cylindrospermopsin	56.1	55.3	P/P	40 - 140
2102955	Microcystin LA	104	106	P/P	40 - 140
2102955	Microcystin LF	98.7	107	P/P	40 - 140
2102955	Microcystin LR	100	98.6	P/P	40 - 140
2102955	Microcystin LY	103	106	P/P	40 - 140
2102955	Microcystin RR	101	102	P/P	40 - 140
2102955	Microcystin YR	94.0	98.7	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P367628

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2102023	Ammonia-N	0.961	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P367624

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2102779	Kjeldahl Nitrogen	2.98	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P367618

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2102772	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P367691

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2102956	Total-P	1.91	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P367355

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2103288	O-Phosphate-P	2.60	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P367329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2102955	Anatoxin-a	14.0	Spike	P	0 - 30
2102955	Cylindrospermopsin	1.40	Spike	P	0 - 30
2102955	Microcystin LA	1.48	Spike	P	0 - 30
2102955	Microcystin LF	7.96	Spike	P	0 - 30
2102955	Microcystin LR	1.87	Spike	P	0 - 30
2102955	Microcystin LY	2.34	Spike	P	0 - 30
2102955	Microcystin RR	1.31	Spike	P	0 - 30
2102955	Microcystin YR	4.81	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2102955
Field Sample ID: River Pointe Canal

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	99.8	P	30 - 165

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A92817

Included Lab Sample IDs: 2102957

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.8	98.5	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A92829

Included Lab Sample IDs: 2102955

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	104	100	P/P	50 - 160
Cylindrospermopsin	96.4	98.6	P/P	60 - 160
Microcystin LA	114	107	P/P	50 - 160
Microcystin LF	119	100	P/P	60 - 160
Microcystin LR	92.3	94.0	P/P	60 - 160
Microcystin LY	112	102	P/P	60 - 160
Microcystin RR	110	106	P/P	60 - 160
Microcystin YR	96.9	84.7	P/P	60 - 160

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A92865

Included Lab Sample IDs: 2102956

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A92906

Included Lab Sample IDs: 2102956

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	104	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A92938

Included Lab Sample IDs: 2102956

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	106	110	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A92946

Included Lab Sample IDs: 2102956

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 350.1 Rev. 2.0	Ammonia-N	109	106	104			0.961
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	99.1	103			2.98
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	103	103	103			0.0
EPA 365.1 Rev. 2.0	Total-P	96.2	95.6	98.2			1.91
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	95.0	91.2	93.6			2.60
EPA 8321B	Anatoxin-a	109	83.2	95.7			14.0
	Cylindrospermopsin	97.7	56.1	55.3			1.40
	Microcystin LA	104	104	106			1.48
	Microcystin LF	108	98.7	107			7.96
	Microcystin LR	103	100	98.6			1.87
	Microcystin LY	110	103	106			2.34
	Microcystin RR	106	101	102			1.31
	Microcystin YR	94.4	94.0	98.7			4.81

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2102956
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2102956
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2102956
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2102956
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2102957
EPA 8321B / E31780	Microcystins in water matrices by HPLC/MS/MS	2102955

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	07/16/2019			07/19/2019 14:07	Virginia P. Brown	2102956
EPA 351.2 Rev. 2.0	07/16/2019	07/19/2019 12:45	Adrian Shelby	07/22/2019 12:57	Joseph Suarez	2102956
EPA 353.2 Rev. 2.0	07/16/2019			07/18/2019 12:40	Beverly Y. Sanders	2102956
EPA 365.1 Rev. 2.0	07/16/2019	07/22/2019 14:00	Adrian Shelby	07/23/2019 08:44	Lipi Saha	2102956
EPA 365.1 Rev. 2.0 dissolved	07/16/2019			07/17/2019 09:05	Jhamieka S. Greenwood	2102957
EPA 8321B	07/16/2019	07/17/2019 11:15	Juyoung Kim	07/17/2019 12:23	Juyoung Kim	2102955