

Log-in Checklist

RQ- **2019- 03 -11 - 20**

Login Station ID: **# 3**

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: **04-25-2019 / 10:25**

Cooler Temperature*	Samples Frozen YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
3.6C				6		X			

* HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes **X** No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No **X** If yes, is it intact? Yes No

****Caps on tight?** Yes **X** No ****Containers intact?** Yes **X** No

****Sufficient Sample Volume:** Yes **X** No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No **X** Init: **ABS**

Chlorine detected? (One container checked per Field ID) Yes No **X** Init: **ABS**

If "YES", list affected Field IDs and Test IDs below.

Field ID	List Test ID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes **X** No NA **✓** Init: **ABS**

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA **X** Init: **ABS**

Coolers Unpacked/Checked by: **ABS** Date: **04-25-2019** NCRs (Y/N)? **N**

Event ID: **SW-DIST-2019-04-25-03** NCR #

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC 03 2018
pH Test Strips 0 – 6 Lot #	213316V MAY 16 2019
pH Paper 0 – 13 Lot #	222516 AUG 15 2019
pH Paper 0 – 13 Lot #	
Chlorine Test Strips Lot #	8212 / 2021/05

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Algal Bloom Response - as needed

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Matthew Bearden

Field Report Prepared By:

Justin Ashton

Project ID: BLOOM-RESP

Collected By: Justin Ashton, Ben Peterson

Sampling Agency:

FALP

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>4-24-19</u> Time <u>1010</u>		☒ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>14.66</u>		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		<u>A/B/C/D</u>	
WIN		Temp (C) <u>25.3</u>		pH <u>9.83</u>		Sample Depth <u>0.3</u>		☐ ft ☒ m			
Latitude		Salinity (ppt) <u>0.09</u>		Comments		Sp. Conductance (umho/cm) <u>201.7</u>					
		☐ dd ☐ dms									

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		Longitude		Salinity (ppt)		Comments					
		☐ dd ☐ dms									

Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		Longitude		Salinity (ppt)		Comments					
		☐ dd ☐ dms									

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		Longitude		Salinity (ppt)		Comments					
		☐ dd ☐ dms									

Relinquished By: <u>Justin Ashton</u>	Date/Time <u>4-24-19 1700</u>	Shipping Method <u>FLD LP</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>[Signature]</u>	Date/Time <u>4-25-19/1025</u>
--	----------------------------------	----------------------------------	--	------------------------------------	----------------------------------

Group: A	Bottle Type:	PT-50ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
BLOOM-ID							
Group: B	Bottle Type:	BG-WD250	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
W-MCYST-AA							
Group: C	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W							
Group: C	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
Group: C	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F							
Group: D	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	Lugols	Enter Number of Bottles Sent to Lab	1
DTY-QN-C							
PKD-QN-C							

Date of Request: 14-FEB-2019
 Created By: BEARDEN_M On: 14-FEB-2019
 Modified By: JASROTIA_P On: 18-FEB-2019
 Customer: SW-DIST
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: Algal Bloom Response - as needed

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 18-FEB-2019
 Biology Request Reviewed By: JASROTIA_P On: 18-FEB-2019
 Sampling Kit Required: YES Ship on: 01-MAR-2019
 Sampling Kit Shipped: YES On: 25-FEB-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 11-MAR-2019
 Received By: SHAIK_A On: 25-APR-2019

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B/C - separate event, priority 1
 Bottle Group D- separate event, priority 12

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing.

Bottle Group C - Priority 1
 Water quality testing - nutrients and chlorophyll

Bottle Group D - Priority 12
 For algal full ID.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 3 Samples:

Bottle Type: PT-50ML Number of Bottles: 3 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 3 Samples:

Bottle Type: BG-WD250 Number of Bottles: 3 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 3 Samples:

Bottle Type: BP-1L Number of Bottles: 3 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
 Bottle Type: P-500ML Number of Bottles: 3 Preserved With: ICE And H2SO4

Bottle Group C (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 3 Samples:

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: TLHA (813) 470-5772
BEN PASQUATE
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

SHIP DATE: 01APR19
ACTLGT: 10.00 LB.MAN
CAD: 0446970/CAFE3211

TF-4015 TERRACE, FL 336370826
2100 S. W. 13TH ST. US
MIAMI, FL 33135

FLORIDA DEP

2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(650) 245-8077 REF: 1

FINA: 11 1111 11

DEPT: 11

FedEx
Express




FedEx

TRK# 4751 8778 3260
0221

THU - 25 APR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FD 5211412 24APR19 MCTA 553C1/DTES/AC6A