



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name:

Lake Hall Bt Algal Bloom

Date:

8/24/19
(mm/dd/yyyy)

WIN ID/ Field ID

WBID:

Latitude:

(Decimal Degrees)

County:

Leon

ORG ID:

8034

Longitude:

(Decimal Degrees)

Receiving Body of Water:

RQ

2019-06-03-57

Sampling Team Members							WQ Measurements	Sample Collection	Documentation	Preservation Check	Duplicate Collection	Blank Collection	
Michael Eckles							X	X					
Jeff Loftis/Chris Green													
Son Woods								X	X				

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with: <u>pro 055</u>		
Equipment ID: <u>153484</u>		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☒ Other <u>Dock</u>	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low <u>Normal</u> High/ Flooded		Meter ID# <u>153484</u>	Matrix: <u>Fresh</u> Marine / DI
Photos: Yes <u>No</u>	Flow: No Flow / Intertidal / Flowing <u>NA</u>	Tide: Rising/ Falling/ Slack <u>NA</u>	Tide Times: High Low

Field Sample

(Bracket Sample Time)

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Sp COND (µmhos/cm)	Temp. (C°)
EST	15:15	4.0	6.3	2.9	92.1	686	6.13	6.01	27.0	30.8
CEN	15:20		3.5		85.2	641	6.15	6.2	27.1	30.3

Biological Samples Collected:

None

HA

SCI

RPS

Algae ID

LVS

LVI

Other:

SBIO ID Numbers:

SBIO-ID:

HA-ID:

RPS-ID:

Macrophyte-ID:

LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	SA 9610070	4/20	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☒ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E32821-DI	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-MS ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E3821-DI ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☒ DTY-QN-C ☐ PKD-QN-C	☒ Ice			

QA/QC Sample Information Duplicate

Time Zone: EST CEN		Time: _____		Field ID: _____	
(WIN ID_DUP)					
WIN DMT Activity ID: _____					
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ < 2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice		Place Preservative Sticker(s) Here (If Available)	
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E3821-DI	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-DI ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E-3821-MS ☐ W-CARB-AA	☐ Ice			

Blank

Time Zone: EST CEN		Time: _____		Field ID: _____	
(Blank Type_DDMMYYYY)					
DI Source: _____		Location: _____			
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank		Equipment ID: _____			
WIN DMT Blank Batch ID: _____					
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ < 2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E3821-DI	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-DI ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E3821-MS ☐ W-CARB-AA	☐ Other _____			
Microbiology	☐ E.coli ☐ F. Coliform ☐ Enterococci				
Notes:			Place Label Here		
Signature: _____				Date: _____	

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

(Initials/Date) (Initials/Date)

Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data In WIN: _____

(Initials/Date) (Initials/Date) (Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 153484

RQ: 2019-06-03-57

Project: 2019 Algae

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 07/2019

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Chris Green	8-21-19	14:00	20.5	758.3	9.0	9.02	99.8	—	1.06	P / F	L / F
ICV			14:25	22.6	758.4	8.6	8.66	100.0	—	—	P / F	L / F
CCV			16:00	28.9	758.0	7.7	7.72	100.1	—	—	P / F	L / F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Chris Green	8-21-19	14:10	190618F	6/2020	1000	1000	P / F	L / F
ICV			14:30	2905F63	5/2021	100	98.5	P / F	L / F
CCV			16:05	190618F	06/2020	1000	1002	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Chris Green	8-21-19	14:13	180621E	1/2020	7.01	21.7	7.02	52.7	P / F	L / F
Calibr.			14:16	190618A	12/2020	4.01	21.6	4.00	121.4	P / F	L / F
Calibr.			14:19	180621F	01/2020	10.04	21.9	10.04	220.0	P / F	L / F
ICV			14:21	180621F	01/2020	10.0	21.9	10.02	220.4	P / F	L / F
CCV										P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 167.3, slope from 4 to 7 174.1 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 7/2019

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	Chris Green	8-21-2019	14:32	0.00	0.00	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

last revised Jan 25, 2018

ECX/05

80361

[illegible]

Group: A	Bottle Type: BLOOM-ID	PT-50ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-MCYSY-AA	BG-250ML-WDMT H	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 4	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 4	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: DTY-QN-C PKD-QN-C	BP-1L	# of Bottles: 4	Preservative: Lugols	Enter Number of Bottles Sent to Lab

