

Chemical Analysis Report

WQAP-2020-02-18-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - CEROC**
Request ID: **RQ-2020-02-03-75**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
3319 Maguire Blvd Ste 232
Orlando, FL 32803
Attn: Natalie Ayala

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 09-MAR-2020 10:57

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Anderson @ NW Side of Lake Near Outfall Collection Date/Time: 02/17/2020 10:45

Field ID: Lake Anderson @ NW Side of Lak

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2158374	EPA 8321B	Anatoxin-a**	0.25	U	ug/L	P378956	
		Cylindrospermopsin**	0.25	U	ug/L	P378956	
		Desmethyl microcystin LR**	0.77	I	ug/L	P378956	
		Microcystin LA**	25		ug/L	P378956	
		Microcystin LF**	0.25	U	ug/L	P378956	
		Microcystin LR**	6.7		ug/L	P378956	
		Microcystin LW**	0.25	U	ug/L	P378956	
		Microcystin LY**	0.25	U	ug/L	P378956	
		Microcystin RR**	1.3		ug/L	P378956	
		Microcystin WR**	0.50	U	ug/L	P378956	
		Microcystin YR**	0.57	I	ug/L	P378956	
2158379	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P379567	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.99	J	mg N/L	P379264	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.098		mg N/L	P379551	
	EPA 365.1 Rev. 2.0	Total-P	0.070		mg P/L	P379170	
2158380	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P379142	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Refer to the Lab Analysis Report for an explanation of QC Codes.

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379567

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379264

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P379551

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P379170

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379142

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P378956

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.25	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin LA	0.25	U	ug/L
Microcystin LF	0.25	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.25	U	ug/L
Microcystin RR	0.25	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P379567

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P379264

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.0		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P379551

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P379170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P379142

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P378956

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	105		P	40 - 140
Cylindrospermopsin	92.8		P	40 - 140
Desmethyl microcystin LR	90.8		P	40 - 140
Microcystin LA	87.2		P	40 - 140
Microcystin LF	80.0		P	40 - 140
Microcystin LR	95.1		P	40 - 140
Microcystin LW	80.3		P	40 - 140
Microcystin LY	108		P	40 - 140
Microcystin RR	89.0		P	40 - 140
Microcystin WR	90.1		P	40 - 140
Microcystin YR	88.7		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P379567

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2158370	Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P379264

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2158379	Kjeldahl Nitrogen	86.6	103	F/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P379551

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2158369	NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P379170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2154094	Total-P	108	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P379142

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2158283	O-Phosphate-P	99.6	100	P/P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P378956

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2157658	Anatoxin-a	126	114	P/P	40 - 140
2157658	Cylindrospermopsin	93.2	80.9	P/P	40 - 140
2157658	Desmethyl microcystin LR	106	105	P/P	40 - 140
2157658	Microcystin LA	95.0	86.0	P/P	40 - 140
2157658	Microcystin LF	95.1	88.2	P/P	40 - 140
2157658	Microcystin LR	95.8	95.8	P/P	40 - 140
2157658	Microcystin LW	79.6	75.1	P/P	40 - 140
2157658	Microcystin LY	91.8	102	P/P	40 - 140
2157658	Microcystin RR	101	97.4	P/P	40 - 140
2157658	Microcystin WR	98.9	84.9	P/P	40 - 140
2157658	Microcystin YR	108	88.7	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379567

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2158370	Ammonia-N	0.937	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379264

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2158379	Kjeldahl Nitrogen	9.33	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P379551

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2158369	NO2NO3-N	0.501	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P379170

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2154094	Total-P	2.40	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379142

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2158283	O-Phosphate-P	0.203	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P378956

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2157658	Anatoxin-a	10.1	Spike	P	0 - 30
2157658	Cylindrospermopsin	14.1	Spike	P	0 - 30
2157658	Desmethyl microcystin LR	1.31	Spike	P	0 - 30
2157658	Microcystin LA	9.94	Spike	P	0 - 30
2157658	Microcystin LF	7.47	Spike	P	0 - 30
2157658	Microcystin LR	0.0360	Spike	P	0 - 30
2157658	Microcystin LW	5.79	Spike	P	0 - 30
2157658	Microcystin LY	10.3	Spike	P	0 - 30
2157658	Microcystin RR	3.24	Spike	P	0 - 30
2157658	Microcystin WR	15.2	Spike	P	0 - 30
2157658	Microcystin YR	19.8	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2158374

Field Sample ID: Lake Anderson @ NW Side of Lak

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	97.8	P	30 - 165
EPA 8321B	Microcystin LR-d7	107	P	40 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A97622

Included Lab Sample IDs: 2158380

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.4	99.3	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A97669

Included Lab Sample IDs: 2158374

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	103	99.0	P/P	50 - 160
Cylindrospermopsin	85.7	97.4	P/P	60 - 160
Desmethyl microcystin LR	100	117	P/P	60 - 160
Microcystin LA	115	93.3	P/P	50 - 160
Microcystin LF	105	92.9	P/P	60 - 160
Microcystin LR	102	110	P/P	60 - 160
Microcystin LW	93.3	87.5	P/P	60 - 160
Microcystin LY	88.0	97.9	P/P	60 - 160
Microcystin RR	103	104	P/P	60 - 160
Microcystin WR	104	103	P/P	60 - 160
Microcystin YR	103	106	P/P	60 - 160

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A97709

Included Lab Sample IDs: 2158379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.9	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A97751

Included Lab Sample IDs: 2158379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A97758

Included Lab Sample IDs: 2158379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A97793

Included Lab Sample IDs: 2158379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision LCS	SMP	MS
EPA 350.1 Rev. 2.0	Ammonia-N	102	100	101			0.937
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.0	86.6	103			9.33
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	100	99.5			0.501
EPA 365.1 Rev. 2.0	Total-P	105	108	106			2.40
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	99.6	100			0.203
EPA 8321B	Anatoxin-a	105	126	114			10.1
	Cylindrospermopsin	92.8	93.2	80.9			14.1
	Desmethyl microcystin LR	90.8	106	105			1.31
	Microcystin LA	87.2	95.0	86.0			9.94
	Microcystin LF	80.0	95.1	88.2			7.47
	Microcystin LR	95.1	95.8	95.8			0.0360
	Microcystin LW	80.3	79.6	75.1			5.79
	Microcystin LY	108	91.8	102			10.3
	Microcystin RR	89.0	101	97.4			3.24
	Microcystin WR	90.1	98.9	84.9			15.2
	Microcystin YR	88.7	108	88.7			19.8

Reference Method Descriptions

Method	Description	Associated Samples
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2158379
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2158379
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2158379
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2158379
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2158380
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2158374

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	02/18/2020			02/24/2020 14:28	Ping Hua	2158379
EPA 351.2 Rev. 2.0	02/18/2020	02/20/2020 13:40	Sima Feizi	02/21/2020 09:11	Jhamieka S. Greenwood	2158379
EPA 353.2 Rev. 2.0	02/18/2020			02/24/2020 12:40	Beverly Y. Sanders	2158379
EPA 365.1 Rev. 2.0	02/18/2020	02/19/2020 14:04	Yen Ta	02/20/2020 15:33	Benjamin T. Nordmann	2158379
EPA 365.1 Rev. 2.0 dissolved	02/18/2020			02/18/2020 15:49	Carlos Miranda	2158380
EPA 8321B	02/18/2020	02/19/2020 08:45	Juyoung Kim	02/20/2020 01:40	Juyoung Kim	2158374