

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 1/17/2020@ 9:45

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.3				6		✓		127840084898	

*All samples received on ice unless otherwise noted. If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), received without ice, or if Evidence Seal is damaged; identify the containers in the affected cooler(s) on back of this form. HNO3 and Formalin preserved samples do **NOT** have a temperature requirement. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation; An NCR still is required.**

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ FieldSheet(s) Included? Yes ☐ No ☒

****Note:** If “No” is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☐ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☐ No ☒ Init: IM

Chlorine detected? (One container checked per Field ID) Yes ☐ No ☐ Init:

If “YES”, list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, “OV-”)

**Acid Preserved Samples: pH<2.0? Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH<4.0? Yes ☐ No ☐ NA ☒ Init: IM

Coolers Unpacked/Checked by: IM Date: 1/17/2020 NCRs (Y/N)? ☒

Event ID: WQAP-2020-01-17-02 (BLOOM-RESP) NCR #

Date Received: 17-JAN-2020 09:45

Login Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle TestID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle TestID(s)

Bottles Not Intact

Field ID	Bottle TestID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle TestID(s)	Action Taken

Infrared Thermometer ID:	REC_02_2018 EXP: 4/29/20
pH Test Strips 0 – 6 Lot #	
pH Paper 0 – 3 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP: 6/1/20
Chlorine Test Strips Lot #	8261 EXP:7/2020

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____If No_____

no, were samples shipped on dry ice? Yes_____No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2020-10-28-56

Customer: FDEP

Project ID: BLOOM-RESP

Location: 1.0 CEN

WIN ID / Field ID →

Lake Minneola @ Waterfront
Park boat ramp area



HABCE0005

Collected By:

Leif Boman / Mike Drennan

Field Report

Prepared By:

Mike Drennan

Sampling Agency:

21FLCEN, CENROC

Comments:

Bloom observed, concentrated
in Littoral zone.

Coordinates:

28.5636, -81.7579

Collection Equip:

Water Bottle; YSI Prods; Caw Daddy

High Tide Time:

Low Tide Time:

WIN ID:

Matrix: Fresh Marine

Grab

Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time	D.O.	D.O.	Temp	pH	Sample	Total	Secchi	Sp. Cond.	Salinity
	☒ EST ☐ CEN	(%)	(mg/L)	(°C)	(SU)	Depth (m)	Depth (m)	Disk (m)	(µmho/cm)	(PPT)
1/16/20	1151	120.2	10.15	24.0	7.72	0.3	2.1	0.2	73.4	0.03
		117.4	10.12	22.8	7.30	← 1.6	—	—	73.2	0.03

Bloom Observations

Algal Bloom Observed? ☒ Yes ☐ No

Water Surface ☐ Clear ☒ Scum ☒ Globs ☐ Slick

Water Clarity ☐ Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque

Bloom Color ☒ Green ☐ Red ☐ Brown ☒ Other: Tan ☐ N/A

Algae Distribution ☒ Suspended in water column ☒ On surface ☐ Other: ☐ N/A

Water Odors ☐ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☒ Other: Blue/Green S

Parameter Suite	Parameter Methods	Preservation	pH Check	Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice	✓	1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	Acid Lot: NEQU4 LOT# SP9283108 EXP: 07/22/2020	Exp:			

Filtered Nutrients (P125mL) ☒ W-PO4-F ☒ Field Filtered 0.45µm Filter ☒ Ice 1 B

Quantitative Algae ☒ DTY-QN-C / PKD-QN-C ☒ Ice Lugols? Y ☒ N 1 C

Relinquished By: Date/Time Number of Coolers Shipped Received By: Date/Time

Mike Drennan 1/16/20 1 IM 1/17/20 9:45

LIMS EVENT ID: CEN-DIST-2020-

Enter Field Parameters, Verify Station ID in LIMS DMT: (Initials/Date) QC Station ID, Field Parameters in LIMS DMT: (Initials/Date)

Scan/Save Field Sheets Migrate Data to WIN: Verify Data in WIN:

Date of Request: 10-OCT-2019
Created By: LINGER_M On: 10-OCT-2019
Modified By: JASROTIA_P On: 14-OCT-2019
Customer: WQAP
Project: BLOOM-RESP
Division: Division of Environmental Assessment and Restoration
District: CEROC
Sampling Event: Algal Bloom Response - CEROC

Send Coolers To:

Phone: 407-897-4180
3319 Maguire Blvd
Suite 232
Orlando, FL 32803
Attn: Mike Linger

Send Final Report To:

3319 Maguire Blvd
Suite 232
Orlando, FL 32806
Attn: Mike Linger

Program Module Number:
Priority: 1
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 14-OCT-2019
Biology Request Reviewed By: JASROTIA_P On: 14-OCT-2019
Sampling Kit Required: YES Ship on: 17-OCT-2019
Sampling Kit Shipped: YES On: 17-OCT-2019
Sampling Kit Packed By: KLUG_K
Preservatives Needed: NO
Date to Receive Samples: 28-OCT-2019
Received By:

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B - separate event, priority 1
Bottle Group C - separate event, priority 12

Bottle Group A - Priority 1
For algal dominant taxon.

Bottle Group B - Priority 1
For toxin testing, nutrients, and chlorophyll

Bottle Group C - Priority 12
For algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 1 Samples:

Bottle Type: PT-50ML Number of Bottles: 1 Preserved With: ICE
BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 1 Samples:

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE
CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 1 Preserved With: ICE
W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.