

Login Checklist

RQ-2020-02-03-83

Login Station ID: #4

Shipping Method: FedEx UPS | HD | Greyhound

Date/Time of Receipt: 02/10/2020 @ 9:20

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
					Yes	No	Yes	No	
9.4		HNO ₃	Formalin	12		x			47518780 6817
12.2				18		x			12784011 3729

*All samples received on ice unless otherwise noted. If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), received without ice, or if Evidence Seal is damaged; identify the containers in the affected cooler(s) on back of this form. HNO3 and Formalin preserved samples do **NOT** have a temperature requirement. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation; An NCR still is required.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: Tyler R

Chlorine detected? (One container checked per Field ID) Yes No Init:

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: Tyler R

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: Tyler R

Coolers Unpacked/Checked by: Tyler Reynolds Date: 02/10/2020 NCRs (Y/N)? TR YES

Event ID: Algal Bloom Response - SWD NCR # 8176

WQAP-2020-02-10-02 (BLOOM-RESP)
Date Received: 10-FEB-2020 09:20

Login Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #4 EXP:11/05/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	N/A
pH Paper 0 – 13 Lot #	215517 EXP: 06/01/2020
Chlorine Test Strips Lot #	8261 EXP: 07/30/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2020-02-03-83		Collected By:	M. Bearden							
Customer:	FDEP	Field Report Prepared By:	M. Bearden							
Project ID:	Bloom Response	Sampling Agency:	21FLTPA - SW ROC							
Location:		Comments:								
WIN/Field ID		follow-up								
HAB-SW-0005		Coordinates:								
		Collection Equip: Bottles - Direct Grab								
Site Name: Tiger Lake - NW Lobe		High Tide Time:	N/A	Low Tide Time: N/A						
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
2/6/20	0945	101.4	9.33	19.4	7.20	0.3	2.2	0.5	127.8	0.06
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____	☐ N/A					
Algae Distribution	☒ Suspended in water column		☐ On surface	☐ Other: _____	☐ N/A					
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	☐ Other: _____					
Parameter Suite	Parameter Methods		Preservation	pH Check	#Bottles Sent to Lab	Bottle Group				
Bloom ID (PT-50mL)	☒ BLOOM-ID		☒ Ice		1	A				
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice		1	B				
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice		1	B				
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice	☒ H2SO4	☒ <2	1	B			
	Acid Lot: _____ Exp: _____									
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice	1	B			
	Filter Lot # _____									
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C		☒ Ice	Lugols? Y / N	1	C				
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
Matthew Bearden	2/6/20	2								



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2020-02-03-83		Collected By:	M. Bearden							
Customer:	FDEP	Field Report Prepared By:	M. Bearden							
Project ID:	Bloom Response	Sampling Agency:	21FLTPA - SW ROC							
Location:		Comments: <i>Follow-up</i>								
WIN/Field ID		HAB-SW-0007								
Site Name: Scott Lake - West		Coordinates:								
		Collection Equip:	Bottles - Direct Grab							
		High Tide Time:	N/A	Low Tide Time: N/A						
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
2/6/20	1300	151.1	13.31	21.5	8.91	0.3	1.0	0.4	209.1	0.10
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____	☐ N/A					
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other: _____	☐ N/A						
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	☐ Other: _____					
Parameter Suite	Parameter Methods		Preservation		pH Check	#Bottles Sent to Lab	Bottle Group			
Bloom ID (PT-50mL)	☒ BLOOM-ID		☒ Ice			1	A			
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice			1	B			
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice			1	B			
	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice		☒ H2SO4	☒ <2	1	B		
Preserved Nutrients (500mL HDPE)	Acid Lot: _____		Exp: _____							
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice		1	B		
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C		☒ Ice		Lugols? Y / N		1	C		
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:		Date/Time				
Matthew Bearden	2/6/20	2								



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2020-02-03-83		Collected By:	M. Bearden							
Customer:	FDEP	Field Report Prepared By:	M. Bearden							
Project ID:	Bloom Response	Sampling Agency:	21FLTPA - SW ROC							
Location:		Comments:								
WIN/Field ID		Coordinates:								
HAB-SW-0011		Collection Equip: Bottles - Direct Grab								
Site Name: Lake Hancock - South		High Tide Time:	N/A	Low Tide Time: N/A						
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
2/6/20	1200	124.8	11.64	18.7	9.03	0.3	1.6	0.2	193.4 125.3 MIB	0.09
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Surface ☒ Clear ☐ Scum ☐ Globs ☐ Slick										
Water Clarity ☐ Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque										
Bloom Color ☒ Green ☐ Red ☐ Brown ☐ Other: ☐ N/A										
Algae Distribution ☒ Suspended in water column ☐ On surface ☐ Other: ☐ N/A										
Water Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Other:										
Parameter Suite		Parameter Methods		Preservation		pH Check	#Bottles Sent to Lab	Bottle Group		
Bloom ID (PT-50mL)		☒ BLOOM-ID		☒ Ice			1	A		
Chlorophyll (BP-1L)		☒ CHLSUITE-W		☒ Ice			1	B		
Toxins (BG-WD250)		☒ W-MCYST-AA		☒ Ice			1	B		
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4		☒ <2	1	B		
Filtered Nutrients (P125mL)		☒ W-PO4-F ☒ Field Filtered 0.45µm Filter		☒ Ice			1	B		
Quantitative Algae		☒ DTY-QN-C / PKD-QN-C		☒ Ice		Lugols? Y / N	1	C		
Relinquished By:		Date/Time	Number of Coolers Shipped		Received By:		Date/Time			
Matthew Bearden		2/6/20	2							



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ-2020-02-03-83		Collected By: M. Bearden	
Customer: FDEP	Field Report Prepared By: M. Bearden		
Project ID: Bloom Response	Sampling Agency: 21FLTPA - SW ROC		
Location:		Comments: Follow-up	
WIN/Field ID: HAB-SW-0004			
Site Name: Lake Hunter - Center		Coordinates:	
		Collection Equip: Bottles - Direct Grab	
High Tide Time: N/A		Low Tide Time: N/A	
Matrix: Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A	

Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
2/6/20	1330	142.2	12.77	20.8	9.40	0.3	1.4	0.2	155.6	0.07

Algal Bloom Observed? ☒ Yes ☐ No	
Water Surface	☒ Clear ☐ Scum ☐ Globs ☐ Slick
Water Clarity	☐ Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque
Bloom Color	☒ Green ☐ Red ☐ Brown ☐ Other: _____ ☐ N/A
Algae Distribution	☒ Suspended in water column ☐ On surface ☐ Other: _____ ☐ N/A
Water Odors	☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
Preserved Nutrients (500mL HDPE)	Acid Lot: _____ Exp: _____				
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45µm Filter Filter Lot # _____	☒ Ice		1	B
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice	Lugols? Y / N	1	C

Relinquished By: Matthew Bearden	Date/Time: 2/6/20	Number of Coolers Shipped: 2	Received By: _____	Date/Time: _____
----------------------------------	-------------------	------------------------------	--------------------	------------------



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2020-02-03-83		Collected By:	M. Bearden
Customer:	FDEP	Field Report Prepared By:	M. Bearden
Project ID:	Bloom Response	Sampling Agency:	21FLTPA - SW ROC
Location:		Comments:	

WIN/Field ID

HAB-SW-0010



Site Name: Lake Mariana- *Near Ramp*

Coordinates:

Collection Equip: Bottles - Direct Grab

WIN ID:

High Tide Time: N/A Low Tide Time: N/A

Matrix: Fresh

Grab

Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
2/6/20	1110	106.9	9.75	19.8	7.74	0.3	1.2	0.6	229.2	0.11

Bloom Observations

Algal Bloom Observed?	☒ Yes	☐ No		
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____ ☐ N/A
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other: _____ ☐ N/A	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical ☐ Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
	Acid Lot: _____ Exp: _____				
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45µm Filter	☒ Ice		1	B
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice	Lugols? Y / N	1	C
Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time	
Matthew Bearden	2/6/20	2			

Date of Request: 23-JAN-2020
 Created By: RANKIN_A On: 23-JAN-2020
 Modified By: JASROTIA_P On: 24-JAN-2020
 Customer: WQAP
 Project: BLOOM-RESP
 Division:
 District:
 Sampling Event: Algal Bloom Response - SWD

Send Coolers To:

Phone: 8134705951
 DEP SW ROC
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637
 Attn: Matthew Bearden

Send Final Report To:

DEP SW ROC
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637
 Attn: Matthew Bearden

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 24-JAN-2020
 Biology Request Reviewed By: JASROTIA_P On: 24-JAN-2020
 Sampling Kit Required: YES Ship on: 27-JAN-2020
 Sampling Kit Shipped: YES On: 27-JAN-2020
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 07-FEB-2020
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Bottle Groups A/B - separate event, priority 1
 Bottle Group C - separate event, priority 12

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, and chlorophyll.

Bottle Group C - Priority 12
 For algal full ID.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 6 Samples:

Bottle Type: PT-50ML Number of Bottles: 6 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 6 Samples:

Bottle Type: BP-1L Number of Bottles: 6 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 6 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 6 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 6 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 6 Samples:

Bottle Group C (Water) With 6 Samples:

Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.