

Login Checklist

RQ-2021-08-23-27

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 08/19/2021 @ 9:35

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.8°C				10		X			9293 8014 0339

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒

Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☐

Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: Jyler

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: Jyler

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☐ NA ☒ Init: Jyler

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: Jyler

Date: 08/19/21

Event contains NCRs (Y/N)? N

Event ID: Algal Bloom Response- NEROC

—WQAP-2021-08-19-01 (BLOOM-RESP)

Page 1 of 2, Date Received: 19-AUG-2021 09:35

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	#4 Temp Gun EXP:10/28/2021
pH Test Strips 0 – 6	N/A
pH Paper 0 – 3	N/A
pH Paper 0 – 13	210620 EXP:04/15/2023
Chlorine Test Strips	0261 EXP:05/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boxed "X" this box if there are qualified data on this page.

Meter ID: Spitch

RQ: 2021-08-23-27

Project: Algae Response

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 8/16/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Brian Davis	8/18/21	843	23.4	764.6	8.6	/	100.6	/	1.04	(P) F	(L) F
ICV	↓	↓	844	23.4	764.6	8.6	8.57	100.7	/	1.04	(P) F	(L) F
CCV	Kim Appleby	↓	1720	25.1	763.7	8.3	8.34	101.1	/	1.04	(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Brian Davis	8/18/21	848	2104268	5/22	1000	1000	(P) F	(L) F
ICV	↓	↓	853	2104266	5/22	50,000	49516	(P) F	(L) F
CCV	Kim Appleby	↓	1722	210426A	5/22	100	102.1	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Brian Davis	8/18/21	902	2012E39	12/22	7.01	22.3	7.01	-27.5	(P) F	(L) F
Calibr.	↓	↓	905	2103659	3/23	4.00	22.6	4.00	145.3	(P) F	(L) F
Calibr.	↓	↓	909	2103F53	9/22	10.03	22.4	10.03	-198.5	(P) F	(L) F
ICV	↓	↓	911	2012E39	12/22	7.01	22.4	7.07	-29.8	(P) F	(L) F
CCV	Kim Appleby	↓	1726	2107A04	12/22	10.00	22.5	10.10	-20.2	(P) F	(L) F
CCV	↓	↓	1729	2103659	3/23	4.00	22.6	4.10	140.2	(P) F	(L) F

pH Acceptance criteria ± 0.2 SU;

mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 171, slope from 4 to 7 172.8 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 8/18/21

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	Brian Davis	8/18/21	913	0.00	0.00	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Cyanobacteria Bloom Response Field Data Sheet

2021 - 08-23-27 RQ-2021-08-23-27	Collected By: Kim Appleby + Brian Davis
Customer: Z1 FLA	Field Report Prepared By: Kim Appleby
Project ID: BLOOM_RESP	Sampling Agency: FDEP

Field ID:

WIN ID/Field ID:



NEHAB0025

LSJR end of Oakvale Rd

Comments:

Algae diffuse in water column. Bubbles on surface.

Matrix: Fresh	Collection Equipment: Ortho kit #7
Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A	Coordinates: 30.1097, -81.6421
High Tide Time:	Low Tide Time:

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
8/18/21	1430	6.70	93.6	33.2	7.34	0.2	724	0.35	0.43 (5)	0.43

Bloom Observations

Algal Bloom Observed?	☒ Yes	☐ No
Water Surface	☐ Clear	☒ Scum
Water Clarity	☐ Clear	☒ Slightly Turbid
Bloom Color	☒ Green	☐ Red
Algae Distribution	☒ Suspended in water column	☐ On surface
Water Odors	☒ Normal	☐ Sewage
	☐ Petroleum	☐ Chemical
	Other: Anaerobic	

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
	Lot 5A1105060	Exp: 4/30/22	☒ <2		
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By: Kim Appleby	Date/Time: 8/18/21	Number of Coolers Shipped: 1	Received By:	Date/Time:
------------------------------	--------------------	------------------------------	--------------	------------

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-08-23-27		Collected By:	Kim Appleby & Brian Davis	
Customer	21FLA	Field Report Prepared By:	Kim Appleby & Brian Davis	
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP	

WIN ID/Field ID.



NEHAB0024

Christopher Creek below San Jose Blvd

Comments:

Pictures not taken. Sparse algae throughout water column

Matrix:	Fresh	Collection Equipment:	ortho kit #7
Tide:	☒ Rising ☐ Falling ☐ Slack ☐ N/A	Coordinates:	30.2529, -81.6417
		High Tide Time:	
		Low Tide Time:	

Water Quality										
Date	Time	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
8/18/21	1315	3.62	47.7	29.4	6.86	0.23	398.2	0.19	0.53 (s)	0.53
				29.6						0.22A

Bloom Observations					
Algal Bloom Observed?	☒ Yes	☐ No			
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other:	
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other:		
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	✓	B
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice	☒ <2	1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
Kim Appleby	8/18/21 1600	1		

SULFURIC ACID >81%
 Contains Conc. H2SO4

SAFETY DATA SHEET
 See Safety Data Sheet (SDS)

Contains Conc. H2SO4
 Lot No. SA1105060
 Expires 04/2022
 See Safety Data Sheet (SDS)

Date of Request: 03-AUG-2021
 Created By: PARRISH_J On: 03-AUG-2021
 Modified By: JASROTIA_P On: 10-AUG-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response- NERO

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 10-AUG-2021
 Biology Request Reviewed By: JASROTIA_P On: 10-AUG-2021
 Sampling Kit Required: YES Ship on: 13-AUG-2021
 Sampling Kit Shipped: YES On: 10-AUG-2021
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 23-AUG-2021
 Logged In By:

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail:
 Jeremy.M.Parrish@dep.state.fl.us; Brian.Davis@floridadep.gov; A
 melia.Rankin@dep.state.fl.us

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, and chlorophyll

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 5 Samples:

Bottle Type: PT-50ML Number of Bottles: 5 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 5 Samples:

Bottle Type: BP-1L Number of Bottles: 5 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 5 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 5 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 5 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

