

RQ-2021-10-11-62

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/15/2021 10:08

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
					Yes	No	Yes	No	
2.6 3.9				10 15		✓			5225 55408272 5225 5540 8283

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☐ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☐Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☐ NA ☒ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 10/15/2021

Event contains NCRs (Y/N)? ☒

Event ID:

Algae Bloom Response-as needed
NE-DIST-2021-10-15-01 (BLOOM-RESP)

Page 1 of 2,

Date Received: 15-OCT-2021 10:08

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/28/21
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	219019 exp: 7/1/22
Chlorine Test Strips	0129 exp: 03/2023

Additional Comments:

Group A
Only

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-10 th 11-62		Collected By: <i>B Davis, J Ferris</i>
Customer: <i>WQMP</i>	Field Report Prepared By: <i>B Davis</i>	
Project ID: BLOOM_RESP	Sampling Agency: FDEP	

WIN ID/Field ID:  NEHAB0050
 Trout R @ BM ramp

Comments:

Matrix: <i>Measure</i>	☒ Grab	Collection Equipment: <i>Outho #7</i>
Coordinates: <i>30.4037, -81.6636</i>		
Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A	High Tide Time: <i>5:14</i>	Low Tide Time: <i>11:43</i>

Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
<i>10/14/21</i>	<i>945</i>	<i>4.95</i>	<i>63.7</i>	<i>25.1</i>	<i>7.18</i>	<i>0.25</i>	<i>1850</i>	<i>1085</i>	<i>0.5</i>	<i>0.5</i>

Bloom Observations					
Algal Bloom Observed? ☐ Yes ☒ No					
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____	
Algae Distribution	☐ Suspended in water column		☐ On surface	☐ Other: _____	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		<i>1</i>	<i>A</i>
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☐ Ice		<i>1</i>	<i>B</i>
Toxins (BG-WD250)	☒ W-MCYST-AA	☐ Ice		<i>1</i>	<i>B</i>
Preserved Nutrients (500mL HDPE)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☐ Ice ☒ H2SO4	☐ <2	<i>1</i>	<i>B</i>
Filtered Nutrients (P125mL)	Lot <i>SA1105060</i> Exp: <i>4/30/22</i>	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☐ <2	<i>1</i>	<i>B</i>
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By: <i>B-D</i>	Date/Time: <i>10/14/21 1600</i>	Number of Coolers Shipped: <i>2</i>	Received By: <i>IM</i>	Date/Time: <i>10/15/21 10:08</i>
-----------------------------	---------------------------------	-------------------------------------	------------------------	----------------------------------

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-10-11-62		Collected By:	B Davis, J Feltus							
Customer	WGMP	Field Report Prepared By:	B Davis							
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP							
WIN ID/Field ID:		Comments:								
 NEHAB0036 Lions Club Boat Ramp										
		Collection Equipment:	0.16 #7							
Matrix:	Mucilage	Coordinates:	30,3786, -81.6228							
Tide:	☐ Rising ☒ Falling ☐ Slack ☐ N/A	High Tide Time:	514	Low Tide Time: 1143						
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
10/11/21	1010	5.58	78.2	26.9	7.64	0.3	21244	12.77	1.0	61
	1012	5.58	76.5	26.9	7.66	5.6	26344	16.05		
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____						
Algae Distribution	☐ Suspended in water column	☐ On surface	☐ Other: _____							
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical Other: _____						
Parameter Suite	Parameter Methods		Preservation	pH Check	#Bottles Sent to Lab	Bottle Group				
Bloom ID (PT-50ML)	☒ BLOOM-ID		☐ Ice		1	A				
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice		1	B				
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice		1	B				
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☐ Ice ☒ H2SO4	☒ <2	1	B				
	Lot SA1105060		Exp: 4/10/22	☐ <2						
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter		☒ Ice		1	B				
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C		☐ Ice ☐ Lugols							
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
B. Davis	10/14/21 1600	2		IM	10/15/21 10:08					

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-10-11-62	Collected By: Brian D. Jeremy P.
Customer: WQMP	Field Report Prepared By: Brian D.
Project ID: BLOOM_RESP	Sampling Agency: FDEP

Comments:

WIN ID/Field ID:



NEHAB0059

Ortega River @ Imperial Cove Rd

Matrix: Marine	Collection Equipment: Oult #7
Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A	Coordinates: 30.2511, -81.7019
High Tide Time: 6 11	Low Tide Time: 12 40

Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
10/14/21	1245	5.16	64.0	26.5	7.24	0.3	830	0.40	1.0	1.2

Bloom Observations

Algal Bloom Observed?	☐ Yes	☒ No
Water Surface	☒ Clear	☐ Scum
Water Clarity	☒ Clear	☐ Slightly Turbid
Bloom Color	☐ Green	☐ Red
Algae Distribution	☐ Suspended in water column	☐ On surface
Water Odors	☒ Normal	☐ Sewage

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45um Filter	☐ <2	1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By: B. D.	Date/Time: 10/14/21 1600	Number of Coolers Shipped: 2	Received By: IM	Date/Time: 10/15/21 10:08
------------------------	--------------------------	------------------------------	-----------------	---------------------------

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-10-11-62		Collected By:	B Davis, J Ferris							
Customer	VQMP	Field Report Prepared By:	B Davis							
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP							
Comments:										
WIN ID/Field ID:		 NEHAB0032								
Pottsburg Creek @ River Hills Cr E		Collection Equipment:	Outlet # 7							
Matrix:	M-nice	Grab	Coordinates:	30.31468, -81.53481						
Tide:	☐ Rising ☐ Falling ☒ Slack ☐ N/A	High Tide Time:	5:33	Low Tide Time: 1202						
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
10/14/21	1205	4.42	56.4	26.8	7.18	0.3	5085	2.72	UOB	0.7
Bloom Observations										
Algal Bloom Observed?		☒ Yes ☒ No								
Water Surface	☒ Clear	☐ Scum	☐ Globs		☐ Slick					
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid		☐ Opaque					
Bloom Color	☐ Green	☐ Red	☐ Brown		☐ Other: _____					
Algae Distribution	☐ Suspended in water column		☐ On surface		☐ Other: _____					
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum		☐ Chemical		Other: _____			
Parameter Suite	Parameter Methods		Preservation		pH Check	#Bottles Sent to Lab	Bottle Group			
Bloom ID (PT-50ML)	☒ BLOOM-ID		☒ Ice			1	A			
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice			1	B			
Toxins (BG-WD250)	☒ W-MCYST-AA		☐ Ice			1	B			
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice	☒ H2SO4	☒ <2	1	B			
Filtered Nutrients (P125mL)	Lot	SA1105060	Exp:	4/30/22	☐ <2					
Quantitative Algae	☒ W-PO4-F		☒ Field Filtered 0.45um Filter		☒ Ice		B			
	☐ DTY-QN-C / PKD-QN-C		☐ Ice		☐ Lugols					
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
B-D	10/14/21 1600	2		IM	10/15/21 10:08					

Added from sample bottle

-IM 10/15/21

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021/0-11-62		Collected By:	Brian D. JPerris							
Customer	WQMP	Field Report Prepared By:	Brian D							
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP							
Field ID:		Comments:								
WIN ID/Field ID:		 NEHAB0031								
LSJR @ Arlington Boat Ramp		Collection Equipment:	Ortlo # 7							
Matrix:	Meals	Grab	Coordinates:	30.33380, -81.61283						
Tide:	☐ Rising ☒ Falling ☐ Slack ☐ N/A	High Tide Time:	533	Low Tide Time: 1202						
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
10/14/21	1040	5.91	77.3	26.7	7.56	0.3	14420	8.32		0.9
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____						
Algae Distribution	☐ Suspended in water column	☐ On surface	☐ Other: _____							
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____					
Parameter Suite	Parameter Methods		Preservation	pH Check	#Bottles Sent to Lab	Bottle Group				
Bloom ID (PT-50ML)	☒ BLOOM-ID		☒ Ice		1	A				
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice		1	A				
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice		1	B				
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4	☒ <2	1	B				
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45um Filter	☒ Ice	1	?				
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C		☐ Ice	☐ Lugols						
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
B. D.	10/14/21 1600	2		IM	10/15/21 10:08					

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 405

RQ: 2021-10-11-62

Project: Agave Response

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 8/16/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J.P. Arslan	10/14/21	805	21.2	760	8.9	8.84	100.0	—	1.07	P/F	L/F
ICV	J	10/14/21	810	21.2	760	8.9	8.89	100.0	—	1.07	P/F	L/F
CCV	J.P. Arslan	10/14/21	814	22.1	759	8.7	8.78	100.6	—	—	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	J.P. Arslan	10/14/21	807	210426B	5/22	1000	1000	P/F	L/F
ICV	J	10/14/21	809	210426A	5/22	107	98.3	P/F	L/F
CCV	J.P. Arslan	10/14/21	1710	210917C	9/22	50000	50062	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J.P. Arslan	10/14/21	810	210756B	7/23	7.	21.8	7.00	230	P/F	L/F
Calibr.	J	10/14/21	811	2107640	7/23	4.	21.7	4.00	156	P/F	L/F
Calibr.	J	10/14/21	815	200260B	6/22	10.	21.8	10.00	192	P/F	L/F
ICV	J	10/14/21	819	2107640	7/23	7.	21.7	7.08	23.0	P/F	L/F
CCV	J.P. Arslan	10/14/21	1442	201260B	6/22	10.	21.6	9.97	192	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 169, slope from 4 to 7 179 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 8/18/21

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J.P. Arslan	10/14/21	920	0.00	0.00	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Date of Request: 04-OCT-2021
 Created By: DAVIS_B On: 04-OCT-2021
 Modified By: JASROTIA_P On: 04-OCT-2021
 Customer: NE-DIST
 Project: BLOOM-RESP
 Division:
 District: Northeast District
 Event Description: Algae Bloom Response-as needed

Send Coolers To:

Phone: 904-256-1568
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Brian G Davis
 Cooler Ship EMail: Brian.g.davis@floridadep.gov

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 04-OCT-2021
 Biology Request Reviewed By: JASROTIA_P On: 04-OCT-2021
 Sampling Kit Required: YES Ship on: 08-OCT-2021
 Sampling Kit Shipped: YES On: 06-OCT-2021
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 11-OCT-2021
 Logged In By:

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Brian G Davis
 Report Notification EMail: Brian.g.davis@floridadep.gov

Comments:

Analyze toxin upon receipt after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B - separate event, priority 1

Bottle Group A - Priority 1
 For algal ID dominant taxon.

Bottle Group B - Priority 1
 For toxin testing Nutrients, Chlorophyll, Toxin.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Bottle Group A (Biological) With 7 Samples:

Bottle Type: PT-50ML Number of Bottles: 7 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 7 Samples:

Bottle Type: BP-1L Number of Bottles: 7 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 7 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 7 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 7 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.