

RQ-2021-10-25-41

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 12/1/2021 10:25

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.3				10		✓			929380162206
2.7				15		✓			522555408310

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☐ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☒Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☐ NA ☒ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 12/1/2021

Event contains NCRs (Y/N)? ☒

Event ID: Algal Bloom Response- NEROC
 WQAP-2021-12-01-04 (BLOOM-RESP)
 Date Received: 01-DEC-2021 10:25

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/19/22
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	219019 exp: 7/1/22
Chlorine Test Strips	0070 exp: 02/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Desi RQ: 2021-10-25-41 Project: Algae Response No. 2

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 11/10/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Brian Davis	11/30/21	810	22.3	765.5	8.8	8.8	100.7	✓	1.00	(P) F	(L) F
ICV	↓	↓	811	22.2	765.5	8.8	8.77	100.7	✓	1.00	(P) F	(L) F
CCV	Katrin Villinger	11/30/21	1550	22.4	764.5	8.4	8.108	100.0	✓	1.06	(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Brian Davis	11/30/21	749	210917B	9/22	1000	1000	(P) F	(L) F
ICV	↓	↓	752	211122B	12/22	1413	1408	(P) F	(L) F
CCV	Katrin Villinger	11/30/21	1556	211122A	12/22	15000	14988	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Brian Davis	11/30/21	757	2109M25	9/23	7.01	22.3	7.01	-22.2	(P) F	(L) F
Calibr.			802	2107640	7/23	4.00	22.4	4.00	157.0	(P) F	(L) F
Calibr.			806	2102E08	6/22	10.03	22.4	10.03	-193.3	(P) F	(L) F
ICV	↓	↓	808	2109M25	9/23	7.01	22.5	7.05	-22.0	(P) F	(L) F
CCV	Katrin Villinger	11/30/21	1600	2012E08	6/22	10.02	22.8	10.07	-197.3	(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 171.1, slope from 4 to 7 179.2 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 11/10/21

If NO, what will be used? (check one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	Brian Davis	11/30/21	812	0.00	0.00	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 10-25-41		Collected By:	K Villinger & B Davis							
Customer	NE-DIST	Field Report Prepared By:	K Villinger							
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP							
Field ID:		Comments:								
WIN ID/Field ID:		 NEHAB0040 Mouth of Goodby's Creek								
Matrix: Fresh		Collection Equipment:	Ortho #3							
Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A		Coordinates:	30°12'00" N 81°37'25" W							
		High Tide Time:	730	Low Tide Time: 1300						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
11/30/21	12:35	9.58	96.7	15.6	7.64	0.3	2314	1.19	0.680 5	0.680
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs		☐ Slick					
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid		☐ Opaque					
Bloom Color	☐ Green	☐ Red	☐ Brown		☐ Other: _____					
Algae Distribution	☐ Suspended in water column		☐ On surface		☐ Other: _____					
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum		☐ Chemical		Other: _____			
Parameter Suite	Parameter Methods		Preservation		pH Check	#Bottles Sent to Lab	Bottle Group			
Bloom ID (PT-50ML)	☒ BLOOM-ID		☒ Ice			1	AB			
Chlorophyll (BP-11)	☒ CHLSUITE-W		☒ Ice			1	B			
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice			1	B			
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4		☒ <2	1	B			
	Lot	541105060	Exp:	04/30/22	☐ <2					
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45um Filter		☒ Ice	1	B			
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C		☐ Ice		☐ Lugols					
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
	11/30/21 1400	2			12/1/21 10:25					

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-10-25-41		Collected By: B. Davis & K. Villinger								
Customer: NE - Dist	Field Report Prepared By: K. Villinger									
Project ID: BLOOM_RESP	Sampling Agency: FDEP									
Field ID:		Comments:								
WIN ID/Field ID:  NEHAB0024										
Christopher Creek below San Jose Blvd		Collection Equipment: Ortho #3								
Matrix: Fresh	Grab	Coordinates: 30.252570 -81.642100								
Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A	High Tide Time: 730	Low Tide Time: 1500								
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
11/30/21	12:05	6.83	66.8	14.2	7.12	0.3	1720	0.88	0.794 S	0.794
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____						
Algae Distribution	☐ Suspended in water column	☐ On surface	☐ Other: _____							
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____					
Parameter Suite	Parameter Methods		Preservation	pH Check	#Bottles Sent to Lab	Bottle Group				
Bloom ID (PT-50ML)	☒ BLOOM-ID		☒ Ice		1	A				
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice		1	B				
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice		1	B				
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4	☐ <2	1	B				
Filtered Nutrients (P125mL)	Lot SA1105060		Exp: 04/30/22	☐ <2						
Quantitative Algae	☒ W-PO4-F ☒ Field Filtered 0.45um Filter		☒ Ice		1	B				
	☐ DTY-QN-C / PKD-QN-C		☐ Ice ☐ Lugols							
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
K. Villinger	11/30/21 1600	2								

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 10 - 25 - 41		Collected By:	B Davis, K Villis, ea							
Customer	Ne - Dist	Field Report Prepared By:	B Davis							
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP							
Field ID:		Comments:								
WIN ID/Field ID:		 NEHAB0029 LSJR @ end of Blake Ave								
Matrix:		Collection Equipment:	Ontl #3							
Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A		Coordinates:	30.1744, -81.686940							
Grab		High Tide Time:	710	Low Tide Time: 1300						
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
11/30/21	1110	9.55	95.9	15.4	7.79	0.3	1210	0.66	0.6	0.6
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____						
Algae Distribution	☐ Suspended in water column	☐ On surface	☐ Other: _____							
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____					
Parameter Suite	Parameter Methods		Preservation	pH Check	#Bottles Sent to Lab	Bottle Group				
Bloom ID (PT-50ML)	☒ BLOOM-ID		☒ Ice		1	A				
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice		1	B				
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice		1	B				
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4	☒ <2	1	B				
Filtered Nutrients (P125mL)	Lot 85110500		Exp: 4/30/22	☐ <2						
Quantitative Algae	☒ W-PO4-F ☒ Field Filtered 0.45um Filter		☒ Ice		1	B				
	☐ DTY-QN-C / PKD-QN-C		☐ Ice ☐ Lugols							
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:	Date/Time					
B. Davis	11/30/21 1600	2								

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 10-25-41		Collected By:	B Davis, K Villiger	
Customer	NE-Dist	Field Report Prepared By:	B Davis	
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP	
Field ID:		Comments:		

WIN ID/Field ID:



 NEHAB0047

Mouth of Deep Bottom Creek

Matrix:	Fish	Collection Equipment:	O-450 #3
Tide:	☒ Rising ☐ Falling ☐ Slack ☐ N/A	Coordinates:	30.17714, -81.642980
		High Tide Time:	730
		Low Tide Time:	1300

Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
11/30/21	1035	8.84	87.0	14.4	7.46	0.2	1634	0.83	0.4 (5)	0.4

Bloom Observations					
Algal Bloom Observed? ☐ Yes ☒ No					
Water Surface	☒ Clear	☐ Scum	☐ Globbs	☐ Slick	
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____	
Algae Distribution	☐ Suspended in water column		☐ On surface	☐ Other: _____	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☐ H2SO4	☒ <2	1	B
	Lot 5A1105060	Exp: 4/30/22	☐ <2		
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45um Filter	☒ Ice	1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
B. D.	11/30/21 1600	2		

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 10-25-41		Collected By:	B Davis, K Villinger							
Customer	NE-Dist	Field Report Prepared By:	B Davis							
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP							
Field ID:		Comments:								
WIN ID/Field ID:		 NEHAB0046 Plummer's Cove								
Matrix:		Collection Equipment:	Ortho #3							
Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A		Coordinates:	30.19141, -81.637520							
		High Tide Time:	730	Low Tide Time: 1300						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
11/30/21	1000	9.24	92.8	15.4	7.76	0.3	1535	0.78	0.9	1.7
	1002	9.28	92.9	15.2	7.79	1.2	1725	0.88		
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs		☐ Slick					
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid		☐ Opaque					
Bloom Color	☐ Green	☐ Red	☐ Brown		☐ Other: _____					
Algae Distribution	☐ Suspended in water column		☐ On surface		☐ Other: _____					
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum		☐ Chemical		Other: _____			
Parameter Suite	Parameter Methods		Preservation		pH Check	#Bottles Sent to Lab	Bottle Group			
Bloom ID (PT-50ML)	☒ BLOOM-ID		☒ Ice			1	A			
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice			1	B			
Toxins (BG-WD250)	☒ W-MCYST-AA		☒ Ice			1	B			
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice	☒ H2SO4	☒ <2	1	B			
	Lot SA1105060		Exp: 4/10/22		☒ <2					
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45um Filter		☒ Ice	1	B			
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C		☐ Ice		☐ Lugols		B			
Relinquished By:	Date/Time		Number of Coolers Shipped		Received By:		Date/Time			
B. Davis	11/30/21 1600		2							

Date of Request: 07-OCT-2021
 Created By: PARRISH_J On: 07-OCT-2021
 Modified By: JASROTIA_P On: 11-OCT-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response- NEROC

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 11-OCT-2021
 Biology Request Reviewed By: JASROTIA_P On: 11-OCT-2021
 Sampling Kit Required: YES Ship on: 13-OCT-2021
 Sampling Kit Shipped: YES On: 11-OCT-2021
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 25-OCT-2021
 Logged In By: MCCOY_I On: 19-NOV-2021

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail:
 Jeremy.M.Parrish@dep.state.fl.us; Brian.G.Davis@floridadep.gov
 ;Amelia.Rankin@dep.state.fl.us

Comments:

Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, and chlorophyll, algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 11 Samples:

Bottle Type: PT-50ML Number of Bottles: 11 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 11 Samples:

Bottle Type: BP-1L Number of Bottles: 11 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 11 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 11 Preserved With: ICE And H2SO4

W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 11 Preserved With: FILTER-ICE

Bottle Group B (Water) With 11 Samples:

Bottle Type: P-125ML

Number of Bottles: 11

Preserved With: FILTER-ICE

W-PO4-F

Template: DEFAULT

(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.