

RQ-2021-03-22-10

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 4/23/2021 10:13

*Cooler Temperature	Samples Frozen?	* All Samples In Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.8				18		✓			9293 8011 5586

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ✓

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ✓

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ✓ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA ✓ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 4/23/2021

Event contains NCRs (Y/N)? ✓

Event ID:

Algal Bloom Response - CEROC

WQAP-2021-04-23-02 (BLOOM-RESP)

Date Received: 23-APR-2021 10:13

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/28/21
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	231019 exp: 11/1/22
Chlorine Test Strips	0129 exp: 03/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2021 - 03-22-10		Collected By: Mike Linger (O.C. EPD)
Customer: WQAP	Field Report Prepared By:	
Project ID: BLOOM-RESP	Sampling Agency: 21FLCFN	
Comments:		

JLFURIC
CID <51%
DANGER
7554-93-9
7732-18-3

THIRMO FISHER SCIENTIFIC
520 NORTH MAIN STREET
MAINE, ME 04254
1-822-688-2711

Contains: 1:1 H2SO4

Contains: 1:1 H2SO4
Lot No: SA0353110
Expires: 01/11/22
See Safety Data Sheet (SDS)

nty

Field ID: HABCE0072_LakeHolden
Win ID: HABCE0072
Lake Holden - 90m S of Lake
Holden Point

Coordinates: 28.5043, -81.3901

Collection Equip: sample container, syringe

WIN ID: HABCE0072	High Tide Time:	Low Tide Time:
Matrix: Fresh	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A	

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm) MKL 4/22/21	Salinity (PPT)
4/22/21	1110	98.8	8.2	24.8	7.8	0.3	6.6	197 4.5	197 4.5	

Bloom Observations

Algal Bloom Observed?	☐ Yes	☒ No		
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: ☐ N/A
Algae Distribution	☐ Suspended in water column	☐ On surface	☐ Other: ☐ N/A	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical ☐ Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☐ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45µm Filter		1	B
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice		1	B
Relinquished By: MKL	Date/Time: 4/22/2021 / 1630	Number of Coolers Shipped: 1	Received By: IM	Date/Time: 4/23/21 10:13	

LIMS EVENT ID: WQAP-2021-

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data in WIN:



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2021 - 03-22-10	Collected By: RENK
Customer: WQAP	Field Report Prepared By: RENK
Project ID: BLOOM-RESP	Sampling Agency: 21FLCEN - CEROC Orange County
Location:	Comments:

Field ID: HABCE0049_LakeAnderson

Win ID: HABCE0049

Lake Anderson - NW corner

Coordinates: **28.5001, -81.338**

Collection Equip: **sample container, syringe**

WIN ID: **HABCE0049**

High Tide Time:

Low Tide Time:

Matrix: **FRESH**

Grab

Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
4/22/2021	0920	117.8	9.8	24.4	8.0	0.3	0.6	0.65	250	

Bloom Observations

Algal Bloom Observed?	☐ Yes	☒ No
Water Surface	☒ Clear	☐ Scum
Water Clarity	☐ Clear	☒ Slightly Turbid
Bloom Color	☐ Green	☐ Red
Algae Distribution	☒ Suspended in water column	☐ On surface
Water Odors	☒ Normal	☐ Sewage
	☐ Globbs	☐ Slick
	☐ Turbid	☐ Opaque
	☐ Brown	☐ Other: ☒ N/A
	☐ Petroleum	☐ Chemical
	☐ Other:	☐ N/A

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☐ H2SO4 ☐ <2		1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45µm Filter		1	B
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice		1	B
Relinquished By: MKL	Date/Time: 4/22/21 / 1630	Number of Coolers Shipped: 1	Received By: IM	Date/Time: 4/23/21 10:13	

LIMS EVENT ID: WQAP-2021-

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data in WIN:



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2021 - 03 - 22 - 10	Collected By: RENK
Customer: WQAP	Field Report Prepared By: RENK
Project ID: BLOOM-RESP	Sampling Agency: 21PCEN - CEROC Orange County

Comments:

Field ID: HABCE0071_LakeConway2

Win ID: HABCE0071

Lake Conway - SW Shore

Coordinates: **28.4662818 - 81.3595114**

Collection Equip: **sample container, syringe**

WIN ID: HABCE0071	High Tide Time:	Low Tide Time:
Matrix: Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
4/22/2021	1005	1020	8.5	24.2	7.2	0.3	1.6	1.65	218	

Bloom Observations

Algal Bloom Observed?	☐ Yes	☒ No
Water Surface	☒ Clear	☐ Scum
Water Clarity	☒ Clear	☐ Slightly Turbid
Bloom Color	☐ Green	☐ Red
Algae Distribution	☐ Suspended in water column	☐ On surface
Water Odors	☒ Normal	☐ Sewage
	☐ Globes	☐ Slick
	☐ Turbid	☐ Opaque
	☐ Brown	☐ Other: ☒ N/A
	☐ On surface	☐ Other: ☒ N/A
	☐ Petroleum	☐ Chemical
	☐ Other:	

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☐ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☐ Ice		1	B
	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice	☐ H2SO4 ☐ <2	1	B
Preserved Nutrients (500mL HDPE)	H2SO4 Acid Lot: LOT# SA0353110 EXP: 01/11/2022	Exp:			
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45µm Filter		1	B
	Filter Lot # 91497897135566	☒ Ice			
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice	Lugols? Y (N)	1	B
Relinquished By: MKL	Date/Time: 4/22/21 1630	Number of Coolers Shipped: 1	Received By: IM	Date/Time: 10/3 4/23/21	

LIMS EVENT ID: WQAP-2021-

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data in WIN:

Date of Request: 22-FEB-2021
 Created By: BOMAN_L On: 22-FEB-2021
 Modified By: JASROTIA_P On: 24-FEB-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: Central
 Event Description: Algal Bloom Response - CEROC

Send Coolers To:

Phone: 407-897-4178
 3319 Maguire Blvd Ste 232

 Orlando, FL 32803
 Attn: Natalie Ayala
 Cooler Ship EMail: natalie.ayala@FloridaDep.gov

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-FEB-2021
 Biology Request Reviewed By: JASROTIA_P On: 24-FEB-2021
 Sampling Kit Required: YES Ship on: 12-MAR-2021
 Sampling Kit Shipped: YES On: 05-MAR-2021
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 22-MAR-2021
 Logged In By:

Send Final Report To:

3319 Maguire Blvd Ste 232

 Orlando, FL 32803
 Attn: Natalie Ayala
 Report Notification EMail: Natalie.Ayala@FloridaDEP.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, chlorophyll, algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login

Bottle Group A (Biological) With 4 Samples:

Bottle Type: PT-50ML Number of Bottles: 4 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 4 Samples:

Bottle Type: BP-1L Number of Bottles: 4 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BP-1L Number of Bottles: 4 Preserved With: Lugols
 DTY-QN-C Template: DEFAULT (SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
 PKD-QN-C Template: DEFAULT (SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

Bottle Type: BG-250ML-WDMTH Number of Bottles: 4 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 4 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.