

RQ-2021-05-24-51

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 5/26/2021 9:30

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
2.0				12		✓			92938012899

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☐ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☐Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☐ NA ☒ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 5/26/2021

Event contains NCRs (Y/N)? ☒

Event ID:

Algal Bloom Response -Lee County
WQAP-2021-05-26-01 (BLOOM-RESP)

Page 1 of 2, 06/15/2020, Date Received: 26-MAY-2021 09:30

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/28/21
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	219019 exp: 7/1/22
Chlorine Test Strips	0129 exp: 03/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ- 2021-05-24-51		Collected By: Sue Davis	
Customer:		Field Report Prepared By:	
Project ID:		Sampling Agency: Lee County	
Location: Davis Boat ramp		Comments: Some streaks, accumulation along seawall (slight)	
Field ID:		Coordinates: 26.71149, -81.75322	Collection Equip: Pole
WIN ID:		High Tide Time:	Low Tide Time:
Matrix: Freshwater	Grab	Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A	

Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
5/25/2021	0939	105.6	8.35	27.0	8.2	0.3	0.8	0.8	2210	1.1

Algal Bloom Observed?	☒ Yes ☐ No
Water Surface	☐ Clear ☐ Scum ☐ Globs ☐ Slick ☐ Specks
Water Clarity	☐ Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque
Bloom Color	☒ Green ☐ Red ☐ Brown ☐ Other: ☐ N/A
Algae Distribution	☒ Suspended in water column ☒ On surface ☐ Other: ☐ N/A
Water Odors	☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45µm Filter Filter Lot # RONB19465	☒ Ice	1	B
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice	Lugols? ☒ Y ☐ N	1	B

Relinquished By: Sue Davis	Date/Time: 5/25/2021 @ 1430	Number of Coolers Shipped: 1	Received By: IM	Date/Time: 5/26/21 9:30
----------------------------	-----------------------------	------------------------------	-----------------	-------------------------



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ- 2021-05-24-51		Collected By: Sue Davis	
Customer:		Field Report Prepared By:	
Project ID:		Sampling Agency: Lee County	
Location: Alva Boat ramp		Comments: Streaks, some accumulation along shore/boat ramp	
Field ID:		Coordinates: 26.71394, -81.66612	
		Collection Equip: Pole	
WIN ID:		High Tide Time: Low Tide Time:	
Matrix: Freshwater		Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A	
Water Quality			
Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)
5/25/2021	0832	94.0	7.5
Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)
26.9	7.85	0.3	3.0
Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)	
0.7	450	0.2	
Bloom Observations			
Algal Bloom Observed? ☒ Yes ☐ No			
Water Surface	☐ Clear ☒ Scum	☐ Globs	☐ Slick
Water Clarity	☐ Clear ☐ Slightly Turbid	☒ Turbid	☐ Opaque
Bloom Color	☒ Green ☐ Red	☐ Brown	☐ Other: ☐ N/A
Algae Distribution	☒ Suspended in water column	☒ On surface	☐ Other: ☐ N/A
Water Odors	☒ Normal ☐ Sewage	☐ Petroleum	☐ Chemical ☐ Other:
Parameter Suite	Parameter Methods	Preservation	pH Check #Bottles Sent to Lab Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice	1 A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice	1 B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice	1 B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4 ☒ <2	1 B
	Acid Lot: 3119020	Exp: 5/21/2022	
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45µm Filter	☒ Ice	1 B
	Filter Lot # R0NB19465		
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C	☒ Ice Lugols? Y/(N)	1 B
Relinquished By: * Sue Davis	Date/Time: 5/25/2021 @ 1430	Number of Coolers Shipped: 1	Received By: IM Date/Time: 5/26/21 9:30

Printed: 5/26/2021 10:11:51 AM

Page 1 of 2

Date of Request: 11-MAY-2021
 Created By: WOLFE_K On: 11-MAY-2021
 Modified By: JASROTIA_P On: 13-MAY-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: SROC
 Event Description: Algal Bloom Response -Lee County

Send Coolers To:

Phone: 239-533-8600
 Lee County Environmental Lab
 60-2 Danley DR
 Fort Myers, FL 33907
 Attn: Susan Davis
 Cooler Ship Email: sdavis@leegov.com

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 13-MAY-2021
 Biology Request Reviewed By: JASROTIA_P On: 13-MAY-2021
 Sampling Kit Required: YES Ship on: 21-MAY-2021
 Sampling Kit Shipped: YES On: 17-MAY-2021
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: YES
 Date to Receive Samples: 24-MAY-2021
 Logged In By:

Send Final Report To:

2295 Victoria AVE
 Suite 364
 Fort Myers, FL 33901
 Attn: Kirby Wolfe
 Report Notification Email:
 kirby.wolfe@floridadep.gov;kalina.warren@dep.state.fl.us;Cheryl.
 Swanson@dep.state.fl.us;Nicole.Reistad@floridadep.gov;John.B
 arrington@floridadep.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxins, nutrients, chlorophyll, algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login

Sulfuric Acid

Bottle Group A (Biological) With 2 Samples:

Bottle Type: PT-50ML Number of Bottles: 2 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 2 Samples:

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: Lugols
 DTY-QN-C Template: DEFAULT (SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
 PKD-QN-C Template: DEFAULT (SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

Bottle Type: BG-250ML-WDMTH Number of Bottles: 2 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: FILTER-ICE

Printed: 5/26/2021 10:11:51 AM

Page 2 of 2

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.