

Chemical Analysis Report

SFWMD-2021-10-26-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **SFWMD Bloom Response**
Request ID: **RQ-2021-07-19-52**
Customer: **SFWMD**
Project ID: **BLOOM-RESP**

Send Reports to:
South Florida Water Management District
SFWMD
8894 Belvedere Rd. B374
West Palm Beach, FL 33411
Attn: Mickael Tompkins

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 27-OCT-2021 09:15

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Kissimmee River

Collection Date/Time: 10/25/2021 09:07

Field ID: S65 - Canal Side

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2285946	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P405314	
		Cylindrospermopsin	0.10	U	ug/L	P405314	
		Desmethyl microcystin LR	0.25	U	ug/L	P405314	
		Microcystin HILR**	0.25	U	ug/L	P405314	
		Microcystin HtyR**	0.25	U	ug/L	P405314	
		Microcystin LA	0.10	U	ug/L	P405314	
		Microcystin LF	0.10	U	ug/L	P405314	
		Microcystin LR	0.25	U	ug/L	P405314	
		Microcystin LW	0.25	U	ug/L	P405314	
		Microcystin LY	0.10	U	ug/L	P405314	
		Microcystin RR	0.10	U	ug/L	P405314	
		Microcystin WR	0.50	U	ug/L	P405314	
		Microcystin YR	0.25	U	ug/L	P405314	
		Nodularin-R**	0.10	U	ug/L	P405314	

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B

Batch ID: P405314

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin HilR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B

Batch ID: P405314

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	89.6		P	40 - 150
Cylindrospermopsin	95.6		P	40 - 150
Desmethyl microcystin LR	88.5		P	40 - 150
Microcystin HilR	87.0		P	40 - 150
Microcystin HtyR	89.0		P	40 - 150
Microcystin LA	106		P	40 - 150
Microcystin LF	96.6		P	40 - 150
Microcystin LR	87.8		P	40 - 150
Microcystin LW	89.8		P	40 - 150
Microcystin LY	93.3		P	40 - 150
Microcystin RR	88.6		P	40 - 150
Microcystin WR	93.8		P	40 - 150
Microcystin YR	86.1		P	40 - 150
Nodularin-R	88.4		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B

Batch ID: P405314

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2285901	Anatoxin-a	114	114	P/P	40 - 150
2285901	Cylindrospermopsin	111	106	P/P	40 - 150
2285901	Desmethyl microcystin LR	108	98.5	P/P	40 - 150
2285901	Microcystin HilR	105	101	P/P	40 - 150
2285901	Microcystin HtyR	106	104	P/P	40 - 150
2285901	Microcystin LA	116	107	P/P	40 - 150
2285901	Microcystin LF	106	109	P/P	40 - 150
2285901	Microcystin LR	99.6	96.7	P/P	40 - 150
2285901	Microcystin LW	105	98.1	P/P	40 - 150
2285901	Microcystin LY	103	103	P/P	40 - 150
2285901	Microcystin RR	98.7	98.3	P/P	40 - 150
2285901	Microcystin WR	105	109	P/P	40 - 150
2285901	Microcystin YR	102	97.4	P/P	40 - 150
2285901	Nodularin-R	105	105	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 8321B

Batch ID: P405314

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2285901	Anatoxin-a	0.281	Spike	P	0 - 30
2285901	Cylindrospermopsin	4.81	Spike	P	0 - 30
2285901	Desmethyl microcystin LR	9.51	Spike	P	0 - 30
2285901	Microcystin HiLR	3.72	Spike	P	0 - 30
2285901	Microcystin HtyR	1.54	Spike	P	0 - 30
2285901	Microcystin LA	7.73	Spike	P	0 - 30
2285901	Microcystin LF	3.13	Spike	P	0 - 30
2285901	Microcystin LR	2.93	Spike	P	0 - 30
2285901	Microcystin LW	6.82	Spike	P	0 - 30
2285901	Microcystin LY	0.400	Spike	P	0 - 30
2285901	Microcystin RR	0.390	Spike	P	0 - 30
2285901	Microcystin WR	3.83	Spike	P	0 - 30
2285901	Microcystin YR	4.51	Spike	P	0 - 30
2285901	Nodularin-R	0.240	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2285946
Field Sample ID: S65 - Canal Side

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR-d7	99.8	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	94.5	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
Run ID: A108548
Included Lab Sample IDs: 2285946

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	109	114	P/P	50 - 160
Cylindrospermopsin	122	127	P/P	60 - 160
Desmethyl microcystin LR	102	100	P/P	60 - 160
Microcystin H1R	97.6	99.2	P/P	60 - 160
Microcystin HtyR	99.8	100	P/P	60 - 160
Microcystin LA	115	107	P/P	50 - 160
Microcystin LF	111	113	P/P	60 - 160
Microcystin LR	91.7	95.1	P/P	60 - 160
Microcystin LW	88.0	92.9	P/P	60 - 160
Microcystin LY	102	107	P/P	60 - 160
Microcystin RR	99.7	100	P/P	60 - 160
Microcystin WR	88.6	88.1	P/P	60 - 160
Microcystin YR	96.4	96.9	P/P	60 - 160
Nodularin-R	99.8	101	P/P	60 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8321B	Anatoxin-a	89.6	114	114		0.281
	Cylindrospermopsin	95.6	111	106		4.81
	Desmethyl microcystin LR	88.5	108	98.5		9.51
	Microcystin H1LR	87.0	105	101		3.72
	Microcystin HtyR	89.0	106	104		1.54
	Microcystin LA	106	116	107		7.73
	Microcystin LF	96.6	106	109		3.13
	Microcystin LR	87.8	99.6	96.7		2.93
	Microcystin LW	89.8	105	98.1		6.82
	Microcystin LY	93.3	103	103		0.400
	Microcystin RR	88.6	98.7	98.3		0.390
	Microcystin WR	93.8	105	109		3.83
	Microcystin YR	86.1	102	97.4		4.51
	Nodularin-R	88.4	105	105		0.240

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2285946

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	10/26/2021	10/26/2021 13:00	Manjita Shrestha	10/26/2021 16:32	Manjita Shrestha	2285946