

Klug, Kyle

From: Doak, James <jdoak@sfwmd.gov>
Sent: Tuesday, December 14, 2021 8:57 AM
To: Klug, Kyle
Cc: Ayres, Joshua; Tompkins, Michael
Subject: RE: RQ-2021-12-06-07 & RQ-2021-08-16-53

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Yes it looks like they included the lakeside sample on the submittal form in error. The handwritten submittal form should only include the canal side.

From: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Sent: Tuesday, December 14, 2021 8:51 AM
To: Doak, James <jdoak@sfwmd.gov>
Cc: Ayres, Joshua <Joshua.Ayres@FloridaDEP.gov>
Subject: RQ-2021-12-06-07 & RQ-2021-08-16-53
Importance: High

[Please remember, this is an external email]

Good morning,

Was the inclusion of site S308C on the attached submittal form for RQ-2021-08-16-53 a mistake? I received another submittal form that shows S308C belongs to RQ-2021-12-06-07. Please let me know as soon as possible.

Thank you,

Kyle



Login Checklist

RQ- 2021-08-16-53

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 12/ 14 /21 @ 8:45

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
6.7				5		✓			7754 7744 6610

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ✓

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ✓

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ✓ Init: KK

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes _____ No _____ NA ✓ Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA ✓ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KK

Date: 12/ 14 /21

Event contains NCRs (Y/N)? N

Event ID: SFWM D Bloom Response--As Needed (OKEE)

Date Received: 14-DEC-2021 08:45

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-19-22
pH Test Strips 0 – 6	Lot#210620 EXP:4-15-23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 EXP:4-15-23
Chlorine Test Strips	Lot#0070 EXP:2-23

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Central Laboratory Submittal Form

Customer: SFWMD

Requester: Amelia G. Rankin

Field Report Prepared By:

Danielle Jurnick

Project ID: BLOOM-RESP

Collected By:

Geoff Denham

Sampling Agency:

SFWMD

Location Lake Okeechobee		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/13/2021 Time 0909		☒ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID S308C Lakeside		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/STORET #		Temp (C)		pH		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Latitude 26.985°N		☒ dd ☐ dms		Longitude 80.621°W		☒ dd ☐ dms		Salinity (ppt)		Comments No visible BGA.	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location Lake Okeechobee		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/13/2021 Time 0912		☒ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID S308C - C44 Canal		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/STORET #		Temp (C)		pH		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Latitude 26.985°N		☒ dd ☐ dms		Longitude 80.621°W		☒ dd ☐ dms		Salinity (ppt)		Comments No visible BGA	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	

Relinquished By: Daniel Fish	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: KH	Date/Time 12.14.21/0845
--	-----------	-----------------	----------------------------	---------------------------	-----------------------------------

Group: A Bottle Type: PT-50ML # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab _____

BLOOM-ID.

Group: B Bottle Type: BG-250ML-WDMT # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab _____

W-MCYST-AA

Group: A	Bottle Type:	PT-50ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
BLOOM-ID							

Group: B	Bottle Type:	BG-250ML-WDMT H	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
W-MCYST-AA							

Central Laboratory Submittal Form

Customer: SFWMD

Requester: Amelia G. Rankin

Field Report Prepared By: Danielle Jurnick

Project ID: BLOOM-RESP

Collected By: Geoff Denham

Sampling Agency: SFWMD

Location Lake Okeechobee		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12/13/2021 Time 0909		☒ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s) (See pg 2) A B
Field ID S308C Lakeside		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)	pH	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)		
Latitude 26.985°N ☒ dd ☐ dms	Longitude 80.621°W ☒ dd ☐ dms	Salinity (ppt)	Comments No visible BGA.					
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments					
Location Lake Okeechobee		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12/13/2021 Time 0912		☒ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s) A B
Field ID S308C - C44 Canal		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)	pH	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)		
Latitude 26.985°N ☒ dd ☐ dms	Longitude 80.621°W ☒ dd ☐ dms	Salinity (ppt)	Comments No visible BGA					
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central	Composite end Date _____ Time _____		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments					

Relinquished By: Danielle Jurnick	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
---	-----------	-----------------	----------------------------	--------------	-----------

Date of Request: 03-AUG-2021
Created By: RANKIN_A On: 03-AUG-2021
Modified By: JASROTIA_P On: 10-AUG-2021
Customer: SFWMD
Project: BLOOM-RESP
Division:
District: Not Applicable
Event Description: SFWMD Bloom Response--As Needed (OKEE)

Send Coolers To:

Phone: 863-462-5280 ext. 3199
SFWMD
1000 NE 40th Ave.
Okeechobee, FL 34972
Attn: James Doak
Cooler Ship EMail: jdoak@sfwmd.gov

Priority: 1
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 09-AUG-2021
Biology Request Reviewed By: JASROTIA_P On: 10-AUG-2021
Sampling Kit Required: YES Ship on: 12-AUG-2021
Sampling Kit Shipped: YES On: 11-AUG-2021
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: NO
Date to Receive Samples: 16-AUG-2021
Logged In By: SHAIK_A On: 30-NOV-2021

Send Final Report To:

SFWMD
8894 Belvedere Rd. B374
West Palm Beach, FL 33411
Attn: Mickael Tompkins
Report Notification EMail:
mtompkin@sfwmd.gov; Kirby.Wolfe@FloridaDEP.gov; Jordan.Skaggs@FloridaDEP.gov

Comments: ATTN Packing Staff:

Please pack in 5 coolers.

Bottle Groups A/B: same event - Priority 1

Bottle Group A - Priority 1
For algal dominant taxon.

Bottle Group B - Priority 1
For toxin testing.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 20 Samples:

Bottle Type: PT-50ML Number of Bottles: 20 Preserved With: ICE
BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 20 Samples:

Bottle Type: BG-250ML-WDMTH Number of Bottles: 20 Preserved With: ICE
W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.