

Chemical Analysis Report

SFWMD-2021-12-21-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SFWMD Bloom Response--As Needed (WPB)**

Request ID: **RQ-2021-09-13-52**

Customer: **SFWMD**


Project ID: **BLOOM-RESP**

Send Reports to:
South Florida Water Management District
SFWMD
8894 Belvedere Rd. B374
West Palm Beach, FL 33411
Attn: Mickael Tompkins

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 22-DEC-2021 13:47



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: C43 Canal - S77 (Upstream)

Collection Date/Time: 12/20/2021 08:45

Field ID: C43 Canal - S77 (Upstream)

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296325	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P407674	
		Cylindrospermopsin	0.10	U	ug/L	P407674	
		Desmethyl microcystin LR	0.25	U	ug/L	P407674	
		Microcystin HIR**	0.25	U	ug/L	P407674	
		Microcystin HtyR**	0.25	U	ug/L	P407674	
		Microcystin LA	0.10	U	ug/L	P407674	
		Microcystin LF	0.10	UJ	ug/L	P407674	LCS, MS
		Microcystin LR	0.25	U	ug/L	P407674	
		Microcystin LW	0.25	U	ug/L	P407674	
		Microcystin LY	0.10	U	ug/L	P407674	
		Microcystin RR	0.10	U	ug/L	P407674	
		Microcystin WR	0.50	U	ug/L	P407674	
		Microcystin YR	0.25	U	ug/L	P407674	
		Nodularin-R**	0.10	U	ug/L	P407674	

Ref. Method and Comment:

EPA 8321B: Refer to the Lab Analysis Report for an explanation of QC Codes.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B

Batch ID: P407674

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin H1R	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B

Batch ID: P407674

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	104		P	40 - 150
Cylindrospermopsin	97.2		P	40 - 150
Desmethyl microcystin LR	103		P	40 - 150
Microcystin HilR	105		P	40 - 150
Microcystin HtyR	98.5		P	40 - 150
Microcystin LA	128		P	40 - 150
Microcystin LF	154		F	40 - 150
Microcystin LR	93.5		P	40 - 150
Microcystin LW	127		P	40 - 150
Microcystin LY	135		P	40 - 150
Microcystin RR	103		P	40 - 150
Microcystin WR	94.1		P	40 - 150
Microcystin YR	107		P	40 - 150
Nodularin-R	108		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B

Batch ID: P407674

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295870	Anatoxin-a	120	128	P/P	40 - 150
2295870	Cylindrospermopsin	94.2	102	P/P	40 - 150
2295870	Desmethyl microcystin LR	115	120	P/P	40 - 150
2295870	Microcystin HilR	114	118	P/P	40 - 150
2295870	Microcystin HtyR	104	112	P/P	40 - 150
2295870	Microcystin LA	131	136	P/P	40 - 150
2295870	Microcystin LF	146	154	P/F	40 - 150
2295870	Microcystin LR	103	103	P/P	40 - 150
2295870	Microcystin LW	125	126	P/P	40 - 150
2295870	Microcystin LY	139	143	P/P	40 - 150
2295870	Microcystin RR	109	110	P/P	40 - 150
2295870	Microcystin WR	96.8	102	P/P	40 - 150
2295870	Microcystin YR	118	126	P/P	40 - 150
2295870	Nodularin-R	119	121	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 8321B

Batch ID: P407674

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295870	Anatoxin-a	6.72	Spike	P	0 - 30
2295870	Cylindrospermopsin	8.26	Spike	P	0 - 30
2295870	Desmethyl microcystin LR	3.90	Spike	P	0 - 30
2295870	Microcystin H1R	3.18	Spike	P	0 - 30
2295870	Microcystin HtyR	7.41	Spike	P	0 - 30
2295870	Microcystin LA	3.37	Spike	P	0 - 30
2295870	Microcystin LF	5.42	Spike	P	0 - 30
2295870	Microcystin LR	0.616	Spike	P	0 - 30
2295870	Microcystin LW	0.711	Spike	P	0 - 30
2295870	Microcystin LY	3.08	Spike	P	0 - 30
2295870	Microcystin RR	1.29	Spike	P	0 - 30
2295870	Microcystin WR	5.01	Spike	P	0 - 30
2295870	Microcystin YR	6.67	Spike	P	0 - 30
2295870	Nodularin-R	2.02	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2296325

Field Sample ID: C43 Canal - S77 (Upstream)

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR-d7	88.3	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	86.2	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
Run ID: A109518
Included Lab Sample IDs: 2296325

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	87.0	72.3	P/P	50 - 160
Cylindrospermopsin	98.4	98.7	P/P	60 - 160
Desmethyl microcystin LR	105	101	P/P	60 - 160
Microcystin H1R	104	105	P/P	60 - 160
Microcystin HtyR	99.4	101	P/P	60 - 160
Microcystin LA	128	129	P/P	50 - 160
Microcystin LF	153	158	P/P	60 - 160
Microcystin LR	92.9	94.2	P/P	60 - 160
Microcystin LW	123	122	P/P	60 - 160
Microcystin LY	138	130	P/P	60 - 160
Microcystin RR	101	105	P/P	60 - 160
Microcystin WR	97.1	91.3	P/P	60 - 160
Microcystin YR	102	104	P/P	60 - 160
Nodularin-R	109	105	P/P	60 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8321B	Anatoxin-a	104	120	128		6.72
	Cylindrospermopsin	97.2	94.2	102		8.26
	Desmethyl microcystin LR	103	115	120		3.90
	Microcystin H1LR	105	114	118		3.18
	Microcystin HtyR	98.5	104	112		7.41
	Microcystin LA	128	131	136		3.37
	Microcystin LF	154	146	154		5.42
	Microcystin LR	93.5	103	103		0.616
	Microcystin LW	127	125	126		0.711
	Microcystin LY	135	139	143		3.08
	Microcystin RR	103	109	110		1.29
	Microcystin WR	94.1	96.8	102		5.01
	Microcystin YR	107	118	126		6.67
	Nodularin-R	108	119	121		2.02

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2296325

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	12/21/2021	12/21/2021 12:00	Manjita Shrestha	12/21/2021 16:15	Manjita Shrestha	2296325