

RQ- 2021-08-16-53

Login Checklist

Login Station ID: #4Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 12/28/21 @ 9:09

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
<u>1.3</u>				<u>4</u>		<u>X</u>			<u>9293 8015 5671</u>

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ZR

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes _____ No _____ NA X Init: ZR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: ZR

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ZRDate: 12/28/21Event contains NCRs (Y/N)? NSFWMD Bloom Response--As Needed (OKEE)
Event ID: SFWMD-2021-12-28-03 (BLOOM-RESP)Date Received: 28-DEC-2021 09:09

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	#4 Temp Gun EXP:10/19/2022
pH Test Strips 0 – 6	N/A
pH Paper 0 – 3	N/A
pH Paper 0 – 13	210620 EXP:04/15/2023
Chlorine Test Strips	0261 EXP:05/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

2021-08-16-53

Request Number: RQ-2021-07-19-52 Florida Department of Environmental Protection

Page 1 of 2

SFWMD Bloom Response (Okeechobee)

last revised Jan 25, 2018

Central Laboratory Submittal Form

Customer: SFWMD

Requester: Amelia G. Rankin

Field Report Prepared By:

Danielle Jurnick

Project ID: BLOOM-RESP

Collected By:

Danielle Jurnick

Sampling Agency:

SFWMD

Location Lake Okeechobee- S308C Lakeside		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/27/2021 Time 0837		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID S308C Lakeside		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen ☐ mg/L ☐ % sat		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/STORET #		Temp (C)		pH		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Latitude 26.985°N		☒ dd ☐ dms		Longitude 80.621°W		☒ dd ☐ dms		Salinity (ppt)		Comments No visible BGA.	
Location Lake Okeechobee- S308C Canalside		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/27/2021 Time 0842		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID S308C Canalside		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen ☐ mg/L ☐ % sat		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/STORET #		Temp (C)		pH		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Latitude 26.985°N		☒ dd ☐ dms		Longitude 80.621°W		☒ dd ☐ dms		Salinity (ppt)		Comments No visible BGA.	
Location Lake Okeechobee- INDUSCAN Canalside		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/27/2021 Time 0952		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID INDUSCAN Canalside		Matrix (type, e.g., Salt, Fresh, etc) Freshwater		Diss. Oxygen ☐ mg/L ☐ % sat		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/STORET #		Temp (C)		pH		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Latitude 26.740°N		☒ dd ☐ dms		Longitude 80.919°W		☒ dd ☐ dms		Salinity (ppt)		Comments Visible flow south from Lake Okeechobee. Visible small particles BGA throughout canal surface + water column; green in color, no defined boundaries.	

Relinquished By: <i>Danielle Jurnick</i>	Date/Time 12/27/2021 1100	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: JK	Date/Time 12-28-2021 9:09
---	-------------------------------------	---------------------------------	--	---------------------------	-------------------------------------

* The site on the bottom was for another RQ, confirmed by James Doak 12/28/2021 - JK

Group: A	Bottle Type: PT-50ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	+ 3	12/27/2021
BLOOM-ID						
Group: B	Bottle Type: BG-250ML-WDMT H	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	+ 3	12/27/2021
W-MCYST-AA						

Date of Request: 03-AUG-2021
 Created By: RANKIN_A On: 03-AUG-2021
 Modified By: JASROTIA_P On: 10-AUG-2021
 Customer: SFWMD
 Project: BLOOM-RESP
 Division:
 District: Not Applicable
 Event Description: SFWMD Bloom Response--As Needed (OKEE)

Send Coolers To:

Phone: 863-462-5280 ext. 3199
 SFWMD
 1000 NE 40th Ave.
 Okeechobee, FL 34972
 Attn: James Doak
 Cooler Ship Email: jdoak@sfwmd.gov

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 09-AUG-2021
 Biology Request Reviewed By: JASROTIA_P On: 10-AUG-2021
 Sampling Kit Required: YES Ship on: 12-AUG-2021
 Sampling Kit Shipped: YES On: 11-AUG-2021
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 16-AUG-2021
 Logged In By: KLUG_K On: 14-DEC-2021

Send Final Report To:

SFWMD
 8894 Belvedere Rd. B374
 West Palm Beach, FL 33411
 Attn: Mickael Tompkins
 Report Notification Email:
 mtompkin@sfwmd.gov; Kirby.Wolfe@FloridaDEP.gov; Jordan.Skaggs@FloridaDEP.gov

Comments: ATTN Packing Staff:

Please pack in 5 coolers.

Bottle Groups A/B: same event - Priority 1

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 20 Samples:

Bottle Type: PT-50ML Number of Bottles: 20 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 20 Samples:

Bottle Type: BG-250ML-WDMTH Number of Bottles: 20 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.