

Chemical Analysis Report

WQAP-2021-12-10-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - SWD**
Request ID: **RQ-2021-08-09-72**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637
Attn: Ben Paswater

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 05-JAN-2022 09:28

A handwritten signature in black ink, appearing to read "Colin Wright", is shown on a light-colored rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Harbor Isle - SE Lobe

Collection Date/Time: 12/09/2021 13:00

Field ID: HAB-SW-0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2294531	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P407283	
		Cylindrospermopsin	0.10	U	ug/L	P407283	
		Desmethyl microcystin LR	0.25	U	ug/L	P407283	
		Microcystin HilR**	0.25	U	ug/L	P407283	
		Microcystin HtyR**	0.25	U	ug/L	P407283	
		Microcystin LA	0.10	U	ug/L	P407283	
		Microcystin LF	0.10	U	ug/L	P407283	
		Microcystin LR	0.85	I	ug/L	P407283	
		Microcystin LW	0.25	U	ug/L	P407283	
		Microcystin LY	0.10	U	ug/L	P407283	
		Microcystin RR	0.10	U	ug/L	P407283	
		Microcystin WR	0.50	U	ug/L	P407283	
		Microcystin YR	0.25	U	ug/L	P407283	
		Nodularin-R**	0.10	U	ug/L	P407283	
2294534	EPA 350.1 Rev. 2.0	Ammonia-N	0.12		mg N/L	P407808	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P407865	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.009	I	mg N/L	P407376	
	EPA 365.1 Rev. 2.0	Total-P	0.14		mg P/L	P407345	
2294537	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.029		mg P/L	P407312	MS

Sample Location: Harbor Isle - Center

Collection Date/Time: 12/09/2021 13:10

Field ID: HAB-SW-0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2294532	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P407283	
		Cylindrospermopsin	0.10	U	ug/L	P407283	
		Desmethyl microcystin LR	0.25	U	ug/L	P407283	
		Microcystin HIR**	0.25	U	ug/L	P407283	
		Microcystin HtyR**	0.25	U	ug/L	P407283	
		Microcystin LA	0.10	U	ug/L	P407283	
		Microcystin LF	0.10	U	ug/L	P407283	
		Microcystin LR	0.93	I	ug/L	P407283	
		Microcystin LW	0.25	U	ug/L	P407283	
		Microcystin LY	0.10	U	ug/L	P407283	
		Microcystin RR	0.10	U	ug/L	P407283	
		Microcystin WR	0.50	U	ug/L	P407283	
		Microcystin YR	0.25	U	ug/L	P407283	
		Nodularin-R**	0.10	U	ug/L	P407283	
2294535	EPA 350.1 Rev. 2.0	Ammonia-N	0.021		mg N/L	P407808	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P407867	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P407679	
	EPA 365.1 Rev. 2.0	Total-P	0.13		mg P/L	P407344	
2294538	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.013		mg P/L	P407312	

Sample Location: Harbor Isle - NE Lobe

Collection Date/Time: 12/09/2021 13:25

Field ID: HAB-SW-0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2294533	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P407283	
		Cylindrospermopsin	0.10	U	ug/L	P407283	
		Desmethyl microcystin LR	0.25	U	ug/L	P407283	
		Microcystin HilR**	0.25	U	ug/L	P407283	
		Microcystin HtyR**	0.25	U	ug/L	P407283	
		Microcystin LA	0.10	U	ug/L	P407283	
		Microcystin LF	0.10	U	ug/L	P407283	
		Microcystin LR	1.0		ug/L	P407283	
		Microcystin LW	0.25	U	ug/L	P407283	
		Microcystin LY	0.10	U	ug/L	P407283	
		Microcystin RR	0.10	U	ug/L	P407283	
		Microcystin WR	0.50	U	ug/L	P407283	
		Microcystin YR	0.25	U	ug/L	P407283	
		Nodularin-R**	0.10	U	ug/L	P407283	
2294536	EPA 350.1 Rev. 2.0	Ammonia-N	0.014		mg N/L	P407808	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.6		mg N/L	P407862	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P407376	
	EPA 365.1 Rev. 2.0	Total-P	0.12		mg P/L	P407345	
2294539	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.011		mg P/L	P407312	MS

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407808

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407862

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407865

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407867

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407376

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407679

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407344

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407345

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P407312

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B

Batch ID: P407283

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin HilR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407808

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	93.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407862

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407865

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	97.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407867

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	92.3		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407376

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407679

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407344

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	108		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407345

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	108		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P407312

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.9		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P407283

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	88.2		P	40 - 150
Cylindrospermopsin	92.1		P	40 - 150
Desmethyl microcystin LR	93.4		P	40 - 150
Microcystin HilR	92.2		P	40 - 150
Microcystin HtyR	83.1		P	40 - 150
Microcystin LA	104		P	40 - 150
Microcystin LF	132		P	40 - 150
Microcystin LR	78.2		P	40 - 150
Microcystin LW	108		P	40 - 150
Microcystin LY	106		P	40 - 150
Microcystin RR	97.1		P	40 - 150
Microcystin WR	87.0		P	40 - 150
Microcystin YR	79.4		P	40 - 150
Nodularin-R	97.4		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407808

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294502	Ammonia-N	96.8	97.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407862

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294547	Kjeldahl Nitrogen	103	95.1	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407865

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2293192	Kjeldahl Nitrogen	101	98.7	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407867

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2293725	Kjeldahl Nitrogen	94.5	91.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407376

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294511	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407679

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294535	NO2NO3-N	101	99.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407344

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294444	Total-P	102	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407345

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294583	Total-P	107	111	P/F	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P407312

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294537	O-Phosphate-P	97.5	96.8	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B

Batch ID: P407283

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2294531	Anatoxin-a	106	110	P/P	40 - 150
2294531	Cylindrospermopsin	79.4	83.1	P/P	40 - 150
2294531	Desmethyl microcystin LR	99.1	98.9	P/P	40 - 150
2294531	Microcystin HilR	93.0	94.0	P/P	40 - 150
2294531	Microcystin HtyR	88.5	86.3	P/P	40 - 150
2294531	Microcystin LA	101	98.9	P/P	40 - 150
2294531	Microcystin LF	125	107	P/P	40 - 150
2294531	Microcystin LR	79.2	75.9	P/P	40 - 150
2294531	Microcystin LW	96.3	98.1	P/P	40 - 150
2294531	Microcystin LY	93.8	103	P/P	40 - 150
2294531	Microcystin RR	94.1	103	P/P	40 - 150
2294531	Microcystin WR	83.9	87.9	P/P	40 - 150
2294531	Microcystin YR	79.8	80.7	P/P	40 - 150
2294531	Nodularin-R	95.6	94.9	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407808

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294502	Ammonia-N	0.823	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407862

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294547	Kjeldahl Nitrogen	3.97	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407865

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2293192	Kjeldahl Nitrogen	2.63	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407867

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2293725	Kjeldahl Nitrogen	2.67	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407376

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294511	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407679

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294535	NO2NO3-N	1.50	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407344

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294444	Total-P	0.592	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407345

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294583	Total-P	3.65	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P407312

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294537	O-Phosphate-P	0.554	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P407283

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2294531	Anatoxin-a	3.08	Spike	P	0 - 30
2294531	Cylindrospermopsin	4.61	Spike	P	0 - 30
2294531	Desmethyl microcystin LR	0.204	Spike	P	0 - 30
2294531	Microcystin HiIR	1.11	Spike	P	0 - 30
2294531	Microcystin HtyR	2.56	Spike	P	0 - 30
2294531	Microcystin LA	2.39	Spike	P	0 - 30
2294531	Microcystin LF	16.0	Spike	P	0 - 30
2294531	Microcystin LR	3.82	Spike	P	0 - 30
2294531	Microcystin LW	1.79	Spike	P	0 - 30
2294531	Microcystin LY	9.02	Spike	P	0 - 30
2294531	Microcystin RR	8.64	Spike	P	0 - 30
2294531	Microcystin WR	4.66	Spike	P	0 - 30
2294531	Microcystin YR	1.17	Spike	P	0 - 30
2294531	Nodularin-R	0.780	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2294531
Field Sample ID: HAB-SW-0045

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR-d7	92.2	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	83.9	P	30 - 160

Lab Sample ID: 2294532
Field Sample ID: HAB-SW-0045

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR-d7	69.8	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	67.2	P	30 - 160

Lab Sample ID: 2294533
Field Sample ID: HAB-SW-0045

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR-d7	84.6	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	76.9	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A109320

Included Lab Sample IDs: 2294537, 2294538, 2294539

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.9	99.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109348

Included Lab Sample IDs: 2294534, 2294536

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	103	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A109441

Included Lab Sample IDs: 2294531, 2294532, 2294533

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	81.6	71.3	P/P	50 - 160
Cylindrospermopsin	80.8	90.3	P/P	60 - 160
Desmethyl microcystin LR	82.7	93.0	P/P	60 - 160
Microcystin HIIIR	79.1	89.6	P/P	60 - 160
Microcystin HtyR	75.8	84.0	P/P	60 - 160
Microcystin LA	94.2	103	P/P	50 - 160
Microcystin LF	124	134	P/P	60 - 160
Microcystin LR	77.8	76.2	P/P	60 - 160
Microcystin LW	89.7	99.9	P/P	60 - 160
Microcystin LY	93.2	99.6	P/P	60 - 160
Microcystin RR	87.2	98.8	P/P	60 - 160
Microcystin WR	71.2	81.0	P/P	60 - 160
Microcystin YR	67.6	74.8	P/P	60 - 160
Nodularin-R	84.9	91.7	P/P	60 - 160

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A109471

Included Lab Sample IDs: 2294534, 2294535, 2294536

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	105	105	P/P	90 - 110
Total-P	105	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109483

Included Lab Sample IDs: 2294535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A109591

Included Lab Sample IDs: 2294534, 2294535, 2294536

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	91.3	90.5	P/P	90 - 110
Kjeldahl Nitrogen	96.6	93.7	P/P	90 - 110

Quality Assurance Report

Calibration Verification

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	SMP
EPA 350.1 Rev. 2.0	Ammonia-N	93.6	96.8	97.6		0.823
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	103	95.1		3.97
	Kjeldahl Nitrogen	97.8	101	98.7		2.63
	Kjeldahl Nitrogen	92.3	94.5	91.6		2.67
	Kjeldahl Nitrogen	100	100	100		0.0
EPA 353.2 Rev. 2.0	NO2NO3-N	100	101	99.4		1.50
	NO2NO3-N	102	101	99.4		1.50
EPA 365.1 Rev. 2.0	Total-P	108	102	101		0.592
	Total-P	108	107	111		3.65
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.9	97.5	96.8		0.554
EPA 8321B	Anatoxin-a	88.2	106	110		3.08
	Cylindrospermopsin	92.1	79.4	83.1		4.61
	Desmethyl microcystin LR	93.4	99.1	98.9		0.204
	Microcystin HiLR	92.2	93.0	94.0		1.11
	Microcystin HtyR	83.1	88.5	86.3		2.56
	Microcystin LA	104	101	98.9		2.39
	Microcystin LF	132	125	107		16.0
	Microcystin LR	78.2	79.2	75.9		3.82
	Microcystin LW	108	96.3	98.1		1.79
	Microcystin LY	106	93.8	103		9.02
	Microcystin RR	97.1	94.1	103		8.64
	Microcystin WR	87.0	83.9	87.9		4.66
	Microcystin YR	79.4	79.8	80.7		1.17
	Nodularin-R	97.4	95.6	94.9		0.780

Reference Method Descriptions

Method	Description	Associated Samples
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2294534, 2294535, 2294536
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2294534, 2294535, 2294536
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2294534, 2294535, 2294536
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2294534, 2294535, 2294536
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2294537, 2294538, 2294539
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2294531, 2294532, 2294533

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	12/10/2021			12/22/2021 13:44	Ping Hua	2294534
	12/10/2021			12/22/2021 13:45	Ping Hua	2294535
	12/10/2021			12/22/2021 13:46	Ping Hua	2294536
EPA 351.2 Rev. 2.0	12/10/2021	12/27/2021 11:02	Samantha L Bates	12/28/2021 13:48	Virginia P. Brown	2294536
	12/10/2021	12/27/2021 11:03	Samantha L Bates	12/28/2021 12:46	Virginia P. Brown	2294534
	12/10/2021	12/27/2021 11:03	Samantha L Bates	12/28/2021 13:38	Virginia P. Brown	2294535
EPA 353.2 Rev. 2.0	12/10/2021			12/13/2021 11:28	Beverly Y. Sanders	2294534
	12/10/2021			12/13/2021 11:29	Beverly Y. Sanders	2294536
	12/10/2021			12/20/2021 09:30	Beverly Y. Sanders	2294535
EPA 365.1 Rev. 2.0	12/10/2021	12/14/2021 10:43	Simonne.V. Calhoun	12/17/2021 16:52	Shengyu Ding	2294535
	12/10/2021	12/14/2021 10:43	Simonne.V. Calhoun	12/17/2021 17:04	Shengyu Ding	2294534
	12/10/2021	12/14/2021 10:43	Simonne.V. Calhoun	12/17/2021 17:05	Shengyu Ding	2294536
EPA 365.1 Rev. 2.0 dissolved	12/10/2021			12/10/2021 14:18	James L Waggeberby	2294537
	12/10/2021			12/10/2021 14:23	James L Waggeberby	2294538
	12/10/2021			12/10/2021 14:24	James L Waggeberby	2294539
EPA 8321B	12/10/2021	12/16/2021 08:00	Manjita Shrestha	12/16/2021 14:47	Manjita Shrestha	2294531
	12/10/2021	12/16/2021 08:00	Manjita Shrestha	12/16/2021 15:03	Manjita Shrestha	2294532
	12/10/2021	12/16/2021 08:00	Manjita Shrestha	12/16/2021 15:20	Manjita Shrestha	2294533