

Chemical Analysis Report

WQAP-2022-08-04-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response- NEROC**
Request ID: **RQ-2022-08-01-66**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 23-AUG-2022 12:02



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Orange Lake - McIntosh Bay

Collection Date/Time: 08/03/2022 12:05

Field ID: NEHAB0065

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2346075	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P417620	
		Cylindrospermopsin	0.10	U	ug/L	P417619	
		Desmethyl microcystin LR	0.25	U	ug/L	P417619	
		Microcystin HILR	0.25	U	ug/L	P417619	
		Microcystin HtyR	0.25	U	ug/L	P417619	
		Microcystin LA	0.10	U	ug/L	P417619	
		Microcystin LF	0.10	I	ug/L	P417619	
		Microcystin LR	0.25	U	ug/L	P417619	
		Microcystin LW	0.25	U	ug/L	P417619	
		Microcystin LY	0.10	U	ug/L	P417619	
		Microcystin RR	0.10	U	ug/L	P417619	
		Microcystin WR	0.50	U	ug/L	P417619	
		Neosaxitoxin	0.50	U	ug/L	P417620	
		Microcystin YR	0.25	U	ug/L	P417619	
		Saxitoxin	0.50	U	ug/L	P417620	
		Nodularin-R	0.10	U	ug/L	P417619	
2346079	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P417825	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P417859	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P417754	
	EPA 365.1 Rev. 2.0	Total-P	0.030		mg P/L	P417792	
2346082	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P417656	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Orange Lake HAB Center

Collection Date/Time: 08/03/2022 12:44

Field ID: NEHAB0075

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2346076	EPA 8321B	Anatoxin-a	1.6		ug/L	P417620	
		Cylindrospermopsin	0.10	U	ug/L	P417619	
		Desmethyl microcystin LR	0.25	U	ug/L	P417619	
		Microcystin HILR	0.25	U	ug/L	P417619	
		Microcystin HtyR	0.25	U	ug/L	P417619	
		Microcystin LA	0.19	I	ug/L	P417619	
		Microcystin LF	0.10	U	ug/L	P417619	
		Microcystin LR	0.25	U	ug/L	P417619	
		Microcystin LW	0.25	U	ug/L	P417619	
		Microcystin LY	0.12	I	ug/L	P417619	
		Microcystin RR	0.10	U	ug/L	P417619	
		Microcystin WR	0.50	U	ug/L	P417619	
		Neosaxitoxin	0.50	U	ug/L	P417620	
		Microcystin YR	0.25	U	ug/L	P417619	
		Saxitoxin	0.50	U	ug/L	P417620	
		Nodularin-R	0.10	U	ug/L	P417619	
2346080	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P417816	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.5		mg N/L	P417859	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P417754	
	EPA 365.1 Rev. 2.0	Total-P	0.079		mg P/L	P417792	
2346083	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P417656	

Ref. Method and Comment:

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: 183rd Ave Canal off Cross Creek

Collection Date/Time: 08/03/2022 13:15

Field ID: NEHAB0076

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2346077	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P417620	
		Cylindrospermopsin	0.10	U	ug/L	P417619	
		Desmethyl microcystin LR	0.25	U	ug/L	P417619	
		Microcystin HILR	0.25	U	ug/L	P417619	
		Microcystin HtyR	0.25	U	ug/L	P417619	
		Microcystin LA	0.12	I	ug/L	P417619	
		Microcystin LF	0.10	U	ug/L	P417619	
		Microcystin LR	0.25	U	ug/L	P417619	
		Microcystin LW	0.25	U	ug/L	P417619	
		Microcystin LY	0.10	U	ug/L	P417619	
		Microcystin RR	0.10	U	ug/L	P417619	
		Microcystin WR	0.50	U	ug/L	P417619	
		Neosaxitoxin	0.50	U	ug/L	P417620	
		Microcystin YR	0.25	U	ug/L	P417619	
		Saxitoxin	0.50	U	ug/L	P417620	
		Nodularin-R	0.10	U	ug/L	P417619	
2346081	EPA 350.1 Rev. 2.0	Ammonia-N	0.058		mg N/L	P417825	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P417859	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.018		mg N/L	P417754	
	EPA 365.1 Rev. 2.0	Total-P	0.18		mg P/L	P417792	
2346084	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.10		mg P/L	P417656	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417816

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417825

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P417859

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P417754

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P417792

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P417656

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P417619

Component	Result	Code	Units
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin H1LR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P417620

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Neosaxitoxin	0.50	U	ug/L
Saxitoxin	0.50	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417816

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417825

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	95.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P417859

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P417754

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	98.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P417792

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P417656

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.5		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P417619

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Cylindrospermopsin	95.7		P	40 - 150
Desmethyl microcystin LR	84.7		P	40 - 150
Microcystin HILR	91.5		P	40 - 150
Microcystin HtyR	93.9		P	40 - 150
Microcystin LA	101		P	40 - 150
Microcystin LF	88.2		P	40 - 150
Microcystin LR	85.0		P	40 - 150
Microcystin LW	90.8		P	40 - 150
Microcystin LY	91.5		P	40 - 150
Microcystin RR	94.9		P	40 - 150
Microcystin WR	91.1		P	40 - 150
Microcystin YR	84.3		P	40 - 150
Nodularin-R	88.6		P	40 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P417620

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	95.7		P	40 - 150
Neosaxitoxin	97.4		P	40 - 150
Saxitoxin	100		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417825

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2346125	Ammonia-N	99.8	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P417754

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2346030	NO2NO3-N	97.1	98.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P417792

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2346031	Total-P	104	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P417656

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2346126	O-Phosphate-P	98.7	97.8	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P417619

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2344997	Cylindrospermopsin	84.9	81.7	P/P	40 - 150
2344997	Desmethyl microcystin LR	88.4	83.2	P/P	40 - 150
2344997	Microcystin HilR	88.0	84.5	P/P	40 - 150
2344997	Microcystin HtyR	89.9	85.6	P/P	40 - 150
2344997	Microcystin LA	90.4	84.5	P/P	40 - 150
2344997	Microcystin LF	91.8	82.6	P/P	40 - 150
2344997	Microcystin LR	81.9	81.0	P/P	40 - 150
2344997	Microcystin LW	80.4	79.8	P/P	40 - 150
2344997	Microcystin LY	84.6	77.4	P/P	40 - 150
2344997	Microcystin RR	87.8	85.5	P/P	40 - 150
2344997	Microcystin WR	84.8	81.7	P/P	40 - 150
2344997	Microcystin YR	82.1	79.0	P/P	40 - 150
2344997	Nodularin-R	85.7	80.7	P/P	40 - 150

Reference Method: EPA 8321B
Batch ID: P417620

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2344997	Anatoxin-a	97.0	99.0	P/P	40 - 150
2344997	Neosaxitoxin	58.6	52.8	P/P	40 - 150
2344997	Saxitoxin	44.8	41.6	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417816

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2344747	Ammonia-N	0.808	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P417825

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2346125	Ammonia-N	0.691	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P417859

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2346080	Kjeldahl Nitrogen	2.66	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P417754

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2346030	NO2NO3-N	0.976	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P417792

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2346031	Total-P	0.917	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P417656

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2346126	O-Phosphate-P	0.916	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P417619

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2344997	Cylindrospermopsin	3.82	Spike	P	0 - 30
2344997	Desmethyl microcystin LR	6.05	Spike	P	0 - 30
2344997	Microcystin HtIR	4.11	Spike	P	0 - 30
2344997	Microcystin HtyR	4.92	Spike	P	0 - 30
2344997	Microcystin LA	6.67	Spike	P	0 - 30
2344997	Microcystin LF	10.5	Spike	P	0 - 30
2344997	Microcystin LR	1.11	Spike	P	0 - 30
2344997	Microcystin LW	0.686	Spike	P	0 - 30
2344997	Microcystin LY	8.90	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P417619

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2344997	Microcystin RR	2.69	Spike	P	0 - 30
2344997	Microcystin WR	3.73	Spike	P	0 - 30
2344997	Microcystin YR	3.84	Spike	P	0 - 30
2344997	Nodularin-R	5.92	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P417620

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2344997	Anatoxin-a	2.07	Spike	P	0 - 30
2344997	Neosaxitoxin	10.3	Spike	P	0 - 30
2344997	Saxitoxin	7.41	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2346075
Field Sample ID: NEHAB0065

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	75.7	P	30 - 160
EPA 8321B	Neosaxitoxin-15N7	84.2	P	30 - 160

Lab Sample ID: 2346076
Field Sample ID: NEHAB0075

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	76.2	P	30 - 160
EPA 8321B	Neosaxitoxin-15N7	79.3	P	30 - 160

Lab Sample ID: 2346077
Field Sample ID: NEHAB0076

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	74.1	P	30 - 160
EPA 8321B	Neosaxitoxin-15N7	65.4	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A113568

Included Lab Sample IDs: 2346075, 2346076, 2346077

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	94.3	94.1	P/P	50 - 160
Neosaxitoxin	93.6	94.8	P/P	50 - 160
Saxitoxin	94.2	92.6	P/P	50 - 160

Reference Method: EPA 8321B

Run ID: A113885

Included Lab Sample IDs: 2346075, 2346076, 2346077

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cylindrospermopsin	89.1	93.6	P/P	60 - 160
Desmethyl microcystin LR	75.5	76.0	P/P	60 - 160
Microcystin H1R	79.2	75.9	P/P	60 - 160
Microcystin HtyR	77.8	77.8	P/P	60 - 160
Microcystin LA	85.8	87.9	P/P	50 - 160
Microcystin LF	62.4	67.4	P/P	60 - 160
Microcystin LR	73.7	75.3	P/P	60 - 160
Microcystin LW	68.2	69.0	P/P	60 - 160
Microcystin LY	77.4	79.1	P/P	60 - 160
Microcystin RR	77.1	76.1	P/P	60 - 160
Microcystin WR	71.9	72.4	P/P	60 - 160
Microcystin YR	68.3	72.0	P/P	60 - 160
Nodularin-R	79.7	78.2	P/P	60 - 160

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A113910

Included Lab Sample IDs: 2346082, 2346083, 2346084

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.3	97.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A113955

Included Lab Sample IDs: 2346079, 2346080, 2346081

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A113982

Included Lab Sample IDs: 2346080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	99.8	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A113986

Included Lab Sample IDs: 2346079, 2346081

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.9	99.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A114026

Included Lab Sample IDs: 2346079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	97.0	99.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A114051

Included Lab Sample IDs: 2346080, 2346081

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	93.6	92.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A114116

Included Lab Sample IDs: 2346079, 2346080, 2346081

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	92.2	92.8	P/P	90 - 110
Kjeldahl Nitrogen	92.8	93.4	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision LCS	Precision SMP	MS
EPA 350.1 Rev. 2.0	Ammonia-N	98.6					0.808
	Ammonia-N	95.6	99.8	101			0.691
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101					2.66
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	98.5	97.1	98.1			0.976
EPA 365.1 Rev. 2.0	Total-P	102	104	105			0.917
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.5	98.7	97.8			0.916
EPA 8321B	Anatoxin-a	95.7	97.0	99.0			2.07
	Cylindrospermopsin	95.7	84.9	81.7			3.82
	Desmethyl microcystin LR	84.7	88.4	83.2			6.05
	Microcystin HiLR	91.5	88.0	84.5			4.11
	Microcystin HtyR	93.9	89.9	85.6			4.92
	Microcystin LA	101	90.4	84.5			6.67
	Microcystin LF	88.2	91.8	82.6			10.5
	Microcystin LR	85.0	81.9	81.0			1.11
	Microcystin LW	90.8	80.4	79.8			0.686
	Microcystin LY	91.5	84.6	77.4			8.90
	Microcystin RR	94.9	87.8	85.5			2.69
	Microcystin WR	91.1	84.8	81.7			3.73
	Microcystin YR	84.3	82.1	79.0			3.84
	Neosaxitoxin	97.4	58.6	52.8			10.3
	Nodularin-R	88.6	85.7	80.7			5.92
	Saxitoxin	100	44.8	41.6			7.41

Reference Method Descriptions

Method	Description	Associated Samples
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2346079, 2346080, 2346081
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2346079, 2346080, 2346081
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2346079, 2346080, 2346081
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2346079, 2346080, 2346081
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2346082, 2346083, 2346084
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2346075, 2346076, 2346077
EPA 8321B	Saxitoxin in water matrices by HPLC/MS/MS	2346075, 2346076, 2346077

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	08/04/2022			08/09/2022 10:40	Judith K. Clark	2346080
	08/04/2022			08/09/2022 11:06	Ping Hua	2346079
	08/04/2022			08/09/2022 11:07	Ping Hua	2346081
EPA 351.2 Rev. 2.0	08/04/2022	08/10/2022 13:15	Simonne.V. Calhoun	08/15/2022 15:08	Samantha L Bates	2346079
	08/04/2022	08/10/2022 13:15	Simonne.V. Calhoun	08/15/2022 15:10	Samantha L Bates	2346080
	08/04/2022	08/10/2022 13:15	Simonne.V. Calhoun	08/15/2022 15:18	Samantha L Bates	2346081
EPA 353.2 Rev. 2.0	08/04/2022			08/08/2022 09:57	Beverly Y. Sanders	2346079
	08/04/2022			08/08/2022 09:58	Beverly Y. Sanders	2346080
	08/04/2022			08/08/2022 09:59	Beverly Y. Sanders	2346081
EPA 365.1 Rev. 2.0	08/04/2022	08/09/2022 09:37	Simonne.V. Calhoun	08/11/2022 11:24	Simonne.V. Calhoun	2346079
	08/04/2022	08/09/2022 09:37	Simonne.V. Calhoun	08/12/2022 10:06	James L Waggerby	2346080
	08/04/2022	08/09/2022 09:37	Simonne.V. Calhoun	08/12/2022 10:07	James L Waggerby	2346081
EPA 365.1 Rev. 2.0 dissolved	08/04/2022			08/04/2022 14:14	Chandler E Cox	2346082
	08/04/2022			08/04/2022 14:15	Chandler E Cox	2346083, 2346084
EPA 8321B	08/04/2022	08/04/2022 12:00	Umesh Chiluwal	08/04/2022 21:10	Umesh Chiluwal	2346075
	08/04/2022	08/04/2022 12:00	Umesh Chiluwal	08/04/2022 21:27	Umesh Chiluwal	2346076
	08/04/2022	08/04/2022 12:00	Umesh Chiluwal	08/04/2022 21:33	Umesh Chiluwal	2346075
	08/04/2022	08/04/2022 12:00	Umesh Chiluwal	08/04/2022 21:44	Umesh Chiluwal	2346077
	08/04/2022	08/04/2022 12:00	Umesh Chiluwal	08/04/2022 21:47	Umesh Chiluwal	2346076
	08/04/2022	08/04/2022 12:00	Umesh Chiluwal	08/04/2022 22:01	Umesh Chiluwal	2346077