

RQ-2022-07-25-05

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 8/9/2022 9:33

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
0.9				11		✓			5225 55487788

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☐ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☒ No ☐

If Criminal, photographs taken?

Yes ☐ No ☒Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☒ NA ☐ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 8/9/2022

Event contains NCRs (Y/N)? ☒

Event ID:

Algal Bloom Response - CEROC

WQAP-2022-08-09-02 (BLOOM-RESP)

Date Received: 09-AUG-2022 09:33

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/19/22
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	210620 exp: 4/15/23
Chlorine Test Strips	0070 exp: 02/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2022-07-25-05		Collected By: <u>LR Bates / Katherine</u>	
Customer:	WQAP	Field Report Prepared By: <u>Katie March</u>	
Project ID:	BLOOM-RESP	Sampling Agency: 21FLCEN	
Location:		Comments: <u>some filamentous observed floating on top of submersed veg</u>	
Field ID: HABCE0135_LakeEstelle2		Coordinates: <u>28.5769277 - 81.3635646</u>	
Win ID: HABCE0135		Collection Equip: <u>bottle syringe</u>	
Lake Estelle - <u>Dorchester and Mills</u>		High Tide Time: Low Tide Time:	
Matrix:	<u>Fresh</u>	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
<u>8/8/22</u>	<u>14:15</u>	<u>88.9</u>	<u>6.54</u>	<u>31.5</u>	<u>7.68</u>	<u>0.3</u>	<u>2.2</u>	<u>2.2</u>	<u>230.0</u>	<u>0.11</u>
							<u>(S)</u>			

Bloom Observations					
Algal Bloom Observed? ☒ Yes ☐ No <u>filamentous</u>					
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☒ Brown	☐ Other: <u>on veg</u> ☐ N/A	
Algae Distribution	☐ Suspended in water column		☒ On surface	☐ Other: <u>on veg</u> ☐ N/A	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical ☐ Other:	

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ Algal-ID	☒ Ice		1	B
Chlorophyll (BP-1L)	☒ BLOOM-ID	☐ Ice		1	A
Toxins (BG-WD250)	☒ CHLSUITE-W	☐ Ice		1	B
	☒ W-MCYST-AA <u>W-SAXTAN-M8</u>	☐ Ice		1	B
	☐ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☐ <2	1	B
Preserved Nutrients (500mL HDPE)	Acid Lot: <u>132275</u>	Exp: <u>12/7/22</u>			
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45µm Filter	☒ Ice	1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice	Lugols? Y / N		
Relinquished By: <u>Bates</u>	Date/Time: <u>8/8/22</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>IM</u>	Date/Time: <u>8/9/22 9:33</u>	

LIMS EVENT ID: WQAP-2022-

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

(initials/date)

Migrate Data to WIN:

(initials/date)

Verify Data in WIN:

(initials/date)



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2022-07-25-05		Collected By:	Liz Bates
Customer:	WQAP	Field Report Prepared By:	Katie March
Project ID:	BLOOM-RESP	Sampling Agency:	21FLCEN
Location:		Comments:	

Field ID: HABCE0117_LakeKathryn

Win ID: HABCE0117

Lake Kathryn - West Lobe

Coordinates: 28.6844, -81.3327

Collection Equip: water bottle, syringe

High Tide Time: Low Tide Time:

WIN ID:

Matrix: fish Grab Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
8/8/22	1042	104.7	770	31.5	7.68	0.3	1.5	1.2	156.8	0.07

Bloom Observations

Algal Bloom Observed? ☐ Yes ☒ No

Water Surface ☒ Clear ☐ Scum ☐ Globs ☐ Slick
 Water Clarity ☐ Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque
 Bloom Color ☐ Green ☐ Red ☐ Brown ☐ Other: ☒ N/A
 Algae Distribution ☐ Suspended in water column ☐ On surface ☐ Other: ☒ N/A
 Water Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA W-SAXTX-MS	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☐ H2SO4	☒ 2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45µm Filter Filter Lot # 17413308	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice	Lugols? Y / N		
Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time	
Bates	16:00 8/8/22	1	IM	8/9/22 9:33	

LIMS EVENT ID: WQAP-2022-

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

(Initials/Date)

Migrate Data to WIN:

(Initials/Date)

Verify Data in WIN:

(Initials/Date)

Date of Request: 02-JUN-2022
 Created By: BOMAN_L On: 02-JUN-2022
 Modified By: JASROTIA_P On: 07-JUL-2022
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: Central
 Event Description: Algal Bloom Response - CEROC

Send Coolers To:

Phone: 407-897-4181
 3319 Maguire Blvd Ste 232

 Orlando, FL 32803
 Attn: Leif Boman
 Cooler Ship EMail: Leif.Boman@FloridaDep.gov

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 06-JUL-2022
 Biology Request Reviewed By: JASROTIA_P On: 07-JUL-2022
 Sampling Kit Required: YES Ship on: 15-JUL-2022
 Sampling Kit Shipped: YES On: 12-JUL-2022
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 25-JUL-2022
 Logged In By:

Send Final Report To:

3319 Maguire Blvd. Suite 232

 Orlando, FL 32803
 Attn: Matt Bearden
 Report Notification EMail: Matthew.Bearden@FloridaDEP.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, chlorophyll, algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login

Bottle Group A (Biological) With 6 Samples:

Bottle Type: PT-50ML	Number of Bottles: 6	Preserved With: ICE
BLOOM-ID	Template: DEFAULT	(SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 6 Samples:

Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-250ML-WDMTH	Number of Bottles: 6	Preserved With: ICE
W-MCYST-AA	Template: DEFAULT	(EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
W-SAXTN-MS	Template:	(EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 6	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L