

RQ- 2021-10-11-61

Login Checklist

Login Station ID: #5

Shipping Method: Redx | UPS | HD | GreyhoundDate/Time of Receipt: 1/ 4 /22 @ 9:10

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
<u>1.1</u>				<u>5</u>		☒			<u>5225 5540 7438</u>

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 °C (above 10.0 °C for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ☒

If Criminal, photographs taken?

Yes _____ No _____

Caps on tight?

Yes ☒ No _____

Sufficient Sample Volume:

Yes ☒ No _____

Evidence Tape intact? Yes _____ No _____

Containers intact? Yes ☒ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ☒ Init: KK

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No _____ NA _____ Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA ☒ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KKDate: 1/ 4 /22Event contains NCRs (Y/N)? N

Event ID:

Algal Bloom Response -SOROC- Highland
WQAP-2022-01-04-02 (BLOOM-RESP)

Date Received: 04-JAN-2022 09:10

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-19-22
pH Test Strips 0 – 6	Lot#210620 EXP:4-15-23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 EXP:4-15-23
Chlorine Test Strips	Lot#0070 EXP:2-23

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2021-10-11-61

Collected By:

J.D. Foster

Customer:

Field Report

Prepared By:

Project ID:

Sampling Agency:

HCNR Dept

Location: Public Boat Ramp
LAKE GLENADA

Comments: 12/29/21 Assessment
had Algae on surface, slicks (green) chemical / smell

Field ID: H9B-HC-010322-01

Coordinates:

Collection Equip: Dipper, Syringe, Filter

WIN ID:

High Tide Time:

Low Tide Time:

Matrix:

Fresh

Grab

Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
010322	12:30	9.79	10.6	21.3	8.95	1.08	5.5 ^{ft}	1.75 ^{ft}	192.8	—

Bloom Observations

Algal Bloom Observed?	☒ Yes	☐ No			
Water Surface	☒ Clear	☐ Scum	☐ Glob	☐ Slick	
Water Clarity	☐ Clear	☐ Slightly Turbid	☒ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____	☐ N/A
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other: _____	☐ N/A	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	☐ Other: _____

Parameter Suite

Parameter Methods

Preservation

pH Check

#Bottles Sent to Lab

Bottle Group

Bloom ID (PT-50mL)

☒ BLOOM-ID

☒ Ice

1

A

Chlorophyll (BP-1L)

☒ CHLSUITE-W

☒ Ice

1

B

Toxins (BG-WD250)

☒ W-MCYST-AA

☒ Ice

1

B

☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP

☒ Ice

☒ H2SO4 ☐ <2

1

B

Preserved Nutrients (500mL HDPE)

Acid Lot:

Contains: 1.1 H2SO4
Lot No.: SA0353110
Expires: 01/11/22
See Safety Data Sheet (SDS)

p:

Filtered Nutrients (P125mL)

☒ W-PO4-F

☒ Field Filtered 0.45µm Filter

☒ Ice

1

B

Filter Lot #

Quantitative Algae

☐ DTY-QN-C / PKD-QN-C

☐ Ice

Lugols? Y / N

Relinquished By:

Date/Time

Number of Coolers Shipped

Received By:

Date/Time

J.D. Foster

1:30/01/03/22

1

KK

1:22/09/10

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Algal Bloom Response -SOROC- Highlands

last revised Jan 25, 2018

Customer: WQAP

Requester: Kirby Wolfe

Field Report Prepared By: J.D. Foster

Project ID: BLOOM-RESP

Collected By: J.D. Foster

Sampling Agency: HENR Dept

Location GLENADA	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/3/22 Time 12:30	Eastern ☒ Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID HAB-HC-010322-01	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 9.79	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #	Temp (C) 21.3	pH 8.95	Sample Depth 1.08	☐ ft ☒ m	Sp. Conductance (umho/cm) 192.8
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: J.D. F.	Date/Time: 1/3/22 1:30	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By: HR	Date/Time: 1.4.22/0910
--------------------------	------------------------	------------------------	------------------------------	-----------------	------------------------

Group: A	Bottle Type: BLOOM-ID	PT-50ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-MCYST-AA	BG-250ML-WDMT H	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1

Date of Request: 28-SEP-2021
 Created By: WOLFE_K On: 28-SEP-2021
 Modified By: JASROTIA_P On: 28-SEP-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: SROC
 Event Description: Algal Bloom Response -SOROC- Highlands

Send Coolers To:

Phone: 863-402-6545
 Road and Bridge Department
 4344 George Blvd
 Sebring, FL 33875
 Attn: JD Foster
 Cooler Ship EMail: jfoster@highlandsfl.gov

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 28-SEP-2021
 Biology Request Reviewed By: JASROTIA_P On: 28-SEP-2021
 Sampling Kit Required: YES Ship on: 01-OCT-2021
 Sampling Kit Shipped: YES On: 01-OCT-2021
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: YES
 Date to Receive Samples: 11-OCT-2021
 Logged In By:

Send Final Report To:

2295 Victoria AVE
 Suite 364
 Fort Myers, FL 33901
 Attn: Kirby Wolfe
 Report Notification EMail:
 kirby.wolfe@floridadep.gov;kalina.warren@dep.state.fl.us;Cheryl.
 Swanson@floridadep.gov;Nicole.Reistad@floridadep.gov;John.B
 arrington@floridadep.gov;gary.snorek@floridadep.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxins, nutrients, chlorophyll, algal full ID

2 - vials of sulfuric acid

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login

Bottle Group A (Biological) With 2 Samples:

Bottle Type: PT-50ML Number of Bottles: 2 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 2 Samples:

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 2 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.