

RQ-2022-01-03-44

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 2/8/2022 10:30

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
1.1				2		✓			5225542 7690

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes _____ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No _____

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA _____

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes _____ No _____

Caps on tight?

Yes _____ No _____

Sufficient Sample Volume:

Yes _____ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No _____ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes _____ No _____ NA _____ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA _____ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 2/8/2022

Event contains NCRs (Y/N)? _____

Event ID:

SFWMD Bloom Response--As Needed (WPB)

SFWMD-2022-02-08-05 (BLOOM-RESP)

Page 1 of 2, 06/15/2020,

Date Received: 08-FEB-2022 10:30

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/19/22
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	207621 exp: 3/15/24
Chlorine Test Strips	9281 exp: 08/2022

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

SFWMD Bloom Response (West Palm Beach)

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SFWMD

Requester: Amelia G. Rankin

Field Report Prepared By: Jenni Stiegitz

Project ID: BLOOM-RESP

Collected By: Bruce Weaver

Sampling Agency: SFWMD

Location C43 canal-S77 (upstream)		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/07/22 Time 0845		☒ Eastern ☐ Central	Composite end Date Time		Bottle Group(s) (See pg 2) A,B
Field ID		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 5.26	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C) 19.6	pH 7.92	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 385.3		
Latitude 26.84073 26.86876 JMS 2/7/22		☒ dd ☐ dms	Longitude -81.08351 -80.60623 JMS 2/7/22		☒ dd ☐ dms	Salinity (ppt)		Comments No BGA visible at site. Sample collected due to routine response. Van Doen Marjory used for grab.
Location		☒ Comp ☒ Grab	Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments

Relinquished By: Amund Ruy	Date/Time 02/07/22 1415	Shipping Method Fed EX	Number of Coolers Shipped: 1	Received By: IM	Date/Time 2/8/22 10:30
-------------------------------	----------------------------	---------------------------	---------------------------------	--------------------	---------------------------

Group: A Bottle Type: PT-50ML # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab 1

BLOOM-ID

Group: B Bottle Type: BG-250ML-WDMT # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab 1

W-MCYST-AA

Date of Request: 15-DEC-2021
Created By: RANKIN_A On: 15-DEC-2021
Modified By: JASROTIA_P On: 16-DEC-2021
Customer: SFWMD
Project: BLOOM-RESP
Division:
District: Not Applicable
Event Description: SFWMD Bloom Response--As Needed (WPB)

Send Coolers To:

Phone: 561-753-2400 ext. 4762
SFWMD FOC
8894 Belvedere Rd. B374
West Palm Beach, FL 33411
Attn: Michael Tompkins
Cooler Ship EMail: mtompkin@sfwmd.gov

Priority: 1
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: AYRES_J On: 16-DEC-2021
Biology Request Reviewed By: JASROTIA_P On: 16-DEC-2021
Sampling Kit Required: YES Ship on: 22-DEC-2021
Sampling Kit Shipped: YES On: 20-DEC-2021
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: NO
Date to Receive Samples: 03-JAN-2022
Logged In By: MCCOY_I On: 01-FEB-2022

Send Final Report To:

SFWMD
8894 Belvedere Rd. B374
West Palm Beach, FL 33411
Attn: Mickael Tompkins
Report Notification EMail:
mtompkin@sfwmd.gov;Kirby.Wolfe@FloridaDEP.gov;Jordan.Ska
ggs@FloridaDEP.gov

Comments: ATTN Packing Staff:

Please pack in 2 coolers.

Bottle Groups A/B: same event - Priority 1

Bottle Group A - Priority 1
For algal dominant taxon.

Bottle Group B - Priority 1
For toxin testing.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 10 Samples:

Bottle Type: PT-50ML Number of Bottles: 10 Preserved With: ICE
BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 10 Samples:

Bottle Type: BG-250ML-WDMTH Number of Bottles: 10 Preserved With: ICE
W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.