

Biological Analysis Report

WQAP-2016-07-15-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - As needed**

Request ID: **RQ-2016-07-11-55**

Customer: **WQAP**

Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
2295 Victoria Ave
Suite 364
Fort Myers, FL 33901
Attn: Julie Espy

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Cheryl Swanson - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8177

Certified by: Jacqueline Savage, Environmental Administrator

Date Certified: 14-JUN-2019 08:32

A handwritten signature in black ink that reads "Jackie Savage". The signature is written in a cursive, flowing style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: AlgalBio and Chlorophyll/Grain Size/BOD.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: CAPE CORAL, HORTON PARK

Collection Date/Time: 07/14/2016 09:30

Field ID: BLOOMRESP-1

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1816341	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.6		ug/L	P308901	
		Phaeophytin-a	4.0		ug/L	P308901	
		Chlorophyll/Phaeophytin Ratio	1.4			P308901	
		Chlorophyll-a, Uncorrected	9.3		ug/L	P308901	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: CAPE CORAL, BERNICE BRADEN PARK

Collection Date/Time: 07/14/2016 09:55

Field ID: BLOOMRESP-2

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1816342	SM 10200 H (mod.)	Chlorophyll-a, Corrected	7.1		ug/L	P308901	
		Phaeophytin-a	2.1		ug/L	P308901	
		Chlorophyll/Phaeophytin Ratio	1.5			P308901	
		Chlorophyll-a, Uncorrected	8.6		ug/L	P308901	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: CAPE CORAL, CAPE HARBOR MARINA

Collection Date/Time: 07/14/2016 10:30

Field ID: BLOOMRESP-3

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1816343	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.9		ug/L	P308901	
		Phaeophytin-a	0.47	I	ug/L	P308901	
		Chlorophyll/Phaeophytin Ratio	1.6			P308901	
		Chlorophyll-a, Uncorrected	5.4		ug/L	P308901	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: CAPE CORAL, HORTON PARK

Collection Date/Time: 07/14/2016 09:30

Field ID: BLOOMRESP-1

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1816424	SOP-AB05	Phytoplankton-Quantitative-# Wet Taxa**	26		#Taxa		
	SOP-AB05_1	Phytoplankton-Quantitative-#Diatom Taxa**	13		#Taxa		

Sample Location: CAPE CORAL, BERNICE BRADEN PARK

Collection Date/Time: 07/14/2016 09:55

Field ID: BLOOMRESP-2

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1816425	SOP-AB05	Phytoplankton-Quantitative-# Wet Taxa**	19		#Taxa		
	SOP-AB05_1	Phytoplankton-Quantitative-#Diatom Taxa**	9		#Taxa		

Sample Location: CAPE CORAL, CAPE HARBOR MARINA

Collection Date/Time: 07/14/2016 10:30

Field ID: BLOOMRESP-3

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1816426	SOP-AB05	Phytoplankton-Quantitative-# Wet Taxa**	21		#Taxa		
	SOP-AB05_1	Phytoplankton-Quantitative-#Diatom Taxa**	16		#Taxa		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P308901

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
 Batch ID: P308901

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	98.8		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P308901

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1816546	Chlorophyll-a, Corrected	15.7	Sample	P	0 - 25
1816546	Chlorophyll-a, Uncorrected	16.3	Sample	P	0 - 25
1816546	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	98.8			15.7	
	Chlorophyll-a, Uncorrected				16.3	
	Chlorophyll/Phaeophytin Ratio				0.0	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
---------------------	-------------	--------------------

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1816341, 1816342, 1816343
SOP-AB05 / E31780	No. of wet taxa of quantitative phytoplankton sample.	1816424, 1816425, 1816426
SOP-AB05_1 / E31780	No. of diatom taxa of quantitative phytoplankton sample.	1816424, 1816425, 1816426

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.) SOP-AB05	07/15/2016	07/15/2016 14:25	Amelia G. Rankin	07/29/2016 11:20	Amelia G. Rankin	1816341, 1816342, 1816343
	07/15/2016	07/15/2016 12:08	Elizabeth Lovern	06/12/2019 11:12	Isaura Lorenzo-Perez	1816424
	07/15/2016	07/15/2016 12:08	Elizabeth Lovern	06/12/2019 14:26	Isaura Lorenzo-Perez	1816425
	07/15/2016	07/15/2016 12:08	Elizabeth Lovern	06/13/2019 12:23	Isaura Lorenzo-Perez	1816426
SOP-AB05_1	07/15/2016	08/10/2016 14:06	Cathy Sherrer	06/19/2017 15:33	Isaura Lorenzo-Perez	1816424
	07/15/2016	08/10/2016 14:06	Cathy Sherrer	06/20/2017 11:25	Isaura Lorenzo-Perez	1816425
	07/15/2016	08/10/2016 14:06	Cathy Sherrer	06/20/2017 13:18	Isaura Lorenzo-Perez	1816426