

Login Checklist

RQ- ~~2021~~ - 08 -05 - 47

Login Station ID: # 3

Shipping Method: ~~FedEx~~ | UPS | HD | Greyhound

Date/Time of Receipt: 05-11-2021 / 10:15

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.4c				7		X			4751 8782 0177
1.8C				8		X			4751 8782 0166

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ABS/

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: ABS/

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

✓ Yes X No _____ NA X Init: ABS/

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes X No _____ NA X Init: ABS/

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS/Date: 05-11-2021Event contains NCRs (Y/N)? NEventID: Algal Bloom Response - as needed
- WQAP-2021-05-11-03 (BLOOM-RESP)

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 3 EXP:10/28/2021
pH Test Strips 0 – 6	213316 BV EXP:05/15/21
pH Paper 0 – 3	N/A
pH Paper 0 – 13	231019 EXP:11/01/2021
Chlorine Test Strips	0261 2023 / 05

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Algal Bloom Response - as needed

last revised Jan 25, 2018

Customer: WQAP

Requester: Matthew Bearden

Field Report Prepared By: BP

Project ID: BLOOM-RESP

Collected By: Be PaswaterSampling Agency: Francisco FurusSWROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>5/10/2021</u> Time <u>1300</u>	☒ Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
F	WIN/Field ID HAB-SW-0035	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>7.62</u> <u>116.2%</u>	Total Res. Chlorine (mg/L)	ABC
V	Site Name: Mouth of Manatee	Temp (C) <u>27.67</u>	pH <u>8.16</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>52383</u>	
L		☐ dd ☐ dms	Salinity (ppt) <u>32.95</u>	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>5/10/2021</u> Time <u>1340</u>	☒ Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
F	WIN/Field ID HAB-SW-0036	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>10.14</u> <u>158.4%</u>	Total Res. Chlorine (mg/L)	ABC
V	Site Name: Safe Harbor Channel	Temp (C) <u>28.46</u>	pH <u>8.40</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>52753</u>	
L		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>5/10/2021</u> Time <u>1400</u>	☒ Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
F	WIN/Field ID HAB-SW-0037	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>4.06</u> <u>61.9%</u>	Total Res. Chlorine (mg/L)	ABC
V	Site Name: 2714 Ave B by dock	Temp (C) <u>27.02</u>	pH <u>8.24</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>52279</u>	
L		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: <u>Be Paswater</u>	Date/Time <u>5/10/2021 1600</u>	Shipping Method <u>Fed Ex</u>	Number of Coolers Shipped: <u>(2)</u>	Received By: <u>ABP</u>	Date/Time <u>05-11-21/10-15</u>
-------------------------------------	------------------------------------	----------------------------------	---------------------------------------	-------------------------	------------------------------------

Group: A	Bottle Type:	PT-50ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	BLOOM-ID						
Group: B	Bottle Type:	BP-1L	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: B	Bottle Type:	BG-250ML-WDMT H	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	W-MCYST-AA						
Group: B	Bottle Type:	P-500ML	# of Bottles: 8	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
Group: B	Bottle Type:	P-125ML	# of Bottles: 8	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: C	Bottle Type:	BP-1L	# of Bottles: 8	Preservative:	Lugols	Enter Number of Bottles Sent to Lab	3
	DTY-QN-C						
	PKD-QN-C						

3 Marine Algae to FWRI

Date of Request: 16-JUL-2019
 Created By: BEARDEN_M On: 16-JUL-2019
 Modified By: JASROTIA_P On: 18-JUL-2019
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response - as needed

Send Coolers To:

Phone: 813-470-5951
 13051 N. Telecom Parkway

 Temple Terrace, FL 33637
 Attn: Matthew Bearden
 Cooler Ship EMail: matthew.bearden@dep.state.fl.us

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 18-JUL-2019
 Biology Request Reviewed By: JASROTIA_P On: 18-JUL-2019
 Sampling Kit Required: YES Ship on: 26-JUL-2019
 Sampling Kit Shipped: YES On: 23-JUL-2019
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 05-AUG-2019
 Logged In By: SHAIK_A On: 11-MAY-2021

Send Final Report To:

13051 N. Telecom Parkway

 Temple Terrace, FL 33637
 Attn: Matthew Bearden
 Report Notification EMail:
 matthew.bearden@dep.state.fl.us;kalina.warren@dep.state.fl.us;j
 ulie.espy@dep.state.fl.us

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Groups A/B - separate event, priority 1
 Bottle Group C - separate event, priority 12

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, and chlorophyll

Bottle Group C - Priority 12
 For algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Bottle Group A (Biological) With 8 Samples:

Bottle Type: PT-50ML Number of Bottles: 8 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 8 Samples:

Bottle Type: BP-1L Number of Bottles: 8 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: BG-250ML-WDMTH Number of Bottles: 8 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 8 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 8 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 8 Samples:

Bottle Type: BP-1L	Number of Bottles: 8	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.