

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: **DES1**

RQ: **2023-07-24-49**

Project: **Algae Resample**

(Ortega River)

- Notes:** (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification **09/08/2023**

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	K. Halbert	9/11/23	753	23.1	761.0	8.6	-	100.1	-	1.015	☒ F	☒ F
ICV	K. Halbert	9/11/23	758	23.0	761.2	8.6	8.59	100.2	-	1.015	☒ F	☒ F
CCV	K. Halbert	9/11/23	1550	23.3	760.3	8.5	8.48	99.5	-	1.015	☒ F	☒ F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. **Steady-state & Galvanic Sensors:** DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	K. Halbert	9/11/23	759	230612B	06/2024	1000	1000	☒ F	☒ F
ICV	K. Halbert	9/11/23	801	221020B	11/2023	1413	1426	☒ F	☒ F
CCV	K. Halbert	9/11/23	1555	230131C	02/2024	50000	50452	☒ F	☒ F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	K. Halbert	9/11/23	825	M241-15	9/1/24	7.01	23.5	7.01	-35.8	☒ F	☒ F
Calibr.	K. Halbert	9/11/23	832	M221-22	8/10/24	4.00	23.1	4.00	141.1	☒ F	☒ F
Calibr.	K. Halbert	9/11/23	835	M334-14	11/29/24	10.02	23.5	10.02	-205.5	☒ F	☒ F
ICV	K. Halbert	9/11/23	837	M221-22	8/10/24	4.00	23.1	3.98	141.3	☒ F	☒ F
CCV	K. Halbert	9/11/23	1600	M334-14	11/29/24	10.02	23.1	10.00	-205.4	☒ F	☒ F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 **169.7**, slope from 4 to 7 **176.9** (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? **YES** / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: **09/08/2023**

If NO, what will be used? (circle one) **Secchi Disk Line** / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass/ Fail	Lab/ Field
Pressure mode in air	K. Halbert	9/11/23	839	0.000	0.000	☒ F	☒ F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-07-24-49				Collected By:		Katrin Villinger, Katherine Halbert					
Customer:		NE-DIST		Field Report Prepared By:		Katherine Halbert					
Project ID:		BLOOM_RESP		Sampling Agency:		NEROC					
Location: Ortega River - 0.3 miles up Morven Canal				Comments: Bacterial scum layer across surface.							
Field ID: NEHAB0112				Coordinates:		30.25541, -81.70513					
WIN Secondary Resource Type: River/Stream				Collection Equip:		WaterBottle					
WIN ID: NEHAB0112				High Tide Time:		09:04		Low Tide Time:		15:26	
Matrix:		Marine		Grab		Tide:		☐ Rising ☒ Falling ☐ Slack ☐ N/A			
Water Quality											
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)	
09/11/2023	14:00	55.4	4.13	29.7	7.11	0.3	1.4	1.3	8095	4.45	
	12:57	38.9	2.87	29.6	6.97	0.9			9144	5.08	
Bloom Observations											
Algal Bloom Observed? ☐ Yes ☒ No											
Water Clarity		☒ Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque									
Bloom Color		☐ Green ☐ Red ☐ Brown ☐ Other:									
Algae Type		☐ Planktonic ☐ Filamentous ☐ Other:									
Algae Accumulation		☐ Mat ☐ Specks ☐ Scum ☐ Glob									
Algae Distribution		☐ Surface-Entire ☐ Surf-Localized ☐ Surf-Windblown ☐ Suspended ☐ Benthic ☐ Epiphytic									
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group	
Algae (PT-50mL)		☐ ALGAL-ID ☒ BLOOM-ID				☒ Ice			1	A	
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	C	
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice			1	C	
Physical/Aggregate		☒ W-COLOR				☒ Ice			1	C	
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP				☒ Ice ☒ H2SO4		☒ <2	1	C	
		Acid Lot:		SA2299040		Exp:		11/04/2023			
Filtered Nutrients (P125mL)		☒ W-PO4-F		☒ Field Filtered 0.45um Filter			☒ Ice		1	C	
		Filter Lot #			0000175533						
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols					
Relinquished By:		Date/Time		Number of Coolers Shipped			Received By:		Date/Time		
Katherine Halbert		09/11/2023 16:30		1							