

Chemical Analysis Report

CEN-DIST-2023-07-25-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - CEROC**
Request ID: **RQ-2023-06-26-38**
Customer: **CEN-DIST**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Jessie Atchison

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Chris Bowen, Environmental Administrator

Date Certified: 07-AUG-2023 09:18



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: IRL - near Max Brewer Bridge

Collection Date/Time: 07/24/2023 11:27

Field ID: HABCE0207

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2426245	DEP SOP: NU-094-1	Color (true)	11	A	PCU	P432972	
2426248	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P433106	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.5		mg N/L	P433266	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.020		mg N/L	P433153	
	EPA 365.1 Rev. 2.0	Total-P	0.093		mg P/L	P433295	
2426251	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P432977	
2426254	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P432956	
		Cylindrospermopsin	0.10	U	ug/L	P432955	
		Desmethyl microcystin LR	0.25	U	ug/L	P432955	
		Microcystin HiLR	0.25	U	ug/L	P432955	
		Microcystin HtyR	0.25	U	ug/L	P432955	
		Microcystin LA	0.10	U	ug/L	P432955	
		Microcystin LF	0.10	U	ug/L	P432955	
		Microcystin LR	0.25	U	ug/L	P432955	
		Microcystin LW	0.25	U	ug/L	P432955	
		Microcystin LY	0.10	U	ug/L	P432955	
		Microcystin RR	0.10	U	ug/L	P432955	
		Microcystin WR	0.50	U	ug/L	P432955	
		Neosaxitoxin	0.50	UJ	ug/L	P432956	MS
		Microcystin YR	0.25	U	ug/L	P432955	
		Saxitoxin	0.50	U	ug/L	P432956	
		Nodularin-R	0.10	U	ug/L	P432955	

Ref. Method and Comment:

EPA 8321B: Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: IRL - near Merritt Island Wildlife Refuge

Collection Date/Time: 07/24/2023 12:21

Field ID: HABCE0208

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2426246	DEP SOP: NU-094-1	Color (true)	27		PCU	P432972	
2426249	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P433106	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P433266	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P433153	
	EPA 365.1 Rev. 2.0	Total-P	0.039		mg P/L	P433295	
2426252	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P432977	
2426255	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P432956	
		Cylindrospermopsin	0.10	U	ug/L	P432955	
		Desmethyl microcystin LR	0.25	U	ug/L	P432955	
		Microcystin H1LR	0.25	U	ug/L	P432955	
		Microcystin HtyR	0.25	U	ug/L	P432955	
		Microcystin LA	0.10	U	ug/L	P432955	
		Microcystin LF	0.10	U	ug/L	P432955	
		Microcystin LR	0.25	U	ug/L	P432955	
		Microcystin LW	0.25	U	ug/L	P432955	
		Microcystin LY	0.10	U	ug/L	P432955	
		Microcystin RR	0.10	U	ug/L	P432955	
		Microcystin WR	0.50	U	ug/L	P432955	
		Neosaxitoxin	0.50	U	ug/L	P432956	MS
		Microcystin YR	0.25	U	ug/L	P432955	
		Saxitoxin	0.50	U	ug/L	P432956	
		Nodularin-R	0.10	U	ug/L	P432955	

Sample Location: IRL - Scobie Park

Collection Date/Time: 07/24/2023 13:25

Field ID: HABCE0209

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2426247	DEP SOP: NU-094-1	Color (true)	18		PCU	P432972	
2426250	EPA 350.1 Rev. 2.0	Ammonia-N	0.051		mg N/L	P433106	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P433266	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.010		mg N/L	P433153	
	EPA 365.1 Rev. 2.0	Total-P	0.093		mg P/L	P433295	
2426253	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.016		mg P/L	P432977	
2426256	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P432956	
		Cylindrospermopsin	0.10	U	ug/L	P432955	
		Desmethyl microcystin LR	0.25	U	ug/L	P432955	
		Microcystin H1LR	0.25	U	ug/L	P432955	
		Microcystin HtyR	0.25	U	ug/L	P432955	
		Microcystin LA	0.10	U	ug/L	P432955	
		Microcystin LF	0.10	U	ug/L	P432955	
		Microcystin LR	0.25	U	ug/L	P432955	
		Microcystin LW	0.25	U	ug/L	P432955	
		Microcystin LY	0.10	U	ug/L	P432955	
		Microcystin RR	0.10	U	ug/L	P432955	
		Microcystin WR	0.50	U	ug/L	P432955	
		Neosaxitoxin	0.50	U	ug/L	P432956	MS
		Microcystin YR	0.25	U	ug/L	P432955	
		Saxitoxin	0.50	U	ug/L	P432956	
		Nodularin-R	0.10	U	ug/L	P432955	

Quality Assurance Report Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P432972

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P433106

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P433266

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P433153

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P433295

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432977

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P432955

Component	Result	Code	Units
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin H1LR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P432956

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Neosaxitoxin	0.50	U	ug/L
Saxitoxin	0.50	U	ug/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P432972

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P433106

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.2		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P433266

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P433153

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P433295

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432977

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.1		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P432955

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Cylindrospermopsin	97.4		P	40 - 160
Desmethyl microcystin LR	109		P	40 - 160
Microcystin HILR	100		P	40 - 160
Microcystin HtyR	90.8		P	40 - 160
Microcystin LA	103		P	40 - 160
Microcystin LF	99.4		P	40 - 160
Microcystin LR	97.0		P	40 - 160
Microcystin LW	91.5		P	40 - 160
Microcystin LY	100		P	40 - 160
Microcystin RR	94.7		P	40 - 160
Microcystin WR	103		P	40 - 160
Microcystin YR	85.2		P	40 - 160
Nodularin-R	88.2		P	40 - 160

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P432956

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	117		P	40 - 150
Neosaxitoxin	97.3		P	40 - 150
Saxitoxin	80.2		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P433106

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2426248	Ammonia-N	98.0	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P433266

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2426250	Kjeldahl Nitrogen	108	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P433153

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2426248	NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P433295

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2427121	Total-P	108	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432977

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2426252	O-Phosphate-P	94.9	95.4	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P432955

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2426254	Cylindrospermopsin	88.7	82.4	P/P	40 - 160
2426254	Desmethyl microcystin LR	106	104	P/P	40 - 160
2426254	Microcystin HiLR	105	99.1	P/P	40 - 160
2426254	Microcystin HtyR	93.1	93.8	P/P	40 - 160
2426254	Microcystin LA	99.3	99.2	P/P	40 - 160
2426254	Microcystin LF	105	102	P/P	40 - 160
2426254	Microcystin LR	106	105	P/P	40 - 160
2426254	Microcystin LW	101	90.6	P/P	40 - 160
2426254	Microcystin LY	104	96.6	P/P	40 - 160
2426254	Microcystin RR	97.2	91.8	P/P	40 - 160
2426254	Microcystin WR	107	99.1	P/P	40 - 160
2426254	Microcystin YR	88.7	87.8	P/P	40 - 160
2426254	Nodularin-R	95.0	92.5	P/P	40 - 160

Reference Method: EPA 8321B
Batch ID: P432956

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2426254	Anatoxin-a	89.2	98.9	P/P	40 - 150
2426254	Neosaxitoxin	31.0	30.6	F/F	40 - 150
2426254	Saxitoxin	42.2	45.0	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P432972

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426245	Color (true)	18.7	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P433106

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426248	Ammonia-N	2.50	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P433266

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426250	Kjeldahl Nitrogen	3.27	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P433153

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426248	NO2NO3-N	0.442	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P433295

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2427121	Total-P	1.54	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432977

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426252	O-Phosphate-P	0.525	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P432955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426254	Cylindrospermopsin	7.39	Spike	P	0 - 30
2426254	Desmethyl microcystin LR	1.90	Spike	P	0 - 30
2426254	Microcystin HtLR	5.67	Spike	P	0 - 30
2426254	Microcystin HtyR	0.767	Spike	P	0 - 30
2426254	Microcystin LA	0.0795	Spike	P	0 - 30
2426254	Microcystin LF	2.20	Spike	P	0 - 30
2426254	Microcystin LR	0.805	Spike	P	0 - 30
2426254	Microcystin LW	10.4	Spike	P	0 - 30
2426254	Microcystin LY	6.98	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P432955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426254	Microcystin RR	5.71	Spike	P	0 - 30
2426254	Microcystin WR	7.94	Spike	P	0 - 30
2426254	Microcystin YR	1.01	Spike	P	0 - 30
2426254	Nodularin-R	2.57	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P432956

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2426254	Anatoxin-a	10.4	Spike	P	0 - 30
2426254	Neosaxitoxin	1.43	Spike	P	0 - 30
2426254	Saxitoxin	6.59	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2426254
Field Sample ID: HABCE0207

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Anatoxin-a 13C4	92.7	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	112	P	30 - 160

Lab Sample ID: 2426255
Field Sample ID: HABCE0208

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Anatoxin-a 13C4	103	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	103	P	30 - 160

Lab Sample ID: 2426256
Field Sample ID: HABCE0209

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Anatoxin-a 13C4	93.8	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	105	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1

Run ID: A120616

Included Lab Sample IDs: 2426245, 2426246, 2426247

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.7	96.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A120619

Included Lab Sample IDs: 2426251, 2426252, 2426253

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.8	P/P	90 - 110
O-Phosphate-P	99.4	100	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A120661

Included Lab Sample IDs: 2426254, 2426255, 2426256

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cylindrospermopsin	91.2	92.9	P/P	60 - 160
Desmethyl microcystin LR	96.3	96.7	P/P	50 - 160
Microcystin HII R	96.5	94.6	P/P	60 - 160
Microcystin HtyR	84.8	84.7	P/P	60 - 160
Microcystin LA	95.6	97.1	P/P	50 - 160
Microcystin LF	83.4	79.2	P/P	60 - 160
Microcystin LR	91.7	90.6	P/P	60 - 160
Microcystin LW	82.9	80.4	P/P	60 - 160
Microcystin LY	92.7	95.5	P/P	60 - 160
Microcystin RR	88.0	87.9	P/P	60 - 160
Microcystin WR	92.6	92.4	P/P	60 - 160
Microcystin YR	82.3	80.0	P/P	60 - 160
Nodularin-R	88.6	83.9	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A120662

Included Lab Sample IDs: 2426254, 2426255, 2426256

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	131	132	P/P	50 - 160
Neosaxitoxin	110	110	P/P	50 - 160
Saxitoxin	91.1	93.1	P/P	50 - 160

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A120681

Included Lab Sample IDs: 2426248, 2426249, 2426250

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.8	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A120696

Included Lab Sample IDs: 2426248, 2426249, 2426250

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	103	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A120795

Included Lab Sample IDs: 2426248, 2426249, 2426250

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	94.0	99.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A120829

Included Lab Sample IDs: 2426248, 2426249, 2426250

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
					LCS	
DEP SOP: NU-094-1	Color (true)	99.0			18.7	
EPA 350.1 Rev. 2.0	Ammonia-N	98.2	98.0	101		2.50
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	108	103		3.27
EPA 353.2 Rev. 2.0	NO2NO3-N	102	103	103		0.442
EPA 365.1 Rev. 2.0	Total-P	107	108	105		1.54
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.1	94.9	95.4		0.525
EPA 8321B	Anatoxin-a	117	89.2	98.9		10.4
	Cylindrospermopsin	97.4	88.7	82.4		7.39
	Desmethyl microcystin LR	109	106	104		1.90
	Microcystin H1LR	100	105	99.1		5.67
	Microcystin HtyR	90.8	93.1	93.8		0.767
	Microcystin LA	103	99.3	99.2		0.0795
	Microcystin LF	99.4	105	102		2.20
	Microcystin LR	97.0	106	105		0.805
	Microcystin LW	91.5	101	90.6		10.4
	Microcystin LY	100	104	96.6		6.98
	Microcystin RR	94.7	97.2	91.8		5.71
	Microcystin WR	103	107	99.1		7.94
	Microcystin YR	85.2	88.7	87.8		1.01
	Neosaxitoxin	97.3	31.0	30.6		1.43
	Nodularin-R	88.2	95.0	92.5		2.57
	Saxitoxin	80.2	42.2	45.0		6.59

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2426245, 2426246, 2426247
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2426248, 2426249, 2426250
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2426248, 2426249, 2426250
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2426248, 2426249, 2426250
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2426248, 2426249, 2426250
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2426251, 2426252, 2426253
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2426254, 2426255, 2426256
EPA 8321B	Saxitoxin in water matrices by HPLC/MS/MS	2426254, 2426255, 2426256

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	07/25/2023			07/25/2023 13:37	Chandler E Cox	2426245
	07/25/2023			07/25/2023 13:38	Chandler E Cox	2426246, 2426247
	07/25/2023			07/27/2023 11:58	Ping Hua	2426248
EPA 350.1 Rev. 2.0	07/25/2023			07/27/2023 12:06	Ping Hua	2426249
	07/25/2023			07/27/2023 12:08	Ping Hua	2426250
	07/25/2023	08/01/2023 10:22	Dana G. Hughes	08/02/2023 12:20	Samantha L Bates	2426248
EPA 351.2 Rev. 2.0	07/25/2023	08/01/2023 10:22	Dana G. Hughes	08/02/2023 12:21	Samantha L Bates	2426249
	07/25/2023	08/01/2023 10:22	Dana G. Hughes	08/02/2023 12:23	Samantha L Bates	2426250
	07/25/2023			07/27/2023 15:17	Judith K. Clark	2426248
EPA 353.2 Rev. 2.0	07/25/2023			07/27/2023 15:23	Judith K. Clark	2426249
	07/25/2023			07/27/2023 15:24	Judith K. Clark	2426250
	07/25/2023	08/02/2023 14:24	Alexis Price	08/03/2023 15:36	James L Waggeberby	2426248
EPA 365.1 Rev. 2.0	07/25/2023	08/02/2023 14:24	Alexis Price	08/03/2023 15:37	James L Waggeberby	2426249
	07/25/2023	08/02/2023 14:24	Alexis Price	08/03/2023 15:38	James L Waggeberby	2426250
	07/25/2023			07/25/2023 13:47	Adam P Silver	2426252
EPA 365.1 Rev. 2.0 dissolved	07/25/2023			07/25/2023 13:54	Adam P Silver	2426251
	07/25/2023			07/25/2023 13:55	Adam P Silver	2426253
	07/25/2023	07/26/2023 06:00	Hana Lee	07/26/2023 08:20	Tae K Lee	2426254
EPA 8321B	07/25/2023	07/26/2023 06:00	Hana Lee	07/26/2023 08:37	Tae K Lee	2426255
	07/25/2023	07/26/2023 06:00	Hana Lee	07/26/2023 08:54	Tae K Lee	2426256
	07/25/2023	07/26/2023 13:00	Hana Lee	07/26/2023 19:32	Tae K Lee	2426254
	07/25/2023	07/26/2023 13:00	Hana Lee	07/26/2023 19:46	Tae K Lee	2426255
	07/25/2023	07/26/2023 13:00	Hana Lee	07/26/2023 20:00	Tae K Lee	2426256